



z/OS



MVS Routing and Descriptor Codes

z/OS



MVS Routing and Descriptor Codes

Note

Before using this information and the product it supports, be sure to read the general information under "Notices" on page B-1.

Fifth Edition, September 2002

This is a major revision of SA22-7624-03.

This edition applies to Version 1 Release 4 of z/OS™ (5694-A01), Version 1 Release 4 of z/OS.e (5655-G52), and to all subsequent releases and modifications until otherwise indicated in new editions.

Order documents through your IBM® representative or the IBM branch office serving your locality. Documents are not stocked at the address below.

IBM welcomes your comments. A form for readers' comments may be provided at the back of this document, or you may address your comments to the following address:

International Business Machines Corporation
Department 55JA, Mail Station P384
2455 South Road
Poughkeepsie, NY 12601-5400
United States of America

FAX (United States & Canada): 1+845+432-9405

FAX (Other Countries):

Your International Access Code +1+845+432-9405

IBMLink™ (United States customers only): IBMUSM10(MHVRCFS)

Internet e-mail: mhvrcfs@us.ibm.com

World Wide Web: <http://www.ibm.com/servers/eserver/zseries/zos/webqcs.html>

If you would like a reply, be sure to include your name, address, telephone number, or FAX number.

Make sure to include the following in your comment or note:

- Title and order number of this document
- Page number or topic related to your comment

When you send information to IBM, you grant IBM a nonexclusive right to use or distribute the information in any way it believes appropriate without incurring any obligation to you.

© **Copyright International Business Machines Corporation 1988, 2002. All rights reserved.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

About this document	v
Who should use this document	v
How To use this document	v
Where to find more information	v
Information updates on the web.	v
Using LookAt to look up message explanations	v
Accessing z/OS licensed documents on the Internet	vi

Summary of changes	vii
-------------------------------------	-----

Chapter 1. Routing Codes	1-1
Specification	1-1
Routing Code Meaning	1-1
Routing Codes in this Book	1-2

Chapter 2. Descriptor Codes	2-1
Association with Message Type Code.	2-1
Specification	2-1
Message Deletion	2-2
Message Color	2-2
Descriptor Code Meaning	2-2
Descriptor Codes in this Book	2-3

Chapter 3. Message Identifiers and Associated Routing and Descriptor Codes.	3-1
ADR Messages	3-1
ADY Messages	3-1
AMA Messages	3-1
AMB Messages	3-2
AMD Messages	3-2
AMS Messages	3-4
AOM Messages	3-4
ASA Messages	3-4
ASB Messages	3-5
ATB Messages	3-6
ATR Messages	3-10
AVM Messages	3-12
BLS Messages	3-12
BLW Messages	3-12
BPX Messages	3-13
CBR Messages	3-19
CMP Messages	3-49
CNLC Messages	3-49
CNLP Messages	3-50
CNLS Messages	3-51
COF Messages	3-51
CSR Messages	3-53
CSV Messages	3-54
EDG Messages	3-58
ERB Messages	3-73
GDE Messages	3-76
GFSA Messages	3-76
GFSC Messages	3-79
IAR Messages	3-80

ICH Messages	3-80
ICP Messages	3-82
ICT Messages	3-82
ICU Messages	3-82
IDA Messages	3-83
IDC Messages	3-84
IEA Messages	3-84
IEB Messages	3-92
IEC Messages	3-96
IEE Messages	3-100
IEF Messages	3-110
IEFC Messages	3-118
IEFE Messages	3-120
IEFI Messages	3-120
IEFJ Messages	3-120
IEW Messages	3-121
IFA Messages	3-123
IFB Messages	3-124
IFC Messages	3-125
IFD Messages	3-125
IGD Messages	3-127
IGF Messages	3-134
IGGN Messages	3-135
IGV Messages	3-135
IGW Messages	3-135
IHJ Messages	3-141
IKJ Messages	3-141
ILR Messages	3-143
IOP Messages	3-143
IOS Messages	3-143
IRA Messages	3-147
IRD Messages	3-147
IRR Messages	3-147
ISG Messages	3-148
ISN Messages	3-151
ITT Messages	3-151
ITV Messages	3-152
ITZ Messages	3-152
IWM Messages	3-153
IXC Messages	3-154
IXG Messages	3-159
IXL Messages	3-162
IXP Messages	3-163
IXZ Messages	3-164
IYP Messages	3-164
IZP Messages	3-164
Appendix. Accessibility	A-1
Using assistive technologies	A-1
Keyboard navigation of the user interface	A-1
Notices	B-1
Programming Interface Information.	B-2
Trademarks	B-2

About this document

This document supports z/OS (5694-A01) and z/OS.e (5655-G52).

This document lists the routing and descriptor codes that IBM assigns to the messages that OS/390[®] components, subsystems, and products issue. Routing and descriptor codes are specified by the ROUTCDE and DESC keyword parameters on WTO and WTOR macros, which are the primary methods that programs use to issue messages. The routing code identifies where a message will be displayed. The descriptor code identifies the significance of the message and the color of the message on operator consoles with color (see “Message Color” on page 2-2).

Who should use this document

This document is intended for system and application programmers who want to direct messages to certain consoles in an installation with multiple console support (MCS).

How To use this document

Chapter 1, “Routing Codes” on page 1-1 and Chapter 2, “Descriptor Codes” on page 2-1 contain an introduction to routing and descriptor codes. These sections describe:

- The meaning of each code
- How these codes are specified
- How the system uses these codes

For information on using routing and descriptor codes to route messages, see *z/OS MVS Planning: Operations*.

Chapter 3, “Message Identifiers and Associated Routing and Descriptor Codes” on page 3-1 lists the routing and descriptor codes for each message identifier. The message identifiers are listed in alphabetical order according to their prefixes. Within a prefix section, the message identifiers appear in numerical order. The routing code appears to the right of the message identifier, followed by the descriptor code.

Where to find more information

To find documents that contain information related to this document or that are referenced in this document, see *z/OS Information Roadmap*.

Information updates on the web

For the latest information updates that have been provided in PTF cover letters and Documentation APARs for z/OS and z/OS.e, see the online document at:

<http://www.s390.ibm.com:80/bookmgr-cgi/bookmgr.cmd/BOOKS/ZIDOCMST/CCONTENTS>

This document is updated weekly and lists documentation changes before they are incorporated into z/OS publications.

Using LookAt to look up message explanations

LookAt is an online facility that allows you to look up explanations for most messages you encounter, as well as for some system abends and codes. Using LookAt to find information is faster than a conventional search because in most cases LookAt goes directly to the message explanation.

You can access LookAt from the Internet at:

<http://www.ibm.com/eserver/zseries/zos/bkserv/lookat/>

or from anywhere in z/OS where you can access a TSO/E command line (for example, TSO/E prompt, ISPF, z/OS UNIX System Services running OMVS). You can also download code from the *z/OS Collection* (SK3T-4269) and the LookAt Web site that will allow you to access LookAt from a handheld computer (Palm Pilot VIIx suggested).

To use LookAt as a TSO/E command, you must have LookAt installed on your host system. You can obtain the LookAt code for TSO/E from a disk on your *z/OS Collection* (SK3T-4269) or from the **News** section on the LookAt Web site.

Some messages have information in more than one document. For those messages, LookAt displays a list of documents in which the message appears.

Accessing z/OS licensed documents on the Internet

z/OS licensed documentation is available on the Internet in PDF format at the IBM Resource Link™ Web site at:

<http://www.ibm.com/servers/resourceLink>

Licensed documents are available only to customers with a z/OS license. Access to these documents requires an IBM Resource Link user ID and password, and a key code. With your z/OS order you received a Memo to Licensees, (GI10-0671), that includes this key code. ¹

To obtain your IBM Resource Link user ID and password, log on to:

<http://www.ibm.com/servers/resourceLink>

To register for access to the z/OS licensed documents:

1. Sign in to Resource Link using your Resource Link user ID and password.
2. Select **User Profiles** located on the left-hand navigation bar.

Note: You cannot access the z/OS licensed documents unless you have registered for access to them and received an e-mail confirmation informing you that your request has been processed.

Printed licensed documents are not available from IBM.

You can use the PDF format on either **z/OS Licensed Product Library CD-ROM** or IBM Resource Link to print licensed documents.

1. z/OS.e™ customers received a Memo to Licensees, (GI10-0684) that includes this key code.

Summary of changes

Summary of changes for SA22-7624-04 z/OS Version 1 Release 4

The document contains information previously presented in *z/OS MVS Routing and Descriptor Codes*, SA22-7624-03, which supports z/OS Version 1 Release 3.

New information

- BPXF226E
- BPXM050E
- BPXM051I
- BPXM052I
- BPXM053I
- IEF500I
- ISG002I
- IXC239A
- IXC252D
- IXG066I
- IXG303I
- IXG304I
- IXG310I
- IXG311I
- IXG312E
- IXG313I
- IXL160E
- IXL161I

Information is added to indicate this document supports z/OS.e.

Changed information

- CSV210I

This document contains terminology, maintenance, and editorial changes. Technical changes or additions to the text and illustrations are indicated by a vertical line to the left of the change.

Starting with z/OS V1R2, you may notice changes in the style and structure of some content in this document—for example, headings that use uppercase for the first letter of initial words only, and procedures that have a different look and format. The changes are ongoing improvements to the consistency and retrievability of information in our documents.

Summary of changes for SA22-7624-03 z/OS Version 1 Release 3

The document contains information previously presented in *z/OS MVS Routing and Descriptor Codes*, SA22-7624-02, which supports z/OS Version 1 Release 2.

New information

- BPXF059I
- BPXF077S
- BPXF078W
- BPXI043E
- BPXI044I
- BPXI045I
- BPXI046I
- BPXI055I
- BPXI056E
- BPXI057I
- BPXI058I
- BPXI059I
- BPXI060I
- BPXI061E
- BPXI062I
- BPXI063I
- BPXI064E
- BPXI065E
- BPXI066E
- BPXI067E
- BPXI068I
- BPXI069I
- BPXO053I
- BPXP018I
- IEE067I
- IEE823E
- IEF001I
- IEF894I
- IEF895I
- IEF896I
- IEF897I
- IKJ732I
- IKJ733A
- IKJ734E
- IKJ735E
- IKJ736E
- IKJ737I
- IKJ738I
- IKJ739E
- IXG440E
- IXG441E
- IXG442E

An appendix with z/OS product accessibility information has been added.

Changed information

- IEA480E
- IEE806A
- updated description of routing code 11

This document contains terminology, maintenance, and editorial changes, including changes to improve consistency and retrievability.

**Summary of changes
for SA22-7624-02
z/OS Version 1 Release 2**

The document contains information previously presented in SA22-7624-01, which supports z/OS Version 1 Release 1.

New information

- ASA010I
- BPXF223I
- BPXF224I
- BPXF225I
- BPXM044I
- BPXM045I
- BPXM048I
- BPXM049I
- BPXO052I
- IEE012A
- IEE061I
- IEE062I
- IEE063I
- IEE064I
- IEE065I
- IEE806A
- IEE822E
- IEF893I
- ISG304I
- ISG351I
- ISG352E
- IXC430E
- IXC431I
- IXC432I
- IXC553E
- IXC701I
- IXG064I
- IXG065I
- IXG219I
- IXG220I
- IXG264I

Changed information

- BPXF076I
- BPXI039I
- IEA120A changed to IEA120D
- IEF351I
- IOS120A changed to IOS120D
- IXG051I
- IXG062A
- IXG111I
- IXG117I
- IXG218A
- IXG254I
- IXG256I
- IXG263E
- IXG432E
- IXL013I

This document contains terminology, maintenance, and editorial changes, including changes to improve consistency and retrievability.

**Summary of changes
for SA22-7624-01
as updated June, 2001**

The document contains information previously presented in SA22-7624-00, which supports z/OS Version 1 Release 1.

This document contains terminology, maintenance, and editorial changes, including changes to improve consistency and retrievability.

**Summary of changes
for SA22-7624-00
z/OS Version 1 Release 1**

This document contains information previously presented in *OS/390 MVS Routing and Descriptor Codes*.

Please note that any new, changed, or deleted messages can affect your installation's automation package. Ensure that your installation's automation package is updated with these changes.

New information

Routing and descriptor codes for the following messages are now in this document:

- IEA002I
- IEA017E
- IEA018A
- IEA164E
- IEE044I
- IEE045I
- IEE046I
- IEE047I
- IEE048I
- IEE049I
- IEE050I

- IEE051I
- IEE052I
- IEE053I
- IEE054I
- IEE055I
- IEE056I
- IEE057I
- IEE058I
- IEE059I
- IEE060I
- IEE066I
- IEE801A
- IEE802A
- IEE803A
- IEE804A
- IEE805A
- IEE819E
- IEE820E
- IEE821E

Changed information

Changes have been made to the following message:

- IEE686I

Also, the following sections have changes:

- Routing codes in this document

Messages no longer issued

Starting with this release, the following messages are no longer issued:

- BPXB002E
- BPXB003I
- BPXB004E
- BPXB005I

This document contains terminology, maintenance, and editorial changes, including changes to improve consistency and retrievability.

Chapter 1. Routing Codes

Routing codes send system messages to the consoles where they are to be displayed. More than one routing code can be assigned to a message to send it to more than one console. For more information on message routing, see the following books:

- *z/OS MVS Programming: Authorized Assembler Services Guide*
- *z/OS MVS Programming: Authorized Assembler Services Reference SET-WTO*
- *z/OS MVS Installation Exits*
- *z/OS MVS Initialization and Tuning Reference*

Specification

The routing codes are specified in the ROUTCDE parameter of the WTO or WTOR macro. If you specify a message which contains no routing codes, MVS™ may provide one or more default routing codes, based upon the presence or lack of other queueing specifications.

If you specify a message containing descriptor codes but no routing codes and no target console, MVS will not assign any routing codes but will attempt to queue the message to the console with master authority.

If you specify a message containing no routing codes, no descriptor codes, and no target console, MVS will assign a default set of routing codes. This set of default routing codes is specified at MVS initialization on the DEFAULT statement in your CONSOLxx parmlib member. If a set of default routing codes was not provided on the DEFAULT statement, MVS will assign routing codes 1 through 12.

Routing Code Meaning

Programming Interface information	
Code	Meaning
1	Operator Action The message indicates a change in the system status. It demands action by the operator at the console with master authority.
2	Operator Information The message indicates a change in system status. It does not demand action; rather, it alerts the operator at the console with master authority to a condition that might require action. This routing code is used for any message that indicates job status when the status is not requested specifically by an operator inquiry. It is also used to route processor and problem program messages to the system operator.
3	Tape Pool The message gives information about tape devices, such as the status of a tape unit or reel, the disposition of a tape reel, or a request to mount a tape.
4	Direct Access Pool The message gives information about direct access storage devices (DASD), such as the status of a direct access unit or volume, the disposition of a volume, or a request to mount a volume.
5	Tape Library The message gives tape library information, such as a request by volume serial numbers for tapes for system or problem program use.

- 6 Disk Library**
The message gives disk library information, such as a request by volume serial numbers for volumes for system or problem program use.
- 7 Unit Record Pool**
The message gives information about unit record equipment, such as a request to mount a printer train.
- 8 Teleprocessing Control**
The message gives the status or disposition of teleprocessing equipment, such as a message that describes line errors.
- 9 System Security**
The message gives information about security checking, such as a request for a password.
- 10 System/Error Maintenance**
The message gives problem information for the system programmer, such as a system error, an uncorrectable I/O error, or information about system maintenance.
- 11 Programmer Information**
This is commonly referred to as write to programmer (WTP). The message is intended for the problem programmer. This routing code is used when the program issuing the message cannot route the message to the programmer through a system output (SYSOUT) data set. The message appears in the job log.
- 12 Emulation**
The message gives information about emulation. (These message identifiers are not included in this publication.)
- 13-20** For customer use only.
- 21-28** For subsystem use only.
- 29-40** For IBM use only.
- 41** The message gives information about JES3 job status.
- 42** The message gives general information about JES2 or JES3.
- 43-64** For JES use only.
- 65-96** Messages associated with particular processors.
- 97-128** Messages associated with particular devices.

End of Programming Interface information

Routing Codes in this Book

Routing codes appear to the right of the message identifiers in the **Routing Code** column. The column can also contain the following special characters or notes:

- * The message will be routed back to the consoles that initiated the associated requests.
- / The message will be routed to different locations according to the task issuing it. For example, */2/3 means the message is routed back to the console that initiated the request, to the console with master authority, or to the tape pool.
- # The message will be routed in one of the following ways:

- According to the routing indicators specified by the operator
- According to the default routing instructions previously specified by the operator
- Back to the console that initiated the associated request

— The message has no routing code.

Note 2 The message is issued by a WTO or WTOR macro, but has no routing or descriptor codes (old format WTO or WTOR macro).

Note 3 The message has a routing code of 1, which sends it to the console with master authority, and is also routed to the console that the message describes.

Note 4 The message is sent to all active consoles; this is a broadcast message.

Note 5 The message has a routing code of 2, which sends it to the console with master authority, and is also routed to the consoles that are assuming the duties of the failing console. (This message indicates that console switching has occurred.)

Note 6 The message is routed only to non-printer consoles. This message is not issued by a WTO or WTOR macro.

Note 7 The message is routed to consoles where one or more of the following are active:

- MONITOR JOB NAMES
- MONITOR SESSIONS
- MONITOR STATUS

Note 8 The message is also routed to the MSS space manager's console specified by an alternate console routing code on the MSFMSG parameter in the MVIKEY00 parmlib member.

Note 9 The message is issued during the nucleus initialization program (NIP) processing.

Note 10 The message is issued by the WTL macro.

Note 11 The message is routed to a SYSPRINT data set by data management.

Note 12 The message is issued by a WTO or WTOR macro with SYNCH=YES. See *z/OS MVS Initialization and Tuning Reference* for more information.

Note 13 The message is routed only to receivers of the hardcopy message set.

Note 14 The message is routed back to the console that initiated the request and to all associated consoles.

Note 16 The message is routed to the IPCS print file IPCSPRNT.

Note 17 The message is issued by JES3. A JES3 destination class is specified either by the initialization stream or by operator commands.

Note 18 The message is sent in response to a command to the console where the command was entered.

Note 19 The message is written to a data set. If routing and descriptor codes are also included for the message, the message might also be displayed according to the specified routing and descriptor codes. (The descriptor code does not apply to writing the message to the data set.)

Note 20 JES3 does not issue the message. JES3 sends the message to another subsystem for processing.

Note 21 This message is a trailer attached to multiple messages previously issued. It has the same routing and descriptor codes as the first line of the conglomerate.

Note 22 This message is routed to the transaction program (TP) message log.

- Note 23** This message is issued by the device controller. The routing code will vary according to the device controller's task.
- Note 24** This message is routed to the assembly listing.
- Note 25** When this message is issued during IPL, the routing codes are 2 and 10 and the descriptor code is 12. When it is issued after IPL, it has no routing code and the descriptor code is 5.
- Note 26** When this message is issued during NIP processing, the descriptor code is 12. When it is issued after NIP processing, the descriptor code is 4.
- Note 27** The indicated route codes are used only if this message is issued in response to a reply of CKPTDEF during a JES2 checkpoint reconfiguration. This message might be issued to a specific console ID rather than directed by route code. For further information concerning the routing of JES2 messages issued during a reconfiguration, see *z/OS JES2 Initialization and Tuning Guide*.
- Note 28** These routing and descriptor codes apply only when SMS issues the message. If SMS returns the message to its caller and the caller issues the message, the codes do not apply.
- Note 29** This message is written to the JES3OUT data set.
- Note 30** This message is issued by JES3. The message is written to the *MODIFY CONFIG (*F MODIFY) log and/or the issuer of the *F CONFIG command.
- Note 31** The routing and descriptor codes for this message are dependent on the setting of indicator bits within the S99EOPTS field in the SVC 99 Request Block Extension (S99RBX). See the *z/OS MVS Programming: Authorized Assembler Services Guide*, Processing Messages and Reason Codes from Dynamic Allocation for additional information.
- Note 32** Routing code 2 is only applicable if message IYP050D was issued.
- Note 33** Routing code 2 is only applicable if message IZP050D was issued.
- Note 34** This message is only displayed on the SMCS Console Selection screen, and is not issued via WTO support.

Chapter 2. Descriptor Codes

Descriptor codes describe the significance of messages. They indicate whether the system or a task stops processing, waits until some action is completed, or continues. This code also determines how the system will display and delete the message.

Association with Message Type Code

Descriptor codes are associated with message type codes, specified by a letter following the message serial number, as follows:

Descriptor Code	Type Code
1	W (wait)
2	A (action) or D (decision)
3	E (eventual action)
4 through 10	I (information)
11	E (eventual action)
12 and 13	I (information)

Specification

Descriptor codes are specified in the DESC parameter of the WTO or WTOR macro. The following restrictions apply when specifying descriptor codes:

- Descriptor codes 1 through 6, 11, and 12 are mutually exclusive. Assign only one of these codes to a message. If you assign two mutually exclusive codes to one message, the system uses the most important code and ignores the other.
- Descriptor codes 7 through 10 and 13 can be assigned in combination with any of the mutually exclusive codes.
- Descriptor code 9 or 10 can be used only with descriptor code 8.

Under certain conditions, the system uses a descriptor code other than that specified in the macro as follows:

- The system assigns descriptor code 6 if the macro specifies a ROUTCDE parameter, but no DESC parameter.
- The system assigns descriptor code 7 if all of the following are true:
 1. A problem program issued the macro.
 2. The macro omits both DESC and ROUTCDE parameters, or specifies descriptor codes 1 or 2.
 3. The message is not a multiple-line WTO message.
- The system assigns no descriptor code if all of the following are true:
 1. An authorized program issued the macro.
 2. The macro omits both DESC and ROUTCDE parameters.
 3. The message is not a multiple-line WTO message.

Note: An authorized program has at least one of these characteristics:

- Authorized by the authorized program facility (APF)
- Runs in supervisor state
- Runs under PSW key 0 through 7

Message Deletion

With multiple console support (MCS), action messages with descriptor code 1 or 2 issued by problem programs are assigned descriptor code 7; thus, they are automatically deleted from the system at task or address space ending.

The system deletes messages issued by any program when that program issues the DOM macro.

The operator can manually remove all messages from a display console screen or can set the console to roll messages off the screen.

Message Color

On operator consoles with color, the descriptor code determines the color of the message. The use of color is explained in *z/OS MVS System Commands*. Also see the descriptions of the CONSOLxx and MPFLSTxx parmlib members in *z/OS MVS Initialization and Tuning Reference*.

Descriptor Code Meaning

Programming Interface information

Code	Meaning
1	System Failure The message indicates an error that disrupts system operations. To continue, the operator must reIPL the system or restart a major subsystem. This causes the audible alarm to be issued.
2	Immediate Action Required The message indicates that the operator must perform an action immediately. The message issuer could be in a wait state until the action is performed or the system needs the action as soon as possible to improve performance. The task waits for the operator to complete the action. This causes the audible alarm to be issued. Note: When an authorized program issues a message with descriptor code 2, a DOM macro <i>must</i> be issued to delete the message after the requested action is performed.
3	Eventual Action Required The message indicates that the operator must perform an action eventually. The task does not wait for the operator to complete the action. If the task can determine when the operator has performed the action, the task should issue a DOM macro to delete the message when the action is complete.
4	System Status The message indicates the status of a system task or of a hardware unit.
5	Immediate Command Response The message is issued as an immediate response to a system command. The response does not depend on another system action or task.
6	Job Status The message indicates the status of a job or job step.
7	Task-Related

The message is issued by an application or system program. Messages with this descriptor code are deleted when the job step that issued them ends.

These messages appear on the system hard-copy log only if they appear on at least one console before the job step ends.

8 Out-of-Line

The message, which is one line of a group of one or more lines, is to be displayed out-of-line. If a message cannot be printed out-of-line because of the device being used, descriptor code 8 is ignored, and the message is printed in-line with the other messages.

9 Operator's Request

The message is written in response to an operator's request for information by a DEVSERV, DISPLAY, TRACK, or MONITOR command.

10 TRACK Command Response

The message is issued in response to a TRACK command.

11 Critical Eventual Action Required

The message indicates that the operator must perform an action eventually, and the action is important enough for the message to remain on the display screen until the action is completed. The task does not wait for the operator to complete the action. This causes the audible alarm to be issued.

Avoid using this descriptor code for non-critical messages because the display screen could become filled.

If the task can determine when the operator has performed the action, the task should issue a DOM macro to delete the message when the action is complete.

12 Important Information

The message contains important information that must be displayed at a console, but does not require any action in response.

13 Automation Information

Indicates that this message was previously automated.

End of Programming Interface information

14-16 Reserved for future use.

Descriptor Codes in this Book

The descriptor codes appear in the **Descriptor Code** column. The column can also contain the following special characters.

- / The message will have different descriptor codes according to the task issuing it. For example, 4/6 means the message can describe system status or job status.
- The message has no descriptor code.

Chapter 3. Message Identifiers and Associated Routing and Descriptor Codes

ADR Messages

Message Identifier	Routing Code	Descriptor Code
ADR735W	2,4	6

ADY Messages

Message Identifier	Routing Code	Descriptor Code
ADY001I	2	4
ADY002I	2	4
ADY003I	2	4
ADY005E	1,2	3
ADY006E	1,2	3
ADY010E	1,2	3
ADY011E	1,2	3
ADY012I	2	4
ADY013I	2	4
ADY014E	1,2	3
ADY015I	2	4
ADY016E	1,2	3

AMA Messages

Message Identifier	Routing Code	Descriptor Code
AMA100I	2	5
AMA101I	2	5
AMA102I	2	5
AMA103I	2	5
AMA104I	2	5
AMA105I	2	5
AMA106I	2	5
AMA107I	2	5
AMA108I	2	5
AMA109I	2	5
AMA110I	2	5
AMA111I	2	5
AMA112I	2	5
AMA113I	2	5
AMA114I	2	5
AMA115I	2	-
AMA116A	1	2
AMA117D	1	2
AMA118I	2,11	7
AMA119I	2	-
AMA120I	2	5
AMA121I	2,9	3
AMA122I	2	5

Message Identifier	Routing Code	Descriptor Code
AMA123I	2,11	7
AMA124I	2	-
AMA125I	2	-
AMA126I	2	5
AMA127I	2	5
AMA128I	2	5
AMA129I	2	5
AMA130I	2	5
AMA131I	2	5
AMA132I	2	5
AMA133I	2	5
AMA134I	2	5
AMA135I	5	2
AMA136I	2	5
AMA137I	5	2

AMB Messages

Message Identifier	Routing Code	Descriptor Code
AMB101I	Note 11	-
AMB102I	Note 11	-
AMB103I	Note 11	-
AMB104I	Note 11	-
AMB105I	Note 11	-
AMB106I	Note 11	-
AMB107I	Note 11	-
AMB108I	Note 11	-
AMB109I	Note 11	-
AMB110I	Note 11	-
AMB111I	Note 11	-
AMB112I	Note 11	-
AMB113I	Note 11	-
AMB114I	Note 11	-
AMB115I	Note 11	-
AMB117I	Note 11	-
AMB120I	Note 11	-
AMB121I	Note 11	-
AMB122I	Note 11	-
AMB123I	Note 11	-
AMB124I	Note 11	-
AMB125I	Note 11	-
AMB126I	Note 11	-
AMB127I	Note 11	-
AMB128I	Note 11	-
AMB129I	Note 11	-
AMB130I	Note 11	-

AMD Messages

Message Identifier	Routing Code	Descriptor Code
AMD001A	-	-

Message Identifier	Routing Code	Descriptor Code
AMD003I	-	-
AMD004A	-	-
AMD005I	-	-
AMD008A	-	-
AMD009I	-	-
AMD010I	-	-
AMD011A	-	-
AMD012D	-	-
AMD014A	-	-
AMD015I	-	-
AMD018I	-	-
AMD019A	-	-
AMD022I	-	-
AMD025I	-	-
AMD029D	-	-
AMD031I	-	-
AMD032I	-	-
AMD033I	-	-
AMD034I	-	-
AMD035I	11	7
AMD042I	11	7
AMD043I	11	7
AMD045D	-	-
AMD046I	11	7
AMD047A	-	-
AMD048I	-	-
AMD049I	-	-
AMD050A	-	-
AMD051A	-	-
AMD052I	11	7
AMD053I	11	7
AMD054I	11	7
AMD055I	-	-
AMD056I	-	-
AMD057I	-	-
AMD058I	-	-
AMD059D	-	-
AMD060I	11	7
AMD062I	11	7
AMD063I	11	7
AMD064I	11	7
AMD065A	-	-
AMD066I	-	-
AMD067I	-	-
AMD068I	-	-
AMD069I	-	-
AMD070I	-	-
AMD071I	-	-
AMD072I	-	-
AMD073I	-	-
AMD074I	-	-
AMD075I	-	-
AMD076I	-	-
AMD078I	-	-

Message Identifier	Routing Code	Descriptor Code
AMD079I	-	-
AMD080I	-	-
AMD081I	-	-
AMD082I	-	-
AMD083I	-	-
AMD085I	-	-
AMD086I	-	-
AMD087I	-	-
AMD088D	-	-
AMD089I	-	-
AMD090I	-	-
AMD091I	-	-
AMD092I	-	-
AMD093I	-	-
AMD094I	-	-
AMD095I	-	-
AMD096A	-	-
AMD097I	-	-

AMS Messages

Message Identifier	Routing Code	Descriptor Code
AMS001D	-	-
AMS002D	-	-
AMS003D	-	-
AMS004D	-	-
AMS009E	-	-
AMS010I	-	-
AMS018I	-	-
AMS019I	-	-

AOM Messages

Message Identifier	Routing Code	Descriptor Code
AOM000I	2,10	4
AOM001I	2	11

ASA Messages

Message Identifier	Routing Code	Descriptor Code
ASA001I	-,2	4,5
ASA002I	-	-,5
ASA003I	-	-,5
ASA004I	-	-,5
ASA005I	-	-,5
ASA006I	-	-,5
ASA007I	-	-,5
ASA008I	-	-,5

Message Identifier	Routing Code	Descriptor Code
ASA009I	-	-,5
ASA010I	-	-,5
ASA100I	-,11,2	5,6,12
ASA101I	-,11,2	5,6,12
ASA102I	-,11,2	5,6,12
ASA103I	-,11,2	5,6,12
ASA104I	-,11,2	5,6,12
ASA105I	-,11,2	5,6,12
ASA2000I	2	4
ASA2005I	2	12
ASA2006I	2	12
ASA2007I	2	4
ASA2008I	2	12
ASA2011I	2	4
ASA2012I	2	4
ASA2013I	2	12
ASA2014I	2	12
ASA2016I	2	12
ASA2326I	2	12
ASA2432I	2	4,5
ASA2960I	2	4
ASA2962I	2	4,10

ASB Messages

Message Identifier	Routing Code	Descriptor Code
ASB002I	2	3
ASB004I	2	3
ASB006I	2	3
ASB008I	2	3
ASB010I	2	11
ASB012I	2	11
ASB025I	2	5
ASB026I	2	5
ASB027I	2	5
ASB028I	2	5
ASB029I	2	5
ASB030I	2	5
ASB031I	2	5
ASB032I	2	5
ASB033I	2	5
ASB034I	2	5
ASB035I	2	5
ASB036I	2	5
ASB038I	2	5
ASB039I	2	5
ASB040I	2	5
ASB050I	2	4
ASB051I	2	1
ASB052I	2	4
ASB053I	2	4
ASB054I	2	4
ASB055I	2	5

Message Identifier	Routing Code	Descriptor Code
ASB056I	2	4
ASB057I	10	4
ASB058I	2	5
ASB059I	2	1
ASB060I	2	4
ASB080I	Note 22	-
ASB081I	Note 22	-
ASB082I	Note 22	-
ASB083I	Note 22	-
ASB084I	Note 22	-
ASB101I	2	5
ASB105I	2	5
ASB106I	2	5
ASB107I	2	5
ASB108I	2	5
ASB109I	2	5
ASB110I	2	5
ASB111I	2	5
ASB112I	2	5
ASB113I	2	5

ATB Messages

Message Identifier	Routing Code	Descriptor Code
ATB001I	2	5
ATB002I	2	4
ATB003I	2	5
ATB004I	2	5
ATB005I	2	4
ATB006I	2	12
ATB007I	2	4
ATB008E	2	1
ATB009I	2	5
ATB010I	2	5
ATB011I	2	12
ATB012I	2	5
ATB013E	2	5
ATB014I	Hardcopy only	4
ATB015I	2	4
ATB016I	2	4
ATB017I	2	4
ATB018E	2	7,11
ATB022I	2	1
ATB024I	2	1
ATB025I	2	5
ATB026I	2	5
ATB027I	2	5
ATB028I	2	5
ATB029I	2	5
ATB030I	2	5
ATB031I	2	5
ATB032I	2	5
ATB033I	2	5

Message Identifier	Routing Code	Descriptor Code
ATB034I	2	5
ATB035I	2	5
ATB036I	2	5
ATB038I	2	5
ATB039I	2	5
ATB040I	2	5
ATB041I	2	5
ATB042I	2	5
ATB043I	2	5
ATB050I	Hardcopy only	4
ATB051I	Hardcopy only	4
ATB052E	2	11
ATB053I	2	4
ATB054I	2	4
ATB055I	2	4
ATB056I	2	4
ATB057I	2	4
ATB058I	2	3
ATB059I	2	4
ATB060I	2	4
ATB061I	2	4
ATB062I	2	12
ATB063I	2	4
ATB064I	2	4
ATB065I	2	4
ATB066I	2	4
ATB067I	2	4
ATB068I	2	4
ATB069I	2	4
ATB070I	2	1
ATB075I	2	4
ATB076I	2	5
ATB077I	2	5
ATB078I	2	4
ATB079I	2	4
ATB080I	2	5
ATB082I	2	5
ATB083I	2	5
ATB100I	2	5
ATB101I	2	5
ATB102I	2	5
ATB103I	2	5
ATB104I	2	5
ATB105I	2	5
ATB106I	2	5
ATB107I	2	5
ATB108I	2	5
ATB109I	2	5
ATB110I	2	5
ATB111I	2	5
ATB112I	2	5
ATB113I	2	5
ATB121I	2	5
ATB122I	2	5

Message Identifier	Routing Code	Descriptor Code
ATB175I	Hardcopy only	4
ATB178I	2	4
ATB179I	Hardcopy only	5
ATB200I	2	4
ATB201I	2	4
ATB202I	2	4
ATB203I	2	4
ATB204I	Hardcopy only	4
ATB205I	2	4
ATB206E	Hardcopy only	4
ATB207I	Hardcopy only	4
ATB208I	2	4
ATB209I	2	4
ATB210E	2	4
ATB211E	2	4
ATB212E	2	4
ATB213I	2	4
ATB214I	2	4
ATB215E	2	4
ATB216E	2	4
ATB217I	Hardcopy only	4
ATB218E	2	4
ATB219E	2	4
ATB220I	Hardcopy only	4
ATB221I	Hardcopy only	4
ATB222I	2	4
ATB223I	2	4
ATB224I	2	4
ATB225I	2	4
ATB226I	Hardcopy only	4
ATB228I	2	4
ATB229E	2	7,11
ATB275I	2	3
ATB277E	2	3
ATB278E	2	3
ATB279I	2	3
ATB280E	2	3
ATB281E	2	3
ATB300E	2	3
ATB301I	Note 11	-
ATB302I	Note 11	-
ATB303I	Note 11	-
ATB304I	Note 11	-
ATB305I	Note 11	-
ATB306I	Note 11	-
ATB307I	Note 11	-
ATB308I	Note 11	-
ATB309I	Note 11	-
ATB310I	Note 11	-
ATB311I	Note 11	-
ATB312I	Note 11	-
ATB313I	Note 11	-
ATB314I	Note 11	-
ATB317I	Note 11	-

Message Identifier	Routing Code	Descriptor Code
ATB318I	Note 11	-
ATB319I	Note 11	-
ATB322I	Note 11	-
ATB323I	Note 11	-
ATB324I	Note 11	-
ATB326I	Note 11	-
ATB327I	Note 11	-
ATB328I	Note 11	-
ATB330I	Note 11	-
ATB332I	Note 11	-
ATB333I	Note 11	-
ATB335I	Note 11	-
ATB336I	Note 11	-
ATB337I	Note 11	-
ATB338I	Note 11	-
ATB339I	Note 11	-
ATB340I	Note 11	-
ATB341I	Note 11	-
ATB342I	Note 11	-
ATB343I	Note 11	-
ATB345I	Note 11	-
ATB346I	Note 11	-
ATB347I	Note 11	-
ATB348I	Note 11	-
ATB349I	Note 11	-
ATB350I	Note 11	-
ATB351I	Note 11	-
ATB352I	Note 11	-
ATB353I	Note 11	-
ATB354I	Note 11	-
ATB355I	Note 11	-
ATB356I	Note 11	-
ATB357I	Note 11	-
ATB358I	Note 11	-
ATB360I	Note 11	-
ATB361I	Note 11	-
ATB362I	Note 11	-
ATB363I	Note 11	-
ATB364I	Note 11	-
ATB365I	Note 11	-
ATB366I	Note 11	-
ATB367I	Note 11	-
ATB368I	Note 11	-
ATB369I	Note 11	-
ATB370I	Note 11	-
ATB371I	Note 11	-
ATB372I	Note 11	-
ATB374I	Note 11	-
ATB375I	Note 11	-
ATB376I	Note 11	-
ATB378E	Note 11	-
ATB380E	Note 11	-
ATB381E	Note 11	-
ATB383E	Note 11	-

Message Identifier	Routing Code	Descriptor Code
ATB384E	Note 11	-
ATB386E	Note 11	-
ATB389E	Note 11	-
ATB390E	Note 11	-
ATB391E	Note 11	-
ATB392E	Note 11	-
ATB393E	Note 11	-
ATB394E	Note 11	-
ATB396E	Note 11	-
ATB397E	Note 11	-
ATB400I	2	4
ATB425I	Note 18	-
ATB426I	Note 18	-
ATB427I	Note 18	-
ATB428I	Note 18	-
ATB429I	Note 18	-
ATB430I	Note 18	-
ATB431I	Note 18	-
ATB432I	Note 18	-
ATB433I	Note 18	-
ATB434I	Note 18	-
ATB435I	Note 18	-
ATB436I	Note 18	-
ATB437I	Note 18	-
ATB498I	2	4
ATB499I	2	4
ATB500E	2	3

ATR Messages

Message Identifier	Routing Code	Descriptor Code
ATR001I	1,2	12
ATR002I	1,2	12
ATR003I	1,2	12
ATR004I	1,2	12
ATR005I	1,2	12
ATR006I	1,2	12
ATR007I	1,2	12
ATR008I	1,2	12
ATR010I	1,2	12
ATR101I	1,2	12
ATR102I	1,2	12
ATR103I	1,2	12
ATR120I	1,2	12
ATR121I	1,2	12
ATR130I	1,2	12
ATR131I	1,2	12
ATR132I	1,2	12
ATR133I	1,2	12
ATR134I	1,2	12
ATR135I	1,2	12
ATR137I	1,2	12
ATR138I	1,2	12

Message Identifier	Routing Code	Descriptor Code
ATR139I	1,2	12
ATR140I	1,2	12
ATR141I	1,2	12
ATR142I	1,2	12
ATR143I	1,2	12
ATR144I	1,2	12
ATR145I	1,2	12
ATR149I	1,2	12
ATR150E	1,2	12
ATR151A	1,2	12
ATR152I	1,2	12
ATR153I	1,2	12
ATR154I	1,2	12
ATR155I	1,2	12
ATR156I	1,2	12
ATR157E	1,2	12
ATR158I	1,2	12
ATR159I	1,2	12
ATR160I	1,2	12
ATR161I	2,10	4
ATR162A	1,2	12
ATR163E	1,2	3
ATR164I	1,2	12
ATR201I	1,2	12
ATR202D	1,2	12
ATR203I	1,2	12
ATR204I	1,2	12
ATR205I	1,2	12
ATR206I	1,2	12
ATR207I	1,2	12
ATR208I	1,2	4
ATR209I	11	6
ATR210E	1,2	11
ATR211I	1,2	4
ATR212I	1,2	4
ATR213I	11	6
ATR214I	11	6
ATR215I	1,2	4
ATR216I	1,2	4
ATR217I	1,2	3
ATR218I	1,2	4
ATR219I	11	6
ATR220A	1,2	12
ATR221I	1,2	12
ATR222I	1,2	12
ATR223I	1,2	12
ATR224I	1,2	12
ATR225D	1,2	12
ATR226D	1,2	12
ATR227D	1,2	12
ATR228D	1,2	12
ATR229D	1,2	12
ATR230D	1,2	12
ATR231I	1,2	12

Message Identifier	Routing Code	Descriptor Code
ATR232I	1,2	12
ATR233I	1,2	12
ATR234I	1,2	12
ATR301E	1,2	3
ATR302I	11	6
ATR303I	1,2	12
ATR304I	1,2	12
ATR305E	1,2	12

AVM Messages

Message Identifier	Routing Code	Descriptor Code
AVM001I	2,10	4
AVM002I	*	5
AVM004I	2,10	4
AVM005A	1,10	2
AVM006E	1,10	11
AVM007I	2,10	4
AVM008I	*	5
AVM010E	1,10	11
AVM011E	1,10	11
AVM012E	1,10	11
AVM022I	*	5
AVM031I	10	4
AVM032I	10	4
AVM033I	10	4
AVM034I	10	4
AVM035I	10	4
AVM036I	10	4
AVM037I	10	4
AVM038I	10	4
AVM039I	2,10	4

BLS Messages

Message Identifier	Routing Code	Descriptor Code
BLS001E	1,10,11	11
BLS002E	1,10,11	11

BLW Messages

Message Identifier	Routing Code	Descriptor Code
BLW001I	1,10	2,4
BLW002I	1,Note 12	11
BLW003I	-	5
BLW004W	Note 12	-
BLW005I	-	5
BLW006W	2,10,Note 12	-

Message Identifier
BLW007W

Routing Code
Note 12

Descriptor Code
-

BPX Messages

Message Identifier	Routing Code	Descriptor Code
BPXB001E	1,10	3
BPXB002E	1	11
BPXB003I	2	4
BPXB004E	1	11
BPXB005I	2	4
BPXC001I	2	4
BPXF001I	2	4
BPXF002I	2	4
BPXF003I	2	4
BPXF004I	2,10	4
BPXF005I	2,10	4
BPXF006I	2	4
BPXF007I	2,10	4
BPXF008I	2,10	4
BPXF009I	2,10	4
BPXF010I	2,10	4
BPXF011I	2,10	4
BPXF012I	2,10	4
BPXF013I	2	4
BPXF014D	2	2
BPXF015I	*	5
BPXF016I	2	4
BPXF017I	2	4
BPXF018I	2	4
BPXF019I	2	4
BPXF020I	2	11
BPXF021I	2	4
BPXF022I	2	4
BPXF023I	2,10	4
BPXF024I	2	4
BPXF025I	2	4
BPXF026I	2	4
BPXF027I	2	4
BPXF028I	2	4
BPXF029E	2	11
BPXF030I	2,10	4
BPXF031I	2,10	4
BPXF032D	2	2
BPXF033I	2,10	4
BPXF034I	2	11
BPXF035I	2	5,8
BPXF036I	-	4,8
BPXF037I	-	4,8
BPXF038I	-	4,8
BPXF039I	1	2
BPXF040I	-	4,8
BPXF041I	-	5,8

Message Identifier	Routing Code	Descriptor Code
BPXF042I	2	4,8
BPXF043I	2	4,8
BPXF044I	2	4,8
BPXF045A	1	2
BPXF046I	2	4,8
BPXF047I	2	4,8
BPXF048I	2	4,8, HARDCOPY ONLY
BPXF049I	2	4,8
BPXF050I	2	4,8
BPXF051I	2	4,8
BPXF052I	2	4,8
BPXF053I	2	4,8
BPXF054I	2	4,8
BPXF055I	2	4,8
BPXF056I	2	4,8
BPXF057I	2	4,8
BPXF058I	2	4,8, HARDCOPY ONLY
BPXF059I	2	4,8
BPXF062I	2	4,8
BPXF063I	2	4
BPXF064I	2	4,8
BPXF065I	2	4,8
BPXF066I	2	4,8
BPXF076I	1	2
BPXF077S	2,10	12
BPXF078W	2,10	1
BPXF101E	-	5
BPXF102E	2	5
BPXF103E	2	5
BPXF104E	2	5
BPXF105E	2	2
BPXF106E	2	2
BPXF107E	2	5
BPXF108E	2	5
BPXF110E	2	2
BPXF111E	2	2
BPXF112W	2	2
BPXF113W	2	2
BPXF114E	-	5
BPXF115E	2	5
BPXF116E	-	5
BPXF117E	2	2
BPXF118W	2	2
BPXF119W	2	2
BPXF120E	2	5
BPXF121E	2	5
BPXF123E	2	2
BPXF124E	2	2
BPXF125E	2	2
BPXF126E	2	5
BPXF127E	2	5
BPXF128E	2	5
BPXF129E	2	5
BPXF130E	2	5

Message Identifier	Routing Code	Descriptor Code
BPXF131E	2	5
BPXF132E	2	5
BPXF134E	2	2
BPXF135E	2	2
BPXF136E	2	5
BPXF137E	2	2
BPXF138E	2	2
BPXF139E	2	2
BPXF140E	2	2
BPXF141E	2	2
BPXF142E	2	2
BPXF143E	2	2
BPXF144I	-	-
BPXF145E	2	2
BPXF146E	2	2
BPXF147E	2	2
BPXF148E	2	2
BPXF150I	2	5
BPXF151I	2	5
BPXF152W	2	2
BPXF153W	2	2
BPXF154E	2	2
BPXF155E	2	2
BPXF156E	2	2
BPXF157E	2	2
BPXF158E	2	2
BPXF159E	2	5
BPXF160E	2	2
BPXF161I	2	2
BPXF162E	2	2
BPXF163E	2	2
BPXF164E	2	2
BPXF165E	2	2
BPXF166E	2	2
BPXF167E	2	2
BPXF168E	2	2
BPXF169E	2	2
BPXF170E	2	2
BPXF171E	2	2
BPXF172E	2	2
BPXF173E	2	2
BPXF174E	2	2
BPXF175E	2	2
BPXF176E	2	2
BPXF201I	2,10	4
BPXF202I	2	4
BPXF203I	2	4
BPXF204I	2	4
BPXF205I	2	4
BPXF206I	2	4
BPXF207I	2	4
BPXF210I	2	4
BPXF211I	2,10	4
BPXF212I	2,10	4

Message Identifier	Routing Code	Descriptor Code
BPXF213E	1,2	3
BPXF214E	2	11
BPXF215E	2	11
BPXF216E	1,2	3
BPXF217E	1,2	3
BPXF218I	2	4
BPXF219I	2	4
BPXF220I	2	4
BPXF221I	2	12
BPXF222E	2	11
BPXF223I	2	4
BPXF224I	2	4
BPXF225I	2	4
BPXF226E	2,10	3
BPXI002I	2	4
BPXI003I	2	4
BPXI004I	2	4
BPXI005I	2	4
BPXI006I	2	4
BPXI007I	-	4
BPXI008I	-	4
BPXI009I	-	4
BPXI010I	-	4
BPXI011I	-	4
BPXI012I	2,10	4
BPXI013I	2,10	4
BPXI014I	2,10	4
BPXI015I	2	4
BPXI016I	2	4
BPXI017I	2	4
BPXI018I	2	4
BPXI019I	2	4
BPXI020I	2	4
BPXI021I	2	4
BPXI022I	-	4
BPXI023I	-	4
BPXI024I	-	4
BPXI025I	-	4
BPXI026I	2	4
BPXI027I	2	4
BPXI028E	1	11
BPXI029I	1,2,10	12
BPXI030I	1,2,10	12
BPXI031E	1	1
BPXI032E	1,10	11
BPXI033E	1,10	11
BPXI034I	2	4
BPXI035E	1	11
BPXI036E	1	11
BPXI037I	-	4
BPXI038I	2	4
BPXI039I	1	11
BPXI040I	1	11
BPXI041I	2,10	4

Message Identifier	Routing Code	Descriptor Code
BPXI042I	2,10	4
BPXI043E	1	11
BPXI044I	2,10	4
BPXI045I	2,10	4
BPXI046I	2,10	4
BPXI055I	11	1
BPXI056E	11	1
BPXI057I	2	4
BPXI058I	11	1
BPXI059I	2	4
BPXI060I	2,10	4
BPXI061E	11	1
BPXI062I	2,10	4
BPXI063I	2	4
BPXI064E	11	1
BPXI065E	11	1
BPXI066E	11	1
BPXI067E	2	2
BPXI068I	2,10	4
BPXI069I	2	4
BPXM001I	11	6
BPXM002I	11	6
BPXM004I	11	6
BPXM006I	11	6
BPXM007I	11	6
BPXM008I	11	6
BPXM009I	11	6
BPXM010I	11	6
BPXM011I	11	6
BPXM012I	11	6
BPXM013I	11	6
BPXM014I	11	6
BPXM015I	11	6
BPXM016I	11	6
BPXM017I	11	6
BPXM018I	11	6
BPXM019I	11	6
BPXM020I	11	6
BPXM021E	2	5
BPXM022E	2	5
BPXM023I	2	4
BPXM024I	2	4
BPXM025I	2	4
BPXM026I	2	4
BPXM027I	2	4
BPXM028I	2	4
BPXM029I	2	4
BPXM030I	2	12
BPXM031I	2	12
BPXM032E	1,10	11
BPXM033I	2	12
BPXM036I	2	4
BPXM037I	2	4
BPXM038I	2	4

Message Identifier	Routing Code	Descriptor Code
BPXM039I	2	4
BPXM040I	2	4
BPXM041I	2	4
BPXM042I	2	4
BPXM043I	2	4
BPXM044I	2	4
BPXM045I	2	4
BPXM046I	11	6
BPXM047I	11	6
BPXM048I	2	4
BPXM049I	—	4,8
BPXM050E	1,10	11
BPXM051I	12	2
BPXM052I	12	2
BPXM053I	12	2
BPXM100I	2	4
BPXM101I	2	4
BPXM102I	2	4
BPXM103I	2	4
BPXM104I	2	4
BPXM105I	2	5
BPXM106I	2	4
BPXM107I	2	4
BPXM120D	2	2
BPXM121I	2	4,8
BPXN001I	2	4
BPXN002I	2	4
BPXO001I	#	5,8,9
BPXO002I	#	5,8,9
BPXO003I	#	5,8,9
BPXO006I	2	5
BPXO007I	2	5
BPXO008I	2	5
BPXO009I	2	5
BPXO012I	2	5
BPXO015I	2	5
BPXO016I	2	5
BPXO017I	2,10	4
BPXO023I	2,10	4
BPXO024I	2	5
BPXO025I	2	5
BPXO026I	2	5
BPXO027I	2	5
BPXO028I	2	5
BPXO029I	2	4
BPXO030I	2	5
BPXO031I	2,10	4
BPXO032I	2	5
BPXO033I	2,10	4
BPXO034I	2	5
BPXO035I	2,10	4
BPXO036I	2	5
BPXO037E	2	5
BPXO038I	2	5

Message Identifier	Routing Code	Descriptor Code
BPXO039I	2,10	4
BPXO040I	-	5,8,9
BPXO041I	-	5,8,9
BPXO042I	-	5,8,9
BPXO043I	-	5,8,9
BPXO044I	-	5,8,9
BPXO045I	-	5,8,9
BPXO046I	-	5,8,9
BPXO047I	-	5,8,9
BPXO048I	2	5
BPXO049I	-	4
BPXO050I	2,10	5
BPXO051I	-	5,8,9
BPXO052I	2	5
BPXO053I	2	5
BPXP001I	2	4
BPXP003E	1,10	11
BPXP004E	1,10	11
BPXP005I	-	4
BPXP006E	1,10	11
BPXP007E	1,10	11
BPXP008E	1,10	11
BPXP009I	11	6
BPXP010I	11	6
BPXP011I	11	6
BPXP012I	11	6
BPXP013I	11	6
BPXP014I	-	-
BPXP015I	-	-
BPXP016I	-	-
BPXP017I	-	-
BPXP018I	11	6
BPXT001I	2,10	4
BPXU001I	2	4
BPXU002I	2	4
BPXU003I	2	4
BPXU004I	2	4
BPXU005I	2,10	4
BPXW0000I	2	2
BPXW0001I	2	2
BPXW0002I	2	2
BPXW0003I	2	2
BPXW0004I	2	2

CBR Messages

Message Identifier	Routing Code	Descriptor Code
CBR0001I	2	4
CBR0002I	2	4
CBR0003I	2	4
CBR0004I	2	4
CBR0005I	2	4

Message Identifier	Routing Code	Descriptor Code
CBR0006D	2	2
CBR0007I	2	4
CBR0008I	2	4
CBR0009I	2	4
CBR0010I	2	4
CBR0011I	2	4
CBR0012I	2	4
CBR0013I	2	4
CBR0014I	2	4
CBR0015I	2	4
CBR0016I	2	4
CBR0017I	2	4
CBR0018I	2	4
CBR0019I	2	4
CBR0020I	2	4
CBR0021I	2	4
CBR0022I	2	4
CBR0023I	2	4
CBR0024I	2	4
CBR0025I	2	4
CBR0026I	2	4
CBR0027I	2	4
CBR0028I	2	4
CBR0029I	2	4
CBR0030I	2	4
CBR0031I	2	4
CBR0032I	2	4
CBR0033I	2	4
CBR0034I	2	4
CBR0035I	2	4
CBR0036I	2	4
CBR0037I	2	4
CBR0038I	2	4
CBR0039I	2	4
CBR0040I	2	4
CBR0041I	2	4
CBR0042I	2	4
CBR0043I	2	4
CBR0044I	2	4
CBR0045I	2	4
CBR0046I	2	4
CBR0047I	2	4
CBR0048I	2	4
CBR0049I	2	4
CBR0050I	2	4
CBR0051I	2	4
CBR0052I	2	4
CBR0053I	2	4
CBR0060I	2	4
CBR0061I	2	4
CBR0062I	2	4
CBR0063I	2	4
CBR0064I	2	4
CBR0065I	2	4

Message Identifier	Routing Code	Descriptor Code
CBR0066I	2	4
CBR0070I	2	4
CBR0071I	2	4
CBR0072I	2	4
CBR0073I	2	4
CBR0074I	2	4
CBR0075I	2	4
CBR0076I	2	4
CBR0080I	2	4
CBR0081I	2	4
CBR0082I	2	4
CBR0092I	2	4
CBR0093E	2	11
CBR0094E	2	11
CBR0095E	2	11
CBR0096I	2	4
CBR0097I	2	4
CBR0098I	2	4
CBR0099I	2	4
CBR0100I	2	4
CBR0101I	2	4
CBR0102I	2	4
CBR0103I	2	4
CBR0104I	2	4
CBR0105I	2	4
CBR0106I	2	4
CBR0107I	2	4
CBR0108I	2	4
CBR0109I	2	4
CBR0110I	2	4
CBR0111I	2	4
CBR0112I	2	4
CBR0113I	2	4
CBR0114I	2	4
CBR0115I	2	4
CBR0116I	2	4
CBR0117I	2	4
CBR0118I	2	4
CBR0119I	2	4
CBR0120I	2	4
CBR0121I	2	4
CBR0123I	2	4
CBR0124I	2	4
CBR0125I	2	4
CBR0126I	2	4
CBR0127I	2	4
CBR0128I	2	4
CBR0129I	2	4
CBR0130I	2	4
CBR0140I	2	4
CBR0141I	2	4
CBR0142I	2	4
CBR0143I	2	4
CBR0144I	2	4

Message Identifier	Routing Code	Descriptor Code
CBR0145I	2	4
CBR0146I	2	4
CBR0147I	2	4
CBR0149I	2	4
CBR0150I	2	4
CBR0151I	2	4
CBR0152I	2	4
CBR0153I	2	4
CBR0155I	2	4
CBR0156I	2	4
CBR0157I	2	4
CBR0161I	2	4
CBR0162I	2	4
CBR0163I	2	4
CBR0168I	2	4
CBR0169I	2	4
CBR0170I	2	4
CBR0171I	2	4
CBR0172I	2	4
CBR0173I	2	4
CBR0174I	2	4
CBR0175I	2	4
CBR0176I	2	4
CBR0177I	2	4
CBR0178I	2	4
CBR0179I	2	4
CBR0180I	2	4
CBR0181I	2	4
CBR0182I	2	4
CBR0183I	2	4
CBR0184I	2	4
CBR0185I	2	4
CBR0186I	2	4
CBR0187I	2	4
CBR0188I	2	4
CBR0189I	2	4
CBR0190I	2	4
CBR0195I	2	4
CBR0200I	2	4
CBR0201I	2	4
CBR0202I	2	4
CBR0203I	2	4
CBR0204I	2	4
CBR0205I	2	4
CBR0206I	2	4
CBR0207I	2	4
CBR0208I	2	4
CBR0209I	2	4
CBR0210I	2	4
CBR0211I	2	4
CBR0212I	2	4
CBR0220D	2, 4, 6	2
CBR0221I	2	4
CBR0230D	1	2

Message Identifier	Routing Code	Descriptor Code
CBR0231A	1	2
CBR0232I	2	4
CBR0300I	2	4
CBR0301I	2	4
CBR0302I	2	4
CBR0303I	2	4
CBR0304I	2	4
CBR0305I	2	4
CBR0306I	2	4
CBR0307I	2	4
CBR0308I	2	4
CBR0309I	2	4
CBR0310I	2	4
CBR0311I	2	4
CBR0312I	2	4
CBR0313I	2	4
CBR0314I	2	4
CBR0315I	2	4
CBR0316I	2	4
CBR0317I	2	4
CBR0318I	2	4
CBR0319I	2	4
CBR0320I	2	4
CBR0321I	2	4
CBR0322I	2	4
CBR0323I	2	4
CBR0324I	2	4
CBR0325I	2	4
CBR0326I	2	4
CBR0327I	2	4
CBR0328I	2	4
CBR0329I	2	4
CBR0330I	2	4
CBR0400I	N/A	N/A
CBR0401I	N/A	N/A
CBR0402I	N/A	N/A
CBR0403I	N/A	N/A
CBR0404I	N/A	N/A
CBR0405I	N/A	N/A
CBR0406I	N/A	N/A
CBR0407I	N/A	N/A
CBR0408I	N/A	N/A
CBR0410I	N/A	N/A
CBR0411I	N/A	N/A
CBR0412I	N/A	N/A
CBR0413I	N/A	N/A
CBR0414I	N/A	N/A
CBR0415I	N/A	N/A
CBR0416I	N/A	N/A
CBR0417I	N/A	N/A
CBR0418I	N/A	N/A
CBR0419I	N/A	N/A
CBR0420I	N/A	N/A
CBR0421I	N/A	N/A

Message Identifier	Routing Code	Descriptor Code
CBR0422I	N/A	N/A
CBR0423I	N/A	N/A
CBR0424I	N/A	N/A
CBR0425I	N/A	N/A
CBR0426I	N/A	N/A
CBR0427I	N/A	N/A
CBR0428I	N/A	N/A
CBR0431I	N/A	N/A
CBR0432I	N/A	N/A
CBR0433I	N/A	N/A
CBR0434I	N/A	N/A
CBR1000I	2	5
CBR1010I	2	5
CBR1050I	2	5
CBR1051I	2	5
CBR1052I	2	5
CBR1053I	N/A	5
CBR1054I	2	5
CBR1055I	2	5
CBR1056I	N/A	5
CBR1057I	N/A	5
CBR1058I	2	5
CBR1060I	N/A	5
CBR1061I	N/A	5
CBR1062I	N/A	5
CBR1063I	2	5
CBR1064I	2	5
CBR1065I	N/A	5
CBR1066I	N/A	5
CBR1067I	N/A	5
CBR1068I	2,4,6	5
CBR1069I	N/A	5
CBR1070I	2	5
CBR1071I	N/A	5
CBR1072I	N/A	5
CBR1073I	N/A	5
CBR1074I	N/A	5
CBR1075I	N/A	5
CBR1076I	N/A	5
CBR1077I	N/A	5
CBR1078I	N/A	5
CBR1079I	N/A	5
CBR1080I	N/A	5
CBR1081I	N/A	5
CBR1082I	2,3,5	5
CBR1083I	N/A	5
CBR1084I	N/A	5
CBR1085I	N/A	5
CBR1090I	2	5
CBR1091I	2	5
CBR1092I	2	5
CBR1093I	2	5
CBR1100I	N/A	5,8,9
CBR1110I	N/A	5,8,9

Message Identifier	Routing Code	Descriptor Code
CBR1115I	N/A	5
CBR1120I	N/A	5,8,9
CBR1125I	N/A	5
CBR1130I	N/A	5,8,9
CBR1135I	N/A	5
CBR1140I	N/A	5,8,9
CBR1180I	N/A	5,8,9
CBR1190I	N/A	5
CBR1200I	2	5
CBR1201I	2	5
CBR1202I	2	5
CBR1203I	N/A	5
CBR1204I	2	5
CBR1210I	2	5
CBR1211I	N/A	5
CBR1212I	N/A	5
CBR1213I	N/A	5
CBR1214I	N/A	5
CBR1220I	N/A	5,8,9
CBR1240I	N/A	5,8,9
CBR1250I	N/A	5,8,9
CBR1300I	N/A	5
CBR1301I	N/A	5
CBR1302I	N/A	5
CBR1303I	N/A	5
CBR1304I	N/A	5
CBR1305I	N/A	5
CBR1306I	N/A	5
CBR1307I	N/A	5
CBR1308I	N/A	5
CBR1309I	N/A	5
CBR1310I	N/A	N/A
CBR1311I	N/A	5
CBR1312I	N/A	5
CBR1313I	N/A	5
CBR1314I	N/A	5
CBR1400I	N/A	5
CBR1500I	N/A	5
CBR1600I	N/A	5
CBR1601I	N/A	5
CBR1602I	N/A	5
CBR1603I	N/A	5
CBR1604I	N/A	5
CBR1605I	2,4,6	5
CBR1610I	N/A	5
CBR1611D	N/A	2
CBR1612I	N/A	5
CBR1620I	2	5
CBR1621I	2	5
CBR1622I	2	5
CBR1623I	2	5
CBR1624I	2	5
CBR1625I	2	5
CBR1626I	2	5

Message Identifier	Routing Code	Descriptor Code
CBR1627I	2	5
CBR1628I	2	5
CBR1650I	2	5
CBR1651I	2	5
CBR1700I	N/A	5,8,9
CBR1709I	N/A	5,8,9
CBR1710I	N/A	5,8,9
CBR1715I	N/A	5,8,9
CBR1720I	N/A	5,8,9
CBR1730I	N/A	5,8,9
CBR1735I	N/A	5,8,9
CBR1740I	N/A	5,8,9
CBR1741I	N/A	5,8,9
CBR1742I	N/A	5,8,9
CBR1743I	N/A	5,8,9
CBR1750I	N/A	5,8,9
CBR1751I	N/A	5,8,9
CBR1752I	N/A	5,8,9
CBR1753I	N/A	5,8,9
CBR1754I	N/A	5,8,9
CBR1755I	N/A	5,8,9
CBR1756I	N/A	5,8,9
CBR1760I	N/A	5,8,9
CBR1761I	N/A	5,8,9
CBR1763I	N/A	5,8,9
CBR1764I	N/A	5,8,9
CBR1765I	N/A	5,8,9
CBR1766I	N/A	5,8,9
CBR1767I	N/A	5,8,9
CBR1770I	N/A	5,8,9
CBR1771I	N/A	5,8,9
CBR1773I	N/A	5,8,9
CBR1774I	N/A	5,8,9
CBR1775I	N/A	5,8,9
CBR1780I	N/A	5,8,9
CBR1781I	N/A	5,8,9
CBR1783I	N/A	5,8,9
CBR1784I	N/A	5,8,9
CBR1785I	N/A	5,8,9
CBR1800I	2	4
CBR1900I	2	4
CBR1910I	2	5
CBR1920I	2	4,5
CBR1930I	2	4,5
CBR1950I	2	5
CBR1951I	2	5
CBR2000I	4,6	4
CBR2001I	4,6	4
CBR2002I	3,4,5,6	4
CBR2003I	3,5	4
CBR2004I	3,5	4
CBR2100I	4,6	4
CBR2101I	4,6	4
CBR2102I	4,6	4

Message Identifier	Routing Code	Descriptor Code
CBR2103I	4,6	4
CBR2104I	2,4	4
CBR2105I	2,4	4
CBR2106I	2,4	4
CBR2107I	2,4	4
CBR2108I	2,4	4
CBR2109I	2,4	4
CBR2150I	2,4,6	4
CBR2151I	2,4,6	4
CBR2152I	2,4,6	4
CBR2153I	2,4,6	4
CBR2154I	2,4,6	4
CBR2155I	2,4,6	4
CBR2156I	2,4,6	4
CBR2157I	2,4,6	4
CBR2158I	2,4,6	4
CBR2159I	2,4,6	4
CBR2160I	2,4,6	4
CBR2161I	2,4,6	4
CBR2162I	3,5	4
CBR2163I	3,5	4
CBR2200I	4,6	4
CBR2201I	3,5	4
CBR2210I	4,6	4
CBR2211E	4,6	11
CBR2212E	4,6	11
CBR2213I	4,6	4
CBR2214I	3,5	4
CBR2217E	4,6	11
CBR2500I	4,6	4
CBR2501I	4,6	4
CBR2502I	2,4,6	4
CBR2503I	2,4,6	4
CBR2504I	2,4,6	4
CBR2505I	2,4,6	4
CBR2506I	2,4,6	4
CBR2507I	2,4,6	4
CBR2508I	2,4,6	4
CBR2510I	4,6	4
CBR2550I	4,6	4
CBR2600A	4,6	2
CBR2601A	2,3,5	2
CBR2602A	2,4,6	2
CBR2603A	2,4,6	2
CBR2604I	2,4,6	4
CBR2610I	4,6	4
CBR2612I	N/A	5
CBR2613I	N/A	5
CBR2614I	N/A	5
CBR2615I	N/A	5
CBR2616I	N/A	5
CBR2617I	2,3,5	5
CBR2700I	2,3,4,5,6	4
CBR2701I	2,3,4,5,6	4

Message Identifier	Routing Code	Descriptor Code
CBR2702I	2,3,4,5,6	4
CBR2703I	2,3,4,5,6	4
CBR2704I	2,4,6	4
CBR2705I	2,3,4,5,6	4
CBR2706I	2,3,4,5,6	4
CBR2707I	2,3,4,5,6	4
CBR2708I	2,3,4,5,6	4
CBR2709I	2,3,4,5,6	4
CBR2710I	2,3,4,5,6	4
CBR2711I	2,4,6	4
CBR2712I	2,3,4,5,6	4
CBR2714I	2,4,6	4
CBR2715I	2,3,5	4
CBR2716I	2,3,5	4
CBR2717I	2,3,4,5,6	4
CBR2718I	2,3,4,5,6	4
CBR2732I	2,3,4,5,6	4
CBR2737I	2,3,4,5,6	4
CBR2738I	2,3,4,5,6	4
CBR2739I	2,3,4,5,6	4
CBR2740I	2,3,4,5,6	4
CBR2741I	2,3,4,5,6	4
CBR2742I	2,3,4,5,6	4
CBR2743I	2,3,4,5,6	4
CBR2744I	2,3,4,5,6	4
CBR2745I	2,3,4,5,6	4
CBR2746I	2,3,4,5,6	4
CBR2747I	2,3,4,5,6	4
CBR2748I	2,4,6	4
CBR2749I	2,4,6	4
CBR2750I	2,3,4,5,6	4
CBR2751I	2,3,4,5,6	4
CBR2762I	2,3,4,5,6	4
CBR2780I	2,4,6	4
CBR2781I	2,4,6	4
CBR2785I	2,4,6	4
CBR2811I	2,4,6	4
CBR2812I	2,4,6	4
CBR2813I	2,4,6	4
CBR2814I	2,4,6	4
CBR2815I	2,4,6	4
CBR2816I	2,4,6	4
CBR2819I	2	4
CBR2822I	4,6	4
CBR2823I	4,6	4
CBR3000I	2	4
CBR3001A	2,4,6	2
CBR3002E	2,3,4,5,6	11
CBR3003I	2,4,6	4
CBR3004I	2	4
CBR3005A	2,4,6	2
CBR3006I	2,3,5	4
CBR3007I	2,4,6	4
CBR3008E	2,4,6	11

Message Identifier	Routing Code	Descriptor Code
CBR3009I	2,4,6	4
CBR3010I	2,3,5	4
CBR3011I	2,3,5	4
CBR3012I	N/A	N/A
CBR3013I	N/A	N/A
CBR3014I	2,3,5	4
CBR3015I	2	4
CBR3016I	2,3,5	4
CBR3017I	2,3,5	4
CBR3018I	2,3,5	4
CBR3090I	2,3,5	4
CBR3100I	4	2
CBR3101I	2,4,6	4
CBR3102I	4	4
CBR3103I	4	2
CBR3104I	4	2
CBR3105I	4	2
CBR3106I	2	4
CBR3107W	2	11
CBR3108I	2	4
CBR3109I	2	4
CBR3110I	2	4
CBR3111I	2	4
CBR3112I	2	4
CBR3113I	4	2
CBR3114I	4	4
CBR3115I	2	4
CBR3116I	4	4
CBR3117I	2	4
CBR3120I	4	4
CBR3122I	2,4,6	4
CBR3123I	2,4,6	4
CBR3124I	2,4,6	4
CBR3126I	2,4,6	4
CBR3127I	N/A	N/A
CBR3130I	2	4
CBR3131I	2	4
CBR3132I	2	4
CBR3133I	2	4
CBR3134I	2	4
CBR3135I	2	4
CBR3136I	2	4
CBR3137I	4	4
CBR3198I	4	4
CBR3199I	4	4
CBR3200I	4	4
CBR3201I	4	4
CBR3202I	4	4
CBR3203I	4	4
CBR3204I	4	4
CBR3205I	4	4
CBR3206I	4	4
CBR3207I	4	4
CBR3208I	4	4

Message Identifier	Routing Code	Descriptor Code
CBR3209I	4	4
CBR3210I	4	4
CBR3211I	4	4
CBR3212I	4	4
CBR3213I	4	4
CBR3214I	4	4
CBR3215I	4	4
CBR3216I	4	4
CBR3217I	4	4
CBR3218I	4	4
CBR3219I	4	4
CBR3220I	4	4
CBR3221I	4	4
CBR3222I	4	4
CBR3223I	4	4
CBR3224I	4	4
CBR3225I	4	4
CBR3226I	4	4
CBR3227I	4	4
CBR3228I	4	4
CBR3229I	4	4
CBR3230I	4	4
CBR3231I	4	4
CBR3232I	4	4
CBR3233I	4	4
CBR3235I	4	4
CBR3236I	4	4
CBR3237I	4	4
CBR3238I	4	4
CBR3239I	4	4
CBR3240I	4	4
CBR3241I	4	4
CBR3242I	4	4
CBR3243I	4	4
CBR3244I	4	4
CBR3245I	4	4
CBR3246I	4	4
CBR3247I	4	4
CBR3248I	4	4
CBR3249I	4	4
CBR3250I	4	4
CBR3251I	4	4
CBR3252I	4	4
CBR3253I	4	4
CBR3254I	4	4
CBR3255I	4	4
CBR3256I	4	4
CBR3300I	2,4,6	4
CBR3301I	2,4,6	4
CBR3302I	2,4,6	4
CBR3303I	2,4,6	4
CBR3304I	2,4,6	4
CBR3305I	2,4,6	4
CBR3306I	2,4,6	4

Message Identifier	Routing Code	Descriptor Code
CBR3307I	2,4,6	4
CBR3308I	4	4
CBR3309E	2,4,6,10	3
CBR3310I	2,4,6	4
CBR3311I	2,4,6	4
CBR3312I	2,4,6	4
CBR3313I	2,4,6	4
CBR3314I	2,4,6	4
CBR3315I	2,4,6	4
CBR3316I	2,4,6	4
CBR3317I	2,4,6	4
CBR3318I	2,4,6	4
CBR3319I	2,4,6	4
CBR3320I	2,4,6	4
CBR3321I	2,4,6	4
CBR3322I	2,4,6	4
CBR3323I	2,4,6	4
CBR3324I	2,4,6	4
CBR3325I	2,4,6	4
CBR3326I	2,4,6	4
CBR3327I	2,4,6	4
CBR3328I	2,4,6	4
CBR3329I	2,4,6	4
CBR3330I	2,4,6	4
CBR3331I	2,4,6	4
CBR3332I	2,4,6	4
CBR3333I	2,4,6	4
CBR3334I	2,4,6	4
CBR3335I	2,4,6	4
CBR3336I	2,4,6	4
CBR3337I	2,4,6	4
CBR3338I	2,4,6	4
CBR3339I	2,4,6	4
CBR3340I	2,4,6	4
CBR3341I	2,4,6	4
CBR3342I	2,4,6	4
CBR3343I	2,4,6	4
CBR3344I	2,4,6	4
CBR3345I	2,4,6	4
CBR3346I	2,4,6	4
CBR3347I	2,4,6	4
CBR3348I	2,4,6	4
CBR3349I	2,4,6	4
CBR3350I	2,4,6	4
CBR3351I	2,4,6	4
CBR3352I	2,4,6	4
CBR3353I	2,4,6	4
CBR3354I	2,4,6	4
CBR3355I	2,4,6	4
CBR3356I	2,4,6	4
CBR3357I	2,4,6	4
CBR3358I	2,4,6	4
CBR3359I	2,4,6	4
CBR3360I	2,4,6	4

Message Identifier	Routing Code	Descriptor Code
CBR3361I	2,4,6	4
CBR3362I	2,4,6	4
CBR3363I	2,4,6	4
CBR3364I	2,4,6	4
CBR3365I	2,4,6	4
CBR3366I	2,4,6	4
CBR3367I	2,4,6	4
CBR3368I	2,4,6	4
CBR3369I	2,4,6	4
CBR3370I	2,4,6	4
CBR3371I	2,4,6	4
CBR3372I	2,4,6	4
CBR3373I	2,4,6	4
CBR3374I	2,4,6	4
CBR3375I	2,4,6	4
CBR3376I	2,4,6	4
CBR3377I	2,4,6	4
CBR3378I	2,4,6	4
CBR3379I	2,4,6	4
CBR3380I	2,4,6	4
CBR3381I	2,4,6	4
CBR3382I	2,4,6	4
CBR3383I	2,4,6	4
CBR3384I	2,4,6	4
CBR3385I	2,4,6	4
CBR3386I	2,4,6	4
CBR3387I	2,4,6	4
CBR3388I	2,4,6	4
CBR3389I	2,4,6	4
CBR3390I	2,4,6	4
CBR3391I	2,4,6	4
CBR3392I	2,4,6	4
CBR3393I	2,4,6	4
CBR3394I	2,4,6	4
CBR3395I	2,4,6	4
CBR3396I	2,4,6	4
CBR3397I	2,4,6	4
CBR3398I	2,4,6	4
CBR3399I	2,4,6	4
CBR3400I	2,4,6	4
CBR3401I	2,4,6	4
CBR3402I	2,4,6	4
CBR3403I	2,4,6	4
CBR3404I	2,4,6	4
CBR3405I	2,4,6	4
CBR3406I	2,4,6	4
CBR3407I	2,4,6	4
CBR3408I	2,4,6	4
CBR3409I	2,4,6	4
CBR3410I	2,4,6	4
CBR3411I	2,4,6	4
CBR3412I	2,4,6	4
CBR3413I	2,4,6	4
CBR3414I	2,4,6	4

Message Identifier	Routing Code	Descriptor Code
CBR3415I	2,4,6	4
CBR3416I	2,4,6	4
CBR3417I	2,4,6	4
CBR3418I	2,4,6	4
CBR3419I	2,4,6	4
CBR3420I	2,4,6	4
CBR3421I	2,4,6	4
CBR3422I	2,4,6	4
CBR3423I	2,4,6	4
CBR3424I	2,4,6	4
CBR3425I	2,4,6	4
CBR3429I	2,4,6	4
CBR3430I	2,4,6	4
CBR3431I	2,4,6	4
CBR3432I	2,4,6	4
CBR3433I	2,4,6	4
CBR3434I	2,4,6	4
CBR3435I	2,4,6	4
CBR3441I	2,4,6	4
CBR3442I	2,4,6	4
CBR3443I	2,4,6	4
CBR3444I	2,4,6	4
CBR3446I	2,4,6	4
CBR3447I	2,4,6	4
CBR3450I	2,4,6	4
CBR3451I	2,4,6	4
CBR3452I	2,4,6	4
CBR3453I	2,4,6	4
CBR3454I	2,4,6	4
CBR3455I	2,4,6	4
CBR3456I	2,4,6	4
CBR3457I	2,4,6	4
CBR3458I	2,4,6	4
CBR3459I	2,4,6	4
CBR3460I	2,4,6	4
CBR3461I	2,4,6	4
CBR3462I	2,4,6	4
CBR3463I	2,4,6	4
CBR3464I	2,4,6	4
CBR3465I	2,4,6	4
CBR3466I	2,4,6	4
CBR3467I	2,4,6	4
CBR3468I	2,4,6	4
CBR3469I	2,4,6	4
CBR3470I	2,4,6	4
CBR3471I	2,4,6	4
CBR3472I	2,4,6	4
CBR3473I	2,4,6	4
CBR3474I	2,4,6	4
CBR3475I	2,4,6	4
CBR3476I	2,4,6	4
CBR3477I	2,4,6	4
CBR3478I	2,4,6	4
CBR3479I	2,4,6	4

Message Identifier	Routing Code	Descriptor Code
CBR3480I	2,4,6	4
CBR3481I	2,4,6	4
CBR3482I	2,4,6	4
CBR3483I	2,4,6	4
CBR3484I	2,4,6	4
CBR3485I	2,4,6	4
CBR3486I	2,4,6	4
CBR3487I	2,4,6	4
CBR3488I	2,4,6	4
CBR3489I	2,4,6	4
CBR3490I	2,4,6	4
CBR3491I	2,4,6	4
CBR3492I	2,4,6	4
CBR3493I	2,4,6	4
CBR3494I	2,4,6	4
CBR3495I	2,4,6	4
CBR3496I	2,4,6	4
CBR3497I	2,4,6	4
CBR3498E	2,4,6	11
CBR3499I	2,4,6	4
CBR3500I	2,4,6	4
CBR3501I	2,4,6	4
CBR3502I	2,4,6	4
CBR3503I	2,4,6	4
CBR3504I	2	4
CBR3505I	2,4,6	4
CBR3506I	2	4
CBR3507I	2,4,6	4
CBR3508I	2,4,6	4
CBR3509I	2,4,6	4
CBR3510I	2,4,6	4
CBR3511I	2,4,6	4
CBR3512I	2,4,6	4
CBR3513I	2,4,6	4
CBR3514I	2,4,6	4
CBR3515I	2,4,6	4
CBR3516I	2,4,6	4
CBR3517I	2,4,6	4
CBR3518I	2,4,6	4
CBR3519I	2,4,6	4
CBR3520I	2,4,6	4
CBR3521I	2,4,6	4
CBR3522I	2,4,6	4
CBR3523I	2,4,6	4
CBR3525I	2,4,6	4
CBR3526I	2,4,6	4
CBR3527I	2,4,6	4
CBR3528I	2,4,6	4
CBR3529I	2,4,6	4
CBR3530I	2,4,6	4
CBR3531I	2,4,6	4
CBR3532I	2,4,6	4
CBR3533I	2,4,6	4
CBR3534I	2,4,6	4

Message Identifier	Routing Code	Descriptor Code
CBR3535I	2,4,6	4
CBR3536I	2,4,6	4
CBR3537I	2,4,6	4
CBR3538I	2,4,6	4
CBR3539I	2,4,6	4
CBR3540I	2,4,6	4
CBR3541I	2,4,6	4
CBR3542I	2,4,6	4
CBR3543I	2,4,6	4
CBR3544I	2,4,6	4
CBR3545I	2,4,6	4
CBR3546I	2,4,6	4
CBR3547I	2,4,6	4
CBR3548I	2,4,6	4
CBR3549I	2,4,6	4
CBR3550I	2,4,6	4
CBR3552I	2,4,6	4
CBR3553I	2,4,6	4
CBR3554I	2,4,6	4
CBR3555I	2,4,6	4
CBR3556I	2,4,6	4
CBR3557I	2,4,6	4
CBR3558I	2,4,6	4
CBR3560I	2,4,6	4
CBR3561I	2,4,6	4
CBR3562I	2,4,6	4
CBR3563I	2,4,6	4
CBR3564I	2,4,6	4
CBR3565I	2,4,6	4
CBR3566I	2,4,6	4
CBR3567I	2,4,6	4
CBR3568I	2,4,6	4
CBR3569I	2,4,6	4
CBR3570I	2,4,6	4
CBR3571I	2,4,6	4
CBR3572I	2,4,6	4
CBR3573I	2,4,6	4
CBR3574I	2,4,6	4
CBR3575I	2,4,6	4
CBR3576I	2,4,6	4
CBR3577I	2,4,6	4
CBR3578I	2,4,6	4
CBR3579I	2,4,6	4
CBR3580I	2,4,6	4
CBR3581I	2,4,6	4
CBR3582I	2,4,6	4
CBR3583I	2,4,6	4
CBR3584I	2,4,6	4
CBR3585I	2,4,6	4
CBR3590I	2,4,6	4
CBR3600I	2,3,5	4
CBR3601I	2,3,5	4
CBR3602I	2,3,5	4
CBR3603I	2,3,5	4

Message Identifier	Routing Code	Descriptor Code
CBR3604I	2,3,5	4
CBR3605I	2,3,5	4
CBR3606I	2,3,5	4
CBR3607I	2,3,5	4
CBR3608I	2,3,5	4
CBR3609I	2,3,5	4
CBR3610I	2,3,5	4
CBR3611I	2,3,5	4
CBR3612I	2,3,5	4
CBR3613I	2,3,5	4
CBR3614I	2,3,5	4
CBR3615E	2,3,5	11
CBR3616I	2,3,5	4
CBR3617I	2,3,5	4
CBR3618I	2,3,5	4
CBR3619I	2,3,5	4
CBR3620I	2,3,5	4
CBR3621I	2,3,5	4
CBR3622I	2,3,5	4
CBR3623I	2,3,5	4
CBR3624I	2,3,5	4
CBR3629I	2,3,5	4
CBR3640I	2,3,5	4
CBR3641I	2,3,5	4
CBR3642I	2,3,5	4
CBR3643I	2,3,5	4
CBR3645E	2,3,5	11
CBR3646D	2,3,5	2
CBR3650I	2,3,5	4
CBR3651I	2,3,5	4
CBR3652I	2,3,5	4
CBR3653I	2,3,5	4
CBR3654I	2,3,5	4
CBR3655E	2,3,5	11
CBR3656I	2,3,5	4
CBR3657I	2,3,5	4
CBR3660A	2,3,5	2
CBR3680I	2,3,5	4
CBR3681I	2,3,5	4
CBR3682I	2,3,5	4
CBR3683I	2,3,5	4
CBR3684I	2,3,5	4
CBR3685I	2,3,5	4
CBR3688I	2,3,5	4
CBR3696I	2,3,5	4
CBR3700I	2,3,5	4
CBR3701I	2,3,4,5,6	4
CBR3710I	2,3,5	4
CBR3711I	2,3,5	4
CBR3712I	2,3,5	4
CBR3713I	2,3,5	4
CBR3714I	2,3,5	4
CBR3715I	2,3,5	4
CBR3716I	2,3,5	4

Message Identifier	Routing Code	Descriptor Code
CBR3717I	2,3,5	4
CBR3720I	2,3,5	4
CBR3721I	2,3,5	4
CBR3722I	2,3,5	4
CBR3723I	2,3,5	4
CBR3724I	2,3,5	4
CBR3725I	2,3,5	4
CBR3726I	2,3,5	4
CBR3727I	2,3,5	4
CBR3728I	2,3,5	4
CBR3729I	2,3,5	4
CBR3750I	2,3,5	4
CBR3751I	2,3,5	3
CBR3752I	2,3,5	3
CBR3753E	2,3,5	3
CBR3754E	2,3,5	3
CBR3755E	2,3,5	3
CBR3756I	2,3,5	4
CBR3757E	2,3,5	11
CBR3758E	2,3,5	11
CBR3759E	2,3,5	3
CBR3760E	2,3,5	3
CBR3761E	2,3,5	3
CBR3762E	2,3,5	11
CBR3763E	2,3,5	3
CBR3764E	2,3,5	3
CBR3765E	2,3,5	3
CBR3766E	2,3,5	3
CBR3767E	2,3,5	3
CBR3769I	2,3,5	4
CBR3770I	2,3,5	4
CBR3771I	2,3,5	4
CBR3772I	2,3,5	4
CBR3773I	2,3,5	4
CBR3774I	2,3,5	4
CBR3776I	2,3,5	4
CBR3777I	2,3,5	4
CBR3778I	2,3,5	4
CBR3779I	2,3,5	4
CBR3781I	2,3,5	4
CBR3782I	2,3,5	4
CBR3783E	2,3,5	11
CBR3784I	2,3,5	4
CBR3785E	2,3,5	11
CBR3786E	2,3,5	11
CBR3787E	2,3,5	11
CBR3788E	2,3,5	11
CBR3789E	2,3,5	11
CBR3790E	2,3,5	11
CBR3801I	2,3,4,5,6	4
CBR3805I	2,3,4,5,6	4
CBR3806I	2,3,5	4
CBR3850I	2,3,5	4
CBR3851I	2,3,5	4

Message Identifier	Routing Code	Descriptor Code
CBR3852I	2,3,5	4
CBR3853I	2,3,5	4
CBR3854I	2,3,5	4
CBR3855I	2,3,5	4
CBR3856I	2,3,5	4
CBR3857I	2,3,5	4
CBR3858I	2,3,5	4
CBR3860I	2,3,5	4
CBR3861I	2,3,5	4
CBR3862I	2,3,5	4
CBR3863I	2,3,5	4
CBR3865I	2,3,5	4
CBR3866I	2,3,5	4
CBR3899I	4	4
CBR3900A	4	2
CBR3901I	2	4
CBR3902I	2	4
CBR3903I	2	4
CBR3904I	2	4
CBR3905I	2,4,6	4
CBR3910I	2,4,6	4
CBR3911I	2,3,5	4
CBR3912I	2,4,6	4
CBR3951I	2,4,6	4
CBR3952I	2,4,6	4
CBR3953I	2,4,6	4
CBR3956I	2,4,6	4
CBR3957I	2,4,6	4
CBR3958I	2,4,6	4
CBR3959I	2,4,6	4
CBR3960I	2,4,6	4
CBR3961I	2,4,6	4
CBR3962I	2,4,6	4
CBR3963I	2,4,6	4
CBR3964I	2,4,6	4
CBR3966I	2,4,6	4
CBR3967I	2,4,6	4
CBR3968I	2,4,6	4
CBR3969I	2,4,6	4
CBR3970I	2,4,6	4
CBR3971I	2,4,6	4
CBR3973I	2,4,6	4
CBR3974I	2,4,6	4
CBR4000I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4001I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4002I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4003I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4004I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4005I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4006I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4007I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4008I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4009I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4010I	SET BY THE CALLER.	SET BY THE CALLER.

Message Identifier	Routing Code	Descriptor Code
CBR4136I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4161I	SET BY THE CALLER.	SET BY THE CALLER.
CBR4195I	2,3,5	6
CBR4196D	2,3,5	2
CBR4225E	2,3,5	11
CBR4226I	2,3,5	4
CBR4227I	2,3,5	4
CBR4228I	2,3,5	4
CBR4400A	2, 4, 6	2
CBR4401I	2, 4, 6	4
CBR4402I	2, 4, 6	4
CBR4403I	2, 4, 6	4
CBR4404I	2, 4, 6	4
CBR4405D	2, 4, 6	2
CBR4406D	2, 4, 6	2
CBR4407I	2, 4, 6	4
CBR4408I	2, 4, 6	4
CBR4409A	2, 4, 6	2
CBR4410I	4, 6	4
CBR4411I	2, 4, 6	4
CBR4412D	2, 4, 6	2
CBR4413I	2, 4, 6	4
CBR4414D	2, 4, 6	2
CBR4415I	2, 4, 6	4
CBR4416I	2, 4, 6	4
CBR4417I	2, 4, 6	4
CBR4418I	2, 4, 6	4
CBR4419I	2, 4, 6	4
CBR4420I	2, 4, 6	4
CBR4421D	2, 4, 6	2
CBR4422D	2, 4, 6	2
CBR4423D	2, 4, 6	2
CBR4424D	2, 4, 6	2
CBR4425D	2, 4, 6	2
CBR4426D	2, 4, 6	2
CBR4427I	2, 4, 6	4
CBR4428I	2, 4, 6	4
CBR4429I	2, 4, 6	4
CBR4430A	2, 4, 6	2
CBR4431E	2, 4, 6	11
CBR4432D	2, 4, 6	4
CBR4433I	2, 4, 6	4
CBR4434I	2, 4, 6	4
CBR4435I	2, 4, 6	4
CBR4436I	2, 4, 6	4
CBR4437I	2, 4, 6	4
CBR4438D	2, 4, 6	2
CBR4439D	2, 4, 6	2
CBR4440I	2, 4, 6	4
CBR4441I	2,4,6	4
CBR4442I	2, 4, 6	4
CBR4443I	2,4,6	4
CBR4444I	2,4,6	4
CBR4445I	2,4,6	4

Message Identifier	Routing Code	Descriptor Code
CBR4446I	2,4,6	4
CBR4447I	2,4,6	4
CBR4448I	2,4,6	4
CBR4449I	2,4,6	4
CBR4450I	2,4,6	4
CBR4451I	2,4,6	4
CBR4452D	2,4,6	2
CBR4460I	2, 4, 6	4
CBR4461I	2, 4, 6	4
CBR4462I	2, 4, 6	4
CBR4464I	2, 4, 6	4
CBR4465I	2, 4, 6	4
CBR5504A	2	2
CBR5508I	2, 4, 6	4
CBR5509I	2, 4, 6	4
CBR5512E	2,4,6	11
CBR5513E	2,4,6	11
CBR5800I	4	4
CBR5801I	4	4
CBR5802A	4	2
CBR5808I	4	4
CBR5809I	4	4
CBR5810I	4	4
CBR5811I	4	4
CBR5812I	4	4
CBR5813I	4	4
CBR5814I	4	4
CBR5815I	4	4
CBR5817I	4	4
CBR5818I	4	4
CBR5819I	4	4
CBR5820I	4	4
CBR5821I	4	4
CBR5822I	4	4
CBR5823I	4	4
CBR5824I	4	4
CBR5825I	4	4
CBR5826I	4	4
CBR5827I	4	4
CBR5850I	4	4
CBR5851I	4	4
CBR5852I	4	4
CBR5853I	4	4
CBR5854I	4	4
CBR5855I	4	4
CBR5856I	4	4
CBR5857I	4	4
CBR5858I	4	4
CBR5859I	4	4
CBR5860I	4	4
CBR5861I	4	4
CBR5862I	4	4
CBR5863I	4	4
CBR5864I	4	4

Message Identifier	Routing Code	Descriptor Code
CBR5865I	4	4
CBR5866I	4	4
CBR5867I	4	4
CBR5868I	4	4
CBR5869I	4	4
CBR5870I	4	4
CBR5871I	4	4
CBR5872I	4	4
CBR5873I	4	4
CBR5874I	4	4
CBR5875I	4	4
CBR5876I	4	4
CBR5877I	4	4
CBR5878I	4	4
CBR5879I	4	4
CBR5880I	4	4
CBR5881I	4	4
CBR5882I	4	4
CBR5883I	4	4
CBR5884I	4	4
CBR5885I	4	4
CBR5886I	4	4
CBR5887I	4	4
CBR5888I	4	4
CBR5889I	4	4
CBR5890I	4	4
CBR5891I	4	4
CBR5892I	4	4
CBR5893I	4	4
CBR5894I	4	4
CBR5895I	4	4
CBR5896I	4	4
CBR5897I	4	4
CBR5899I	4	4
CBR6000I	4,6	4
CBR6001I	4,6	4
CBR6002I	4,6	4
CBR6100I	4,6	4
CBR6200I	4,6	4
CBR6201I	4,6	4
CBR6202I	2,4,6	4
CBR6205I	2,4,6	4
CBR6206I	2,4,6	4
CBR6207I	2,4,6	4
CBR6220I	2,3,4,5,6	4
CBR6221I	2,3,4,5,6	4
CBR6222I	2,3,4,5,6	4
CBR6223I	2,3,4,5,6	4
CBR6224I	2,3,4,5,6	4
CBR6225I	2,3,4,5,6	4
CBR6226I	N/A	N/A
CBR6227I	2,3,4,5,6	4
CBR6300I	4,6	4
CBR6301I	4,6	4

Message Identifier	Routing Code	Descriptor Code
CBR6302I	2,4,6	4
CBR6310I	4,6	4
CBR6400D	2,3,5	2
CBR6401I	2,3,5	4
CBR6402I	2,3,5	4
CBR6404I	2,3,5	4
CBR6405D	2,3,5	2
CBR6407I	2,3,5	4
CBR6408I	2,3,5	4
CBR6410I	2,3,5	4
CBR6412I	2,3,5	4
CBR6413I	2,3,5	4
CBR6414I	2,3,5	4
CBR6415I	2,3,5	4
CBR6416I	2,3,5	4
CBR6418I	2,3,5	4
CBR6419I	2,3,5	4
CBR6420I	2,3,5	4
CBR6421I	2,3,5	4
CBR6422I	2,3,5	4
CBR6423I	2,3,5	4
CBR6424I	2,3,5	4
CBR6425I	2,3,5	4
CBR6426I	2,3,5	4
CBR7000I	10	4
CBR7001I	10	4
CBR7002I	10	4
CBR7004I	10	4
CBR7005I	10	4
CBR7006I	10	4
CBR7010I	10	4
CBR7011I	10	4
CBR7012I	10	4
CBR7014I	10	4
CBR7017I	10	4
CBR7018I	2	4
CBR7019I	2	4
CBR7020I	10	4
CBR7021I	10	4
CBR7022I	10	4
CBR7023I	10	4
CBR7024I	10	4
CBR7030I	N/A	5
CBR7031I	2,3,5	5
CBR7032I	2,3,5	5
CBR7050I	2	4
CBR7051I	2	4
CBR7052I	2	4
CBR7053I	2,3,5	4
CBR7099I	10	4
CBR7100I	10	4
CBR7101I	10	4
CBR7102I	10	4
CBR7103I	10	4

Message Identifier	Routing Code	Descriptor Code
CBR7104I	10	4
CBR7105I	10	4
CBR7106I	10	4
CBR7107I	10	4
CBR7111I	10	4
CBR7200I	10	4
CBR7201I	10	4
CBR7210I	2	4
CBR7300I	N/A	N/A
CBR7301I	N/A	N/A
CBR7302I	N/A	N/A
CBR7303I	N/A	N/A
CBR7304I	N/A	N/A
CBR7305I	N/A	N/A
CBR7306I	N/A	N/A
CBR7307I	N/A	N/A
CBR7308I	N/A	N/A
CBR7309I	N/A	N/A
CBR7310I	N/A	N/A
CBR7400I	2,3,5	4
CBR7401I	2,3,5	4
CBR7402I	2,3,5	4
CBR7403I	2,3,5	4
CBR7404I	2,3,5	4
CBR7405I	2,3,5	4
CBR7510I	2	4
CBR7515I	2,3,5	4
CBR7516D	2,3,5	2
CBR7520I	2	4
CBR7521I	2	4
CBR7522I	2	4
CBR7523I	2	4
CBR7525A	2	2
CBR7530E	2	11
CBR7535I	2	4
CBR7550I	2	4
CBR7570I	2	4
CBR7575I	2	4
CBR7580I	2	4
CBR7585I	2	4
CBR7586I	2	4
CBR8001I	2	4
CBR8002I	2	4
CBR8003A	1	4
CBR8004A	1	4
CBR8005I	2	4
CBR8006I	2	4
CBR8007I	2	4
CBR8008I	2	4
CBR8101I	2	4
CBR8103I	2	4
CBR8104I	1	4
CBR8105I	1	4
CBR8107I	1	4

Message Identifier	Routing Code	Descriptor Code
CBR8500I	2	4
CBR8501I	2	4
CBR8502I	2	4
CBR8503I	2	4
CBR8504I	2	4
CBR8505I	2	4
CBR8506I	2	4
CBR8507I	2	4
CBR8508I	2	4
CBR8509I	2	4
CBR8510I	2	4
CBR8511I	2	4
CBR8512D	2	2
CBR8526I	2,4,6	4
CBR8530I	2	4
CBR8534I	10	4
CBR8535I	10	4
CBR8540I	2	4
CBR8550I	2	4
CBR8551I	2	4
CBR8553I	2	4
CBR8554I	2	4
CBR8555I	2	4
CBR8556I	2	4
CBR8557I	2	4
CBR8558I	2	4
CBR8559I	2	4
CBR8560I	2	4
CBR8570I	2	4
CBR8571I	2	4
CBR8572I	2	4
CBR8573I	2	4
CBR8574I	2	4
CBR8575I	2	4
CBR8576I	2	4
CBR9000I	2	4
CBR9001I	2	4
CBR9002I	2	4
CBR9003I	2	4
CBR9004I	2	4
CBR9005I	2	4
CBR9006I	2	4
CBR9007I	2	4
CBR9008I	2	4
CBR9009I	2	4
CBR9010I	2	4
CBR9011I	2	4
CBR9012I	2	4
CBR9013I	2	4
CBR9014I	2	4
CBR9015I	2	4
CBR9016I	2	4
CBR9017I	2	4
CBR9018I	2	4

Message Identifier	Routing Code	Descriptor Code
CBR9019I	2	4
CBR9020I	2	4
CBR9021I	2	4
CBR9022I	2	4
CBR9023I	2	4
CBR9024I	2	4
CBR9025I	2	4
CBR9026I	2	4
CBR9027I	2	4
CBR9028I	2	4
CBR9029I	2	4
CBR9030I	2	4
CBR9031I	2	4
CBR9032I	2	4
CBR9033I	2	4
CBR9034I	2	4
CBR9035I	2	4
CBR9036I	2	4
CBR9040I	2	4
CBR9041I	2	4
CBR9042I	2	4
CBR9043I	2	4
CBR9044I	2	4
CBR9045I	2	4
CBR9046I	2	4
CBR9047I	2	4
CBR9048I	2	4
CBR9049I	2	4
CBR9050I	2	4
CBR9051I	2	4
CBR9052I	2	4
CBR9053I	2	4
CBR9055I	2	4
CBR9056I	2	4
CBR9057I	2	4
CBR9058I	2	4
CBR9059I	2	4
CBR9060I	2	4
CBR9061I	2	4
CBR9062I	2	4
CBR9063I	2	4
CBR9064I	2	4
CBR9066I	2	4
CBR9068I	2	4
CBR9069I	2	4
CBR9070I	2	4
CBR9071I	2	4
CBR9072I	2	4
CBR9073I	2	4
CBR9074I	2	4
CBR9075I	2	4
CBR9076I	2	4
CBR9077I	2	4
CBR9078I	2	4

Message Identifier	Routing Code	Descriptor Code
CBR9079I	2	4
CBR9080I	2	4
CBR9081I	2	4
CBR9082I	2	4
CBR9083I	2	4
CBR9084I	2	4
CBR9085I	2	4
CBR9086I	2	4
CBR9088I	2	4
CBR9089I	2	4
CBR9090I	2	4
CBR9091I	2	4
CBR9092I	2	4
CBR9093I	2	4
CBR9094I	2	4
CBR9095I	2	4
CBR9096I	2	4
CBR9098I	2	4
CBR9101I	2	4
CBR9102I	2	4
CBR9103I	2	4
CBR9104I	2	4
CBR9105I	2	4
CBR9106I	2	4
CBR9107I	2	4
CBR9108I	2	4
CBR9110I	2	4
CBR9111I	2	4
CBR9112I	2	4
CBR9113I	2	4
CBR9114I	2	4
CBR9115I	2	4
CBR9116I	2	4
CBR9125I	2	4
CBR9130I	2	4
CBR9131I	2	4
CBR9150I	2	4
CBR9151I	2	4
CBR9200I	2	4
CBR9201I	2	4
CBR9222I	2	4
CBR9224I	2	4
CBR9230I	2	4
CBR9231I	2	4
CBR9232I	2	4
CBR9233I	2	4
CBR9234I	2	4
CBR9235I	2	4
CBR9236I	2	4
CBR9239I	2	4
CBR9241I	2	4
CBR9242I	2	4
CBR9253I	2	4
CBR9300I	2	4

Message Identifier	Routing Code	Descriptor Code
CBR9301I	2	4
CBR9302I	10	4
CBR9322I	2	4
CBR9330I	2	4
CBR9332I	2	4
CBR9333I	2	4
CBR9334I	2	4
CBR9335I	2	4
CBR9350I	6	5,8,9
CBR9355I	2	4
CBR9361I	2	4
CBR9362I	2	4
CBR9363I	2	4
CBR9370I	6	5,8,9
CBR9400I	2	4
CBR9401I	2	4
CBR9402I	2	4
CBR9403I	2	4
CBR9404I	2	4
CBR9405I	2	4
CBR9500I	2	4
CBR9501I	2	4
CBR9502I	2	4
CBR9503I	6	4
CBR9700I	10	4
CBR9701I	10	4
CBR9703I	2	4
CBR9704I	10	4
CBR9705I	10	4
CBR9706I	10	4
CBR9800I	2	4
CBR9803I	2	4
CBR9805I	2	4
CBR9806I	2	4
CBR9807I	2	4
CBR9808I	2	4
CBR9809I	2	4
CBR9810D	3,5	2
CBR9811I	2	4
CBR9812I	2	4
CBR9813I	2	4
CBR9814I	2	4
CBR9815I	2	4
CBR9816I	2	4
CBR9817I	2	4
CBR9819I	2	4
CBR9820D	6	2
CBR9821I	2	4
CBR9824I	4,6	4
CBR9827I	3,5	4
CBR9830I	2	4
CBR9831I	2	4
CBR9832I	2	4
CBR9833I	2	4

Message Identifier	Routing Code	Descriptor Code
CBR9834I	2	4
CBR9835I	2	4
CBR9836I	2	4
CBR9838I	2	4
CBR9839I	2	4
CBR9840I	2	4
CBR9841I	2	4
CBR9842I	2	4
CBR9850I	2	4
CBR9851I	2	4
CBR9852I	2	4
CBR9854I	2	4
CBR9855I	2	4
CBR9856I	2	4
CBR9857I	2	4
CBR9858I	2	4
CBR9859I	2	4
CBR9901I	2	4
CBR9902I	2	4
CBR9905I	10	4
CBR9906I	10	4
CBR9907I	2	4
CBR9909I	2	4
CBR9910I	10	4
CBR9911I	10	4
CBR9912I	2,4,6	4
CBR9913I	2	4
CBR9914I	2	4
CBR9915I	2	4
CBR9916I	10	4
CBR9917I	10	4
CBR9918I	10	4
CBR9920I	10	4
CBR9921I	2,4,6	4
CBR9922I	2,4,6	4
CBR9923I	10	4
CBR9924I	2	4

CMP Messages

Message Identifier	Routing Code	Descriptor Code
CMP001I	2,10	4
CMP002I	2,10	4
CMP003I	2,10	4

CNLC Messages

Message Identifier	Routing Code	Descriptor Code
CNLC100I	Note 11	-
CNLC102E	Note 11	-
CNLC104E	Note 11	-

Message Identifier	Routing Code	Descriptor Code
CNLC105S	Note 11	-
CNLC107S	Note 11	-
CNLC108S	Note 11	-
CNLC109S	Note 11	-
CNLC110S	Note 11	-
CNLC111S	Note 11	-
CNLC112S	Note 11	-
CNLC116S	Note 11	-
CNLC117I	Note 11	-
CNLC118I	Note 11	-
CNLC120W	Note 11	-
CNLC121E	Note 11	-
CNLC122E	Note 11	-
CNLC133E	Note 11	-
CNLC134E	Note 11	-
CNLC135E	Note 11	-
CNLC136E	Note 11	-
CNLC144W	Note 11	-
CNLC145W	Note 11	-
CNLC146W	Note 11	-
CNLC147W	Note 11	-
CNLC150E	Note 11	-
CNLC151E	Note 11	-
CNLC152E	Note 11	-
CNLC153E	Note 11	-
CNLC154E	Note 11	-
CNLC155E	Note 11	-
CNLC156E	Note 11	-
CNLC157E	Note 11	-
CNLC158E	Note 11	-
CNLC173W	Note 11	-
CNLC174E	Note 11	-
CNLC181S	Note 11	-
CNLC182S	Note 11	-
CNLC800S	Note 11	-
CNLC801S	Note 11	-
CNLC802S	Note 11	-
CNLC810S	Note 11	-

CNLP Messages

Message Identifier	Routing Code	Descriptor Code
CNLP031I	Note 2	4
CNLP032I	Note 2	4
CNLP033I	Note 2	4
CNLP034I	Note 2	4
CNLP035I	Note 2	4
CNLP037I	Note 2	4
CNLP038I	Note 2	4
CNLP039I	Note 2	4
CNLP040I	Note 2	4
CNLP041I	Note 2	4

Message Identifier	Routing Code	Descriptor Code
CNLP042I	Note 2	4
CNLP043I	Note 2	4
CNLP044I	Note 2	4
CNLP045I	Note 2	4
CNLP047I	Note 2	4
CNLP048I	Note 2	4

CNLS Messages

Message Identifier	Routing Code	Descriptor Code
CNLS001I	Note 2	4
CNLS002I	Note 2	4
CNLS003I	Note 2	4
CNLS004E	Note 2	3
CNLS005E	Note 2	3
CNLS006I	Note 2	4
CNLS007I	Note 2	4
CNLS008I	Note 2	4
CNLS009I	Note 2	4
CNLS010I	Note 2	4
CNLS011I	Note 2	4
CNLS012I	Note 2	4
CNLS013I	Note 2	4
CNLS014I	Note 2	4
CNLS015I	Note 2	4
CNLS016I	Note 2	4
CNLS017I	Note 2	4
CNLS018I	Note 2	4
CNLS019I	Note 2	4
CNLS020I	Note 2	4
CNLS021I	Note 2	4
CNLS022I	Note 2	4
CNLS023I	Note 2	4
CNLS024I	Note 2	4
CNLS025I	Note 2	4
CNLS026I	Note 2	4
CNLS027I	Note 2	4
CNLS028I	Note 2	4
CNLS030I	Note 2	4

COF Messages

Message Identifier	Routing Code	Descriptor Code
COF001I	11	4
COF002I	2,10	4
COF003I	2,10	4
COF004I	2,10	4
COF005I	2,10	4
COF006I	2,10	4
COF011I	2,10	4

Message Identifier	Routing Code	Descriptor Code
COF012I	2,10	4
COF013I	2,10	4
COF014I	2,10	4
COF015I	2,10	4
COF022I	2,10	4
COF023I	2,10	4
COF024I	2,10	4
COF025I	2,10	4
COF031I	2,10	4
COF032I	2,10	4
COF033I	2,10	4
COF101I	2,10	4
COF102I	2,10	4
COF103I	2,10	4
COF104I	2,10	4
COF105I	2,10	4
COF106I	2,10	4
COF107I	2,10	4
COF108I	2,10	4
COF109I	2,10	4
COF110I	2,10	4
COF111I	2,10	4
COF112I	2,10	4
COF113I	2,10	4
COF114I	2,10	4
COF115I	2,10	4
COF116I	2,10	4
COF117I	2,10	4
COF201I	-	5
COF202I	-	5
COF203I	-	5
COF204I	-	5
COF401I	2,10	4
COF403I	2,10	4
COF404I	2,10	4
COF405I	2,10	4
COF408I	2,10	4
COF409I	2,10	4
COF411I	2,10	4
COF412I	2,10	4
COF413I	2,10	4
COF415I	2,10	4
COF416I	2,10	4
COF417I	2,10	4
COF419I	2,10	4
COF501I	2,10	11
COF502I	2,10	4
COF503I	2,10	4
COF504I	2,10	4
COF505I	2,10	4
COF506I	2,10	4
COF507I	2,10	4
COF511I	2,10	4
COF512I	2,10	4

Message Identifier	Routing Code	Descriptor Code
COF513I	2,10	4
COF514I	2,10	4
COF516I	2,10	4
COF520I	2,10	4
COF521I	2,10	4
COF522I	2,10	4
COF523I	2,10	4
COF524I	2,10	4
COF525I	2,10	4
COF529I	2,10	4
COF530I	-	5,8,9,10
COF531I	1,10	11
COF532I	2,10	4
COF533I	2,10	4
COF534I	2,10	4
COF535I	2,10	4
COF536I	2,10	4
COF538E	1,10	11
COF539E	1,10	11
COF540E	1,10	11
COF542E	1,10	11
COF543I	2,10	4
COF544I	2,10	4

CSR Messages

Message Identifier	Routing Code	Descriptor Code
CSR001E	1	3
CSR002I	2	4
CSR003I	-	-
CSR004I	-	-
CSR005I	11	-
CSR006I	11	-
CSR007I	11	-
CSR008I	11	-
CSR009I	11	-
CSR010I	11	-
CSR011I	11	-
CSR012I	11	-
CSR013I	11	-
CSR014I	11	-
CSR015I	11	-
CSR016I	11	-
CSR017I	11	-
CSR018I	11	-
CSR019I	11	-
CSR020I	11	-
CSR021I	11	-
CSR022I	11	-
CSR023I	11	-

CSV Messages

Message Identifier	Routing Code	Descriptor Code
CSV000I	11	Note 26
CSV001I	11	Note 26
CSV002I	11	Note 26
CSV003I	11	Note 26
CSV004I	10,11	Note 26
CSV005I	11	Note 26
CSV006I	11	Note 26
CSV007I	11	Note 26
CSV008I	11	Note 26
CSV009I	11	Note 26
CSV010I	11	Note 26
CSV011I	10,11	Note 26
CSV012I	9,11	Note 26
CSV013I	9,11	Note 26
CSV014I	9,11	Note 26
CSV015I	11	Note 26
CSV016I	11	Note 26
CSV017I	11	Note 26
CSV018I	9,11	Note 26
CSV019I	9,11	Note 26
CSV020I	11	Note 26
CSV021I	9,10,11	Note 26
CSV022I	11	Note 26
CSV023I	11	Note 26
CSV024I	9,11	Note 26
CSV025I	9,11	Note 26
CSV026I	9,11	Note 26
CSV027I	9,11	Note 26
CSV028I	9,11	Note 26
CSV029I	11	Note 26
CSV030I	11	Note 26
CSV031I	11	Note 26
CSV032I	11	Note 26
CSV034I	11	4
CSV036I	11	4
CSV038I	11	4
CSV039I	11	4
CSV040I	11	Note 26
CSV041I	11	Note 26
CSV042I	11	4
CSV101I	2,10	4
CSV102I	2,10	4
CSV103I	2,10	4
CSV104I	2,10	4
CSV105I	2,10	4
CSV106I	11	4
CSV107I	2,10	4
CSV108I	2,10	4
CSV109I	2,10	4
CSV110I	2,10	4
CSV111I	2,10	4
CSV112I	2,10	4

Message Identifier	Routing Code	Descriptor Code
CSV113I	2,10	4
CSV114I	2,10	4
CSV115I	2,10	4
CSV116I	2,10	4
CSV117I	2,10	4
CSV118E	1,10	11
CSV119I	2,10	4
CSV120I	2,10	4
CSV128I	2,10	4
CSV208I	2,10	4
CSV210I	2,10	5
CSV217I	2,10	4
CSV218E	1,10	11
CSV221I	2,10	4
CSV222I	2,10	4
CSV224I	11	4
CSV225I	11	4
CSV226E	1,10	11
CSV227I	2,10	4
CSV230I	2,10	4
CSV231E	1,10	11
CSV232I	1,10	3
CSV233D	-	-
CSV234I	2,11	9
CSV235I	2,10	4
CSV236I	2,10	4
CSV237I	2,10	4
CSV238I	2,10	4
CSV239I	2,10	4
CSV240I	2,10	4
CSV241I	2,10	4
CSV242I	2,10	4
CSV243I	2,10	4
CSV244I	2,9,10	4
CSV245I	2,10	4
CSV246I	2,10	4
CSV248E	2,10	2
CSV300I	10	4
CSV400I	-	5
CSV401I	-	5
CSV402I	-	5
CSV403I	-	5
CSV404I	-	5
CSV405I	-	5
CSV406I	-	5
CSV407I	-	5
CSV408I	-	5
CSV409I	-	5
CSV410I	10	5
CSV411I	10	5
CSV412I	-	5
CSV414I	-	5
CSV420I	10	5
CSV421I	-	5

Message Identifier	Routing Code	Descriptor Code
CSV422I	-	5
CSV423I	10	5
CSV424I	-	5
CSV425I	-	5
CSV426I	-	5
CSV427I	-	5
CSV430I	10	-
CSV431I	10	-
CSV440I	10	5
CSV441I	-	5
CSV442I	-	5
CSV450I	-	5
CSV452I	-	5
CSV453I	-	5
CSV460I	-	5
CSV461I	-	5
CSV462I	-	5
CSV463I	-	5
CSV464I	-	5
CSV470I	-	5
CSV471I	-	5
CSV472I	-	5
CSV473I	-	5
CSV480I	-	5
CSV481I	-	5
CSV483I	-	5
CSV484I	-	5
CSV485I	-	5
CSV486I	-	5
CSV487I	-	12
CSV500I	10	5
CSV501I	10	5
CSV502I	10	5
CSV503I	10	5
CSV504I	10	5
CSV505I	10	5
CSV506I	10	5
CSV507I	10	5
CSV508I	10	5
CSV510I	10	5
CSV511I	10	5
CSV512I	10	5
CSV513I	10	5
CSV514I	10	5
CSV515I	10	5
CSV516I	10	5
CSV517I	10	5
CSV518I	10	5
CSV519I	10	5
CSV520I	10	5
CSV523I	10	5
CSV526I	10	5
CSV528I	10	5
CSV529I	10	5

Message Identifier	Routing Code	Descriptor Code
CSV530I	10	5
CSV531I	10	5
CSV532I	10	5
CSV533I	10	5
CSV534I	10	5
CSV535I	10	5
CSV536I	10	5
CSV537I	-	5
CSV538I	10	5
CSV539I	10	5
CSV540I	10	-
CSV550I	-	5
CSV551I	-	5
CSV552I	10	5
CSV553I	10	5
CSV554I	10	5
CSV555I	10	5
CSV556I	10	5
CSV557I	-	5
CSV600I	-	5
CSV700I	10	5
CSV701I	10	5
CSV702I	10	5
CSV703I	10	5
CSV704I	10	5
CSV706I	10	5
CSV713I	10	5
CSV714I	10	5
CSV715I	10	5
CSV716I	10	5
CSV717I	10	5
CSV718I	10	5
CSV719I	10	5
CSV720I	10	5
CSV721I	10	5
CSV722I	10	5
CSV723I	10	5
CSV724I	10	5
CSV725I	10	5
CSV726I	10	5
CSV727I	10	5
CSV730I	-	5
CSV732I	-	5
CSV733I	-	5
CSV734I	-	5
CSV738I	-	5
CSV740I	-	5
CSV742I	-	5

EDG Messages

Message Identifier	Routing Code	Descriptor Code
EDG0001I	2	4
EDG0002E	1	11
EDG0003E	1	11
EDG0004E	1	11
EDG0005E	1	11
EDG0006E	1	11
EDG0007E	1	11
EDG0009E	1	11
EDG0010I	1	11
EDG0011E	2	11
EDG0101I	2,3	3
EDG0102E	2,3	3
EDG0103D	1,3	2
EDG0104E	1,3	3
EDG0105I	1,3	7
EDG0106E	1,3	3
EDG0107A	1,3	2
EDG0108E	1,3	3
EDG0109E	1,3	2
EDG0110D	1,3	2
EDG0111E	1,3	3
EDG0112E	1,3	3
EDG0113E	1,3	7
EDG0114I	1,3	7
EDG0115D	1,3	2
EDG0116I	2,3	3
EDG0120E	1,3	3
EDG0121E	1,3	3
EDG0122I	1,3	7
EDG0123D	1,3	2
EDG0124E	1,3	3
EDG0125E	1,3	3
EDG0126I	1,3	3
EDG0127D	1,3	2
EDG0128I	1,3	3
EDG0129I	1,3	3
EDG0130I	1,3	3
EDG0131E	1,3	3
EDG0181I	2,3	4
EDG0182I	1,3	3
EDG0183I	1,3	3
EDG0201E	3	3
EDG0202E	3	3
EDG0203E	3	3
EDG0204I	3	7
EDG0205E	3	3
EDG0206E	3	3
EDG0207E	3	3
EDG0208I	3	3
EDG0209E	3	3
EDG0210E	3	3
EDG0215D	3	2

Message Identifier	Routing Code	Descriptor Code
EDG0216E	3	3
EDG0220I	3	3
EDG0221E	3	3
EDG0222E	3	3
EDG0223E	3	3
EDG0224E	3	3
EDG0225E	3	3
EDG0226I	3	3
EDG0227I	3	
EDG0231E	3	3
EDG0232E	3	3
EDG0233E	3	3
EDG0234E	3	3
EDG0300I	2,3	3
EDG0301I	2,3	3
EDG0302I	2,3	3
EDG0303D	1,3	2
EDG0304I	3,5,11	3
EDG0305I	2,3,11	3
EDG1001A	1	2
EDG1002I	3	7
EDG1003I	3	7
EDG1101I	1,3	5
EDG1102E	1,3	3
EDG1103I	1,3	5
EDG1104I	1,3	5
EDG1105I	1,3	3
EDG1106I	1,3	2
EDG1107D	1,3	2
EDG1113I	1,3	5
EDG1114I	1,3	5
EDG1115I	1,3	3
EDG1116I	1,3	5
EDG1117I	1,3	3
EDG1118I	1,3	
EDG1119I	1,3	
EDG1200D	1,3	2
EDG1201E	1,3	2
EDG1202I	1,3	2
EDG1203D	1,3	2
EDG1204I	1,3	2
EDG1300I	3,11	7
EDG2001E	3	3
EDG2011I	2,3,11	3
EDG2050I	1	3
EDG2051I	1,3	3
EDG2100I	1	3
EDG2101I	1	3
EDG2102E	1	3
EDG2103D	1	2
EDG2104E	1	3
EDG2105E	1	3
EDG2106D	1,3	2
EDG2107E	3	2

Message Identifier	Routing Code	Descriptor Code
EDG2108E	3	2
EDG2109I	1	3
EDG2110I	2	4
EDG2111I	2	4
EDG2112I	2	4
EDG2113I	2	4
EDG2114I	2	4
EDG2115I	2	4
EDG2116A	1	3
EDG2117I	2	4
EDG2118E	1	3
EDG2119E	1	3
EDG2130I	1	3
EDG2158I	1,3	3
EDG2159I	1	3
EDG2201E	3	7
EDG2202E	3	7
EDG2217I	11	7
EDG2218I	3	7
EDG2219I	11	7
EDG2220E	11	7
EDG2221E	11	7
EDG2222E	11	7
EDG2223E	11	7
EDG2224I	11	7
EDG2226I	11	7
EDG2227I	11	7
EDG2228I	11	7
EDG2229I	11	7
EDG2230I	11	7
EDG2232E	11	7
EDG2233E	11	7
EDG2234I	11	7
EDG2301E	11	7
EDG2302E	11	7
EDG2303E	11	7
EDG2304E	11	7
EDG2305E	11	7
EDG2306I	11	7
EDG2307I	11	7
EDG2308I	11	7
EDG2309I	11	7
EDG2310I	11	7
EDG2311I	11	7
EDG2312I	11	7
EDG2313I	11	7
EDG2314I	11	7
EDG2402E	11	7
EDG2403E	11	7
EDG2404W	11	7
EDG2410I	11	7
EDG2411I	2,3,11	3
EDG2412E	11	7
EDG2413E	11	7

Message Identifier	Routing Code	Descriptor Code
EDG2420I	11	7
EDG2421I	11	7
EDG2422I	11	7
EDG2423I	11	7
EDG2424I	11	7
EDG2425I	11	7
EDG2429I	11	7
EDG2430I	11	7
EDG2431I	11	7
EDG2432I	11	7
EDG2433I	11	7
EDG2440I	11	7
EDG2441I	11	7
EDG2501E	11	7
EDG2502E	11	7
EDG2503E	11	7
EDG2504E	11	7
EDG2505E	11	7
EDG2506I	11	7
EDG2602E	2	7
EDG3000E	11	7
EDG3001E	11	7
EDG3003E	11	7
EDG3004E	11	7
EDG3005E	11	7
EDG3008E	11	7
EDG3009I	11	7
EDG3010I	11	7
EDG3011I	11	7
EDG3012I	11	7
EDG3013I	11	7
EDG3014I	11	7
EDG3015I	11	7
EDG3016I	11	7
EDG3017I	11	7
EDG3018I	11	7
EDG3019I	11	7
EDG3020I	11	7
EDG3021E	11	7
EDG3022E	11	7
EDG3023E	11	7
EDG3024E	11	7
EDG3106E	11	7
EDG3107E	11	7
EDG3200I	11	7
EDG3201I	11	7
EDG3202E	11	7
EDG3203I	11	7
EDG3204E	11	7
EDG3206E	11	7
EDG3207E	11	7
EDG3208E	11	7
EDG3209E	11	7
EDG3210E	11	7

Message Identifier	Routing Code	Descriptor Code
EDG3211E	11	7
EDG3212E	11	7
EDG3220E	11	7
EDG3221E	11	7
EDG3222E	11	7
EDG3223I	11	7
EDG3224I	11	7
EDG3225I	11	7
EDG3226E	11	7
EDG3227E	11	7
EDG3228E	11	7
EDG3229E	11	7
EDG3230E	11	7
EDG3231E	11	7
EDG3232E	11	7
EDG3233I	11	7
EDG3234E	11	7
EDG3235E	11	7
EDG3237E	11	7
EDG3238E	11	7
EDG3239E	11	7
EDG3240I	11	7
EDG3241I	11	7
EDG3242E	11	7
EDG3243E	11	7
EDG3244E	11	7
EDG3245E	11	7
EDG3246I	11	7
EDG3247E	11	7
EDG3248I	11	7
EDG3249I	11	7
EDG3250E	11	7
EDG3251E	11	7
EDG3252E	11	7
EDG3253E	11	7
EDG3254E	11	7
EDG3255E	11	7
EDG3256E	11	7
EDG3257E	11	7
EDG3258E	11	7
EDG3260E	11	7
EDG3263E	11	7
EDG3266I	11	7
EDG3267I	11	7
EDG3268I	11	7
EDG3269I	11	7
EDG3270I	11	7
EDG3272I	11	7
EDG3273I	11	7
EDG3274I	11	7
EDG3275I	11	7
EDG3276I	11	7
EDG3277I	11	7
EDG3278I	11	7

Message Identifier	Routing Code	Descriptor Code
EDG3279I	11	7
EDG3280I	11	7
EDG3281I	11	7
EDG3282I	11	7
EDG3283I	11	7
EDG3284I	11	7
EDG3285I	11	7
EDG3286I	11	7
EDG3287I	11	7
EDG3288I	11	7
EDG3289I	11	7
EDG3290I	11	7
EDG3291I	11	7
EDG3292I	11	7
EDG3293I	11	7
EDG3295I	11	7
EDG3296I	11	7
EDG3297I	11	7
EDG3298I	11	7
EDG3299I	11	7
EDG3300I	11	7
EDG3301I	11	7
EDG3302I	11	7
EDG3303I	11	7
EDG3304I	11	7
EDG3305I	11	7
EDG3306I	11	7
EDG3307I	11	7
EDG3308I	11	7
EDG3309I	11	7
EDG3310I	11	7
EDG3311I	11	7
EDG3312I	11	7
EDG3313I	11	7
EDG3314I	11	7
EDG3315I	11	7
EDG3316I	11	7
EDG3317I	11	7
EDG3318I	11	7
EDG3319I	11	7
EDG3320I	11	7
EDG3321I	11	7
EDG3322I	11	7
EDG3323I	11	7
EDG3324I	11	7
EDG3325I	11	7
EDG3326I	11	7
EDG3327I	11	7
EDG3328I	11	7
EDG4001D	1,3,11	2
EDG4002E	2,3,11	3
EDG4003E	2,3,11	3
EDG4004I	2,3,11	3
EDG4005E	2,3,11	3

Message Identifier	Routing Code	Descriptor Code
EDG4006E	2,3,11	3
EDG4007E	1,3,11	2
EDG4008A	1,3	2
EDG4009E	1,3	2
EDG4010D	1,3	2
EDG4011I	2,3,11	3
EDG4012D	1,3	2
EDG4020I	2,3,11	3
EDG4021I	2,3,11	3
EDG4022I	2,3,11	3
EDG4023I	2,3,11	3
EDG4024I	2,3,11	3
EDG4025I	2,3,11	3
EDG4026I	2,3,11	3
EDG4027I	2,3,11	3
EDG4028I	2,3,11	3
EDG4029I	2,3,11	3
EDG4030I	2,3,11	3
EDG4031I	2,3,11	3
EDG4032I	2,3,11	3
EDG4033I	2,3,11	3
EDG4034I	2,3,11	3
EDG4035I	2,3,11	3
EDG4036I	2,3,11	3
EDG4037I	2,3,11	3
EDG4038I	2,3,11	3
EDG4040I	2,3,11	3
EDG4041I	2,3,11	3
EDG4042I	2,3,11	3
EDG4043I	2,3,11	3
EDG4044I	2,3,11	3
EDG4045I	2,3,11	3
EDG4046I	2,3	3
EDG4047I	2,3	3
EDG4048I	2,3	3
EDG4049I	2,3	3
EDG4050I	2,3	3
EDG4051I	2,3	3
EDG4052I	2,3	3
EDG4053I	2,3,11	3
EDG4054I	13	3
EDG5002I	11	7
EDG5003E	11	7
EDG5004E	11	7
EDG5005E	11	7
EDG5102E	11	7
EDG5105E	11	7
EDG5106E	11	7
EDG5305E	11	7
EDG5401I	11	7
EDG5502E	11	7
EDG5801E	11	7
EDG5802I	11	7
EDG5803I	11	7

Message Identifier	Routing Code	Descriptor Code
EDG5804I	11	7
EDG5805I	11	7
EDG5806I	11	7
EDG5807I	11	7
EDG5808I	11	7
EDG5809I	11	7
EDG5810I	11	7
EDG5811I	11	7
EDG5812I	11	7
EDG5813I	11	7
EDG5814I	11	7
EDG5815I	11	7
EDG5816I	11	7
EDG5817I	11	7
EDG5818I	11	7
EDG5825I	11	7
EDG5826I	11	7
EDG5827I	11	7
EDG5828I	11	7
EDG5829I	11	7
EDG5830I	11	7
EDG5831I	11	7
EDG5832I	11	7
EDG5833I	11	7
EDG5834I	11	7
EDG5835I	11	7
EDG5836I	11	7
EDG5837I	11	7
EDG5838I	11	7
EDG5839I	11	7
EDG5840I	11	7
EDG5841I	11	7
EDG5842I	11	7
EDG5843I	11	7
EDG5844I	11	7
EDG5845I	11	7
EDG5846I	11	7
EDG5847I	11	7
EDG5848I	11	7
EDG5849I	11	7
EDG5850I	11	7
EDG5851I	11	7
EDG5852I	11	7
EDG5853I	11	7
EDG5854I	11	7
EDG5855I	11	7
EDG5856I	11	7
EDG5857I	11	7
EDG5858I	11	7
EDG5859I	11	7
EDG5860I	11	7
EDG5862I	11	7
EDG5863I	11	7
EDG5864I	11	7

Message Identifier	Routing Code	Descriptor Code
EDG5868I	11	7
EDG5901I	11	7
EDG6001I	11	7
EDG6002E	11	7
EDG6003E	11	7
EDG6004E	11	7
EDG6005E	11	7
EDG6006E	11	7
EDG6007E	11	7
EDG6010E	11	7
EDG6011E	11	7
EDG6012E	11	7
EDG6101E	11	7
EDG6102I	11	7
EDG6103E	11	7
EDG6104E	11	7
EDG6105E	11	7
EDG6106E	11	7
EDG6107E	11	7
EDG6108E	11	7
EDG6109E	11	7
EDG6110W	11	7
EDG6111W	11	7
EDG6112W	11	7
EDG6113E	11	7
EDG6114E	11	7
EDG6115E	11	7
EDG6116E	11	7
EDG6117E	11	7
EDG6118W	11	7
EDG6119E	11	7
EDG6120E	11	7
EDG6121E	11	7
EDG6122E	11	7
EDG6123E	11	7
EDG6124E	11	7
EDG6125E	11	7
EDG6126E	11	7
EDG6127E	11	7
EDG6128I	11	7
EDG6129E	11	7
EDG6130E	11	7
EDG6131E	11	7
EDG6132E	11	7
EDG6133E	11	7
EDG6201E	11	7
EDG6202E	11	7
EDG6203E	11	7
EDG6204E	11	7
EDG6205E	11	7
EDG6206W	11	7
EDG6207E	11	7
EDG6208E	11	7
EDG6209I	11	7

Message Identifier	Routing Code	Descriptor Code
EDG6301E	11	7
EDG6302E	11	7
EDG6303E	11	7
EDG6304E	11	7
EDG6305E	11	7
EDG6306E	11	7
EDG6401I	11	7
EDG6402E	11	7
EDG6403I	11	7
EDG6404I	11	7
EDG6405E	11	7
EDG6406E	11	7
EDG6407I	11	7
EDG6408W	11	7
EDG6409E	11	7
EDG6410I	11	7
EDG6411I	11	7
EDG6412I	11	7
EDG6413I	11	7
EDG6414E	11	7
EDG6415I	11	7
EDG6416E	11	7
EDG6417I	11	7
EDG6418W	11	7
EDG6419E	11	7
EDG6420I	11	7
EDG6421I	11	7
EDG6422I	11	7
EDG6423I	11	7
EDG6424E	11	7
EDG6425E	11	7
EDG6426I	11	7
EDG6427I	11	7
EDG6428E	11	7
EDG6429W	11	7
EDG6430E	11	7
EDG6431I	11	7
EDG6432E	11	7
EDG6433I	11	7
EDG6434I	11	7
EDG6501W	11	7
EDG6502W	11	7
EDG6503W	11	7
EDG6504W	11	7
EDG6505W	11	7
EDG6506W	11	7
EDG6507W	11	7
EDG6508W	11	7
EDG6509W	11	7
EDG6510I	11	7
EDG6511I	11	7
EDG6512I	11	7
EDG6513I	11	7
EDG6514I	11	7

Message Identifier	Routing Code	Descriptor Code
EDG6515I	11	7
EDG6516I	11	7
EDG6517I	11	7
EDG6518I	11	7
EDG6519I	11	7
EDG6520I	11	7
EDG6521W	11	7
EDG6522I	11	7
EDG6523I	11	7
EDG6600E	3,5,11	7
EDG6601E	3,5,11	7
EDG6602E	3,5,11	7
EDG6603E	3,5,11	7
EDG6604E	3,5,11	7
EDG6606E	11	7
EDG6607D	3,5,11	7
EDG6608E	3,5,11	7
EDG6609D	3,5,11	7
EDG6610E	3,5,11	7
EDG6611E	11	7
EDG6612E	3,5,11	7
EDG6613E	3,5,11	7
EDG6614E	3,5,11	7
EDG6615E	3,5,11	7
EDG6616E	3,5,11	7
EDG6617E	3,5,11	7
EDG6618E	3,5,11	7
EDG6619I	3,5,11	7
EDG6620I	3,5,11	7
EDG6621E	3,5,11	7
EDG6622I	3,5,11	7
EDG6623I	3,5,11	7
EDG6624E	3,5,11	7
EDG6625I	3,5,11	7
EDG6626A	3,5,11	7
EDG6627A	3,5,11	3
EDG6628A	3,5,11	3
EDG6629D	3,5,11	7
EDG6630I	3,5,11	7
EDG6631I	3,5,11	7
EDG6632I	3,5,11	7
EDG6633I	3,5,11	7
EDG6634E	3,5,11	7
EDG6635I	3,5,11	7
EDG6636E	3,5,11	7
EDG6637E	3,5,11	7
EDG6638E	3,5,11	7
EDG6639E	3,5,11	7
EDG6640I	3,5,11	7
EDG6641E	3	3
EDG6642I	3	3
EDG6643I	3	3
EDG6644E	3,5,11	7
EDG6645I	3,5,11	7

Message Identifier	Routing Code	Descriptor Code
EDG6646I	3,5,11	7
EDG6647I	3,5,11	7
EDG6649I	3,5,11	7
EDG6650I	3,5,11	7
EDG6651I	3,5,11	7
EDG6652I	3,5,11	7
EDG6653I	3,5,11	7
EDG6654I	3,5,11	7
EDG6655E	3,5,11	7
EDG6656E	3,5,11	7
EDG6657I	3,5,11	7
EDG6658I	3,5,11	7
EDG6659I	3,5,11	7
EDG6661E	3,5,11	7
EDG6662E	3,5,11	7
EDG6663D	3,5,11	7
EDG6664E	3,5,11	7
EDG6665I	3,5,11	7
EDG6666I	3,5,11	7
EDG6667I	3,5,11	7
EDG6668I	3,5,11	7
EDG6669E	3,5,11	7
EDG6670E	11	7
EDG6671D	11	7
EDG6672I	3,5,11	7
EDG6673I	3,5,11	7
EDG6701W	11	7
EDG6702W	11	7
EDG6703E	11	7
EDG6704E	11	7
EDG6705E	11	7
EDG6706E	11	7
EDG6707I	11	7
EDG6709E	11	7
EDG6710E	11	7
EDG6711E	11	7
EDG6712E	11	7
EDG6713E	11	7
EDG6714I	11	7
EDG6715I	11	7
EDG6718I	11	7
EDG6719I	11	7
EDG6720E	11	7
EDG6721E	11	7
EDG6722E	11	7
EDG6723I	11	7
EDG6724E	11	7
EDG6726E	11	7
EDG6727I	11	7
EDG6728E	11	7
EDG6729I	11	7
EDG6740I	11	7
EDG6741W	11	7
EDG6742E	11	7

Message Identifier	Routing Code	Descriptor Code
EDG6743I	11	7
EDG6744W	11	7
EDG6745E	11	7
EDG6746I	11	7
EDG6747W	11	7
EDG6748E	11	7
EDG6750E	11	7
EDG6751I	11	7
EDG6752E	11	7
EDG6753I	11	7
EDG6754E	11	7
EDG6755I	11	7
EDG6756I	11	7
EDG6757W	11	7
EDG6758I	11	7
EDG6759W	11	7
EDG6760E	11	7
EDG6761I	11	7
EDG6762E	11	7
EDG6763I	11	7
EDG6764E	11	7
EDG6765W	11	7
EDG6768E	11	7
EDG6769E	11	7
EDG6770I	11	7
EDG6771E	11	7
EDG6772E	11	7
EDG6774E	11	7
EDG6775E	11	7
EDG6780E	11	7
EDG6781I	11	7
EDG6782W	11	7
EDG6783E	11	7
EDG6784I	11	7
EDG6785I	11	7
EDG6786W	11	7
EDG6787E	11	7
EDG6788I	11	7
EDG6789E	11	7
EDG6790I	11	7
EDG6791W	11	7
EDG6792E	11	7
EDG6793I	11	7
EDG6794E	11	7
EDG6795I	11	7
EDG6796I	11	7
EDG6797I	11	7
EDG6798I	11	7
EDG6799E	11	7
EDG6800E	11	7
EDG6801I	11	7
EDG6802I	11	7
EDG6803I	11	7
EDG6804I	11	7

Message Identifier	Routing Code	Descriptor Code
EDG6901I	11	7
EDG6902I	11	7
EDG6903E	11	7
EDG7015I	11	7
EDG7016I	11	7
EDG7017I	11	7
EDG7018I	11	7
EDG7019I	11	7
EDG7020I	11	7
EDG7021E	11	7
EDG7022E	11	7
EDG7023E	11	7
EDG7024E	11	7
EDG7025E	11	7
EDG7026I	11	7
EDG7027I	11	7
EDG7028I	11	7
EDG7029I	11	7
EDG7031E	11	7
EDG7032E	11	7
EDG7033E	11	7
EDG7034E	11	7
EDG7035I	11	7
EDG7041E	11	7
EDG7042E	11	7
EDG7043E	11	7
EDG7044E	11	7
EDG7045I	11	7
EDG7046I	11	7
EDG7047I	11	7
EDG7048I	11	7
EDG7049I	11	7
EDG7050I	11	7
EDG7051E	11	7
EDG7052E	11	7
EDG7053E	11	7
EDG7054E	11	7
EDG7055I	11	7
EDG7056I	11	7
EDG7061E	11	7
EDG7063E	11	7
EDG7064E	11	7
EDG7065I	11	7
EDG7066I	11	7
EDG8001I	3	7
EDG8002I	3	7
EDG8003I	3	7
EDG8004I	3	7
EDG8006E	3	7
EDG8007E	3	7
EDG8008D	1,3,11	2
EDG8009E	1,3	2
EDG8010D	1,3	2
EDG8011D	1,3	2

Message Identifier	Routing Code	Descriptor Code
EDG8012E	1,3	3
EDG8101I	3	7
EDG8102D	3	7
EDG8105E	3	7
EDG8106E	3	7
EDG8107E	3	7
EDG8108D	1,3	2
EDG8109E	1,3	3
EDG8110D	1,3	2
EDG8111I	3	7
EDG8112I	3	7
EDG8117I	11	7
EDG8118I	11	7
EDG8119I	11	7
EDG8120I	11	7
EDG8121D	1,3,11	2
EDG8122D	1,3,11	2
EDG8123D	1,3,11	2
EDG8182I	3,11	7
EDG8183I	3,11	7
EDG8184I	3,11	7
EDG8185I	3,11	7
EDG8186I	3,11	7
EDG8187I	3,11	7
EDG8188I	3,11	7
EDG8189I	3,11	7
EDG8190I	1,3,11	3
EDG8191I	3,11	7
EDG8192I	3	7
EDG8193I	3,11	7
EDG8194I	3,11	7
EDG8195I	3,11	7
EDG8196I	3,11	7
EDG8197I	3	7
EDG8198I	3,11	7
EDG8199I	3,11	7
EDG8200E	3	7
EDG8201E	3	7
EDG9001I	3	7
EDG9111I	2,11	7
EDG9112I	2,11	7
EDG9113I	2,11	7
EDG9114I	2,11	7
EDG9115I	2,11	7
EDG9116I	2,11	7
EDG9117I	2	7
EDG9118I	2,11	7
EDG9119I	2,11	7
EDG9901I	3	3
EDG9902I	3	3
EDG9903I	3	7

ERB Messages

Note: With APAR OW13245, all messages with a descriptor code 5 are candidates for the extended MCS console support.

Message Identifier	Routing Code	Descriptor Code
ERB100I	2	4,5
ERB101I	2	4
ERB102I	2	4,5
ERB103I	2	4,5
ERB104I	2	4,5
ERB105I	2	4,5
ERB106I	2	4
ERB107I	2	5,11
ERB108I	2	11
ERB109I	2	5,11
ERB110I	2	11
ERB111I	2	4
ERB200I	2	4,5
ERB201I	2	4
ERB202I	2	4
ERB203I	2	4
ERB204I	2	4
ERB205I	2	4,5
ERB206I	2	4,5
ERB207I	2	4,5
ERB208I	2	4,5
ERB209I	2	4
ERB210I	2	4,5
ERB211I	2	4,5
ERB212I	2	4,5
ERB213I	2	4
ERB214I	2	4
ERB215I	2	4
ERB216I	2	4
ERB217I	2	4
ERB218I	2	4
ERB219I	2	4,5
ERB220I	2	4,5
ERB221I	2	4,5
ERB222I	2	4,5
ERB223I	2	4,5
ERB224I	2	4,5
ERB225I	2	4,5
ERB226I	2	4,5
ERB227I	2	4,5
ERB228I	2	4
ERB229I	2	4,5
ERB230I	2	5,11
ERB231I	2	4,5
ERB232I	2	4,5
ERB233I	2	4
ERB234I	2	4
ERB235A	2	4
ERB236I	2	4

Message Identifier	Routing Code	Descriptor Code
ERB237I	2	4
ERB238I	2	4
ERB239I	2	4
ERB240I	2	4
ERB241I	2	4
ERB242I	2	4
ERB243I	2	4
ERB244I	2	4
ERB245I	2	4
ERB246I	2	4
ERB247I	2	4
ERB248I	2	4
ERB249I	2	4
ERB250I	2	4
ERB251I	2	4
ERB252I	2	4
ERB253I	2	4
ERB254I	2	4
ERB255I	2	4
ERB256I	2	4
ERB257I	2	4
ERB258I	2	4
ERB259I	2	4
ERB260I	2	4
ERB261I	2	4
ERB262I	2	4
ERB263I	2	4
ERB264I	2	4
ERB265I	2	4
ERB266I	2	4
ERB267I	2	4
ERB268I	2	4
ERB269I	2	4
ERB270I	2	4,5
ERB272I	2	4
ERB273I	2	4
ERB276I	2	4
ERB277I	2	4
ERB278I	2	4
ERB279I	2	4,5
ERB280I	2	4
ERB281I	2	4
ERB282I	2	4
ERB288I	2	4
ERB289I	2	4,5
ERB290I	2	4,5
ERB291I	2	4,5
ERB292I	2	4
ERB294I	2	4
ERB295I	2	4
ERB296I	2	4
ERB297I	2	4
ERB298I	2	4
ERB299I	2	4

Message Identifier	Routing Code	Descriptor Code
ERB300I	2	4,5
ERB301I	2	4,5
ERB302I	2	4,5
ERB304I	2	4,5
ERB305I	2	4,5
ERB306D	1	2,5
ERB308I	2	4,5
ERB309I	2	4,5
ERB310I	2	4
ERB311I	2	4
ERB314I	2	4
ERB315I	2	4
ERB400I	2	4
ERB401I	2	4
ERB402I	2	4
ERB403I	2	4
ERB404I	2	4
ERB405I	2	4
ERB406I	2	4
ERB407I	2	4
ERB408I	2	4
ERB409I	2	4
ERB410I	2	4
ERB411I	2	4
ERB412I	2	4
ERB413I	2	4
ERB425I	2	4,5
ERB426I	2	4,5
ERB427I	2	4
ERB428E	2	11
ERB429I	2	4
ERB430I	2	4
ERB431I	2	4
ERB432I	2	4,5
ERB433I	2	4
ERB434I	2	4
ERB435I	2	4
ERB436I	2	4
ERB450I	2	4,5
ERB451I	2	4,5
ERB452I	2	11
ERB453I	2	11
ERB454I	2	4,5
ERB455I	2	4,5
ERB456I	2	4,5
ERB457I	2	4,5
ERB458I	2	4,5
ERB459I	2	4,5
ERB460I	2	11
ERB461I	2	11
ERB462I	2	4,5
ERB463I	2	11
ERB464I	2	4
ERB465I	2	4

Message Identifier	Routing Code	Descriptor Code
ERB802I	2	4,5
ERB803I	2	4,5
ERB806I	2	4
ERB807I	2	4
ERB810I	2	4
ERB811I	2	4
ERB813I	2	4,5
ERB816I	2	4,5
ERB818I	2	4,5
ERB819I	2	4,5
ERB820I	2	4,5
ERB821I	2	4,5
ERB822I	2	4,5
ERB823I	2	4
ERB853I	2	4,5

GDE Messages

Message Identifier	Routing Code	Descriptor Code
GDE001E	Note 18	5,12
GDE002I	10	6
GDE003I	Note 18	5
GDE004E	10	2,4,12
GDE005I	10	4
GDE006E	10	4
GDE007E	10	4

GFSA Messages

Message Identifier	Routing Code	Descriptor Code
GFSA320I	Note 2	-
GFSA321I	Note 11	-
GFSA325I	Note 11	-
GFSA328I	Note 11	-
GFSA329I	Note 11	-
GFSA330I	Note 11	-
GFSA331E	Note 11	-
GFSA333I	Note 11	-
GFSA334I	Note 11	-
GFSA335I	Note 11	-
GFSA347I	Note 11	-
GFSA348I	Note 11	-
GFSA349I	Note 11	-
GFSA360I	Note 11	-
GFSA362I	Note 11	-
GFSA400I	Note 11	-
GFSA401I	Note 11	-
GFSA402I	Note 11	-
GFSA403I	Note 11	-
GFSA404I	Note 11	-

Message Identifier	Routing Code	Descriptor Code
GFSA405I	Note 11	-
GFSA406I	Note 11	-
GFSA407I	Note 11	-
GFSA408I	Note 11	-
GFSA409I	Note 11	-
GFSA410I	Note 11	-
GFSA411I	Note 11	-
GFSA412I	Note 11	-
GFSA413I	Note 11	-
GFSA414I	Note 11	-
GFSA415I	Note 11	-
GFSA416I	Note 11	-
GFSA417I	Note 11	-
GFSA418I	Note 11	-
GFSA419I	Note 11	-
GFSA420I	Note 11	-
GFSA421I	Note 11	-
GFSA422I	Note 11	-
GFSA423I	Note 11	-
GFSA424I	Note 11	-
GFSA425I	Note 11	-
GFSA426I	Note 11	-
GFSA429I	Note 11	-
GFSA430I	Note 11	-
GFSA434I	Note 11	-
GFSA450I	Note 11	-
GFSA451I	Note 11	-
GFSA452I	Note 11	-
GFSA470I	Note 11	-
GFSA471I	Note 11	-
GFSA501I	Note 11	-
GFSA502I	Note 11	-
GFSA554I	Note 11	-
GFSA555I	Note 11	-
GFSA556I	Note 11	-
GFSA557I	Note 11	-
GFSA558I	Note 11	-
GFSA559I	Note 11	-
GFSA561I	Note 11	-
GFSA750I	Note 11	-
GFSA751I	Note 11	-
GFSA752I	Note 11	-
GFSA753I	Note 11	-
GFSA754I	Note 11	-
GFSA771I	Note 11	-
GFSA772I	Note 11	-
GFSA782I	Note 11	-
GFSA783I	Note 11	-
GFSA811I	Note 11	-
GFSA812I	Note 11	-
GFSA813I	Note 11	-
GFSA814I	Note 11	-
GFSA815I	Note 11	-
GFSA816I	Note 11	-

Message Identifier	Routing Code	Descriptor Code
GFSA818I	Note 11	-
GFSA827I	Note 11	-
GFSA829I	Note 11	-
GFSA832I	Note 11	-
GFSA833I	Note 11	-
GFSA840I	Note 11	-
GFSA842I	Note 11	-
GFSA843I	Note 11	-
GFSA847I	Note 11	-
GFSA848I	Note 11	-
GFSA849I	Note 11	-
GFSA850I	Note 11	-
GFSA851I	Note 11	-
GFSA853I	Note 11	-
GFSA854I	Note 11	-
GFSA858I	Note 11	-
GFSA859I	Note 11	-
GFSA860I	Note 11	-
GFSA862I	Note 11	-
GFSA863I	Note 11	-
GFSA864I	Note 11	-
GFSA865I	Note 11	-
GFSA866I	Note 11	-
GFSA867I	Note 11	-
GFSA868I	Note 11	-
GFSA869I	Note 11	-
GFSA871I	Note 11	-
GFSA876I	Note 11	-
GFSA877I	Note 11	-
GFSA881I	Note 11	-
GFSA886I	Note 11	-
GFSA895I	Note 11	-
GFSA896I	Note 11	-
GFSA897I	Note 11	-
GFSA898I	Note 11	-
GFSA899I	Note 11	-
GFSA900I	Note 11	-
GFSA901I	Note 11	-
GFSA902I	Note 11	-
GFSA903I	Note 11	-
GFSA904I	Note 11	-
GFSA905I	Note 11	-
GFSA908I	Note 11	-
GFSA910I	Note 11	-
GFSA911I	Note 11	-
GFSA912I	Note 11	-
GFSA913I	Note 11	-
GFSA914I	Note 11	-
GFSA915I	Note 11	-
GSFA916I	Note 11	-
GFSA917I	Note 11	-
GFSA918I	Note 11	-
GFSA919I	Note 11	-
GFSA920I	Note 11	-

Message Identifier	Routing Code	Descriptor Code
GFSA921I	Note 11	-
GFSA922I	Note 11	-
GFSA923I	Note 11	-
GFSA924I	Note 11	-
GFSA925I	Note 11	-
GFSA926I	Note 11	-
GFSA927I	Note 11	-
GFSA930I	Note 11	-
GFSA931I	Note 11	-
GFSA932I	Note 11	-
GFSA933I	Note 11	-
GFSA934I	Note 11	-
GFSA935I	Note 11	-
GFSA949I	Note 11	-
GFSA991E	Note 11	-
GFSA996E	Note 11	-

GFSC Messages

Message Identifier	Routing Code	Descriptor Code
GFSC300E	2,10	-
GFSC301E	2,10	-
GFSC302E	2,10	-
GFSC303E	2,10	-
GFSC304E	2,10	-
GFSC305E	2,10	-
GFSC306E	2,10	-
GFSC309E	2,10	-
GFSC310I	2,10	-
GFSC311I	2,10	-
GFSC312I	2,10	-
GFSC313I	2,10	-
GFSC315E	2,10	-
GFSC317E	2,10	-
GFSC319E	2,10	-
GFSC500I	2,10	-
GFSC501I	2,10	-
GFSC502E	2,10	-
GFSC503E	2,10	-
GFSC504I	2,10	-
GFSC505E	2,10	-
GFSC506E	2,10	-
GFSC700I	2,10	-
GFSC701I	2,10	-
GFSC702I	2,10	-
GFSC703E	2,10	-
GFSC704E	2,10	-
GFSC705E	2,10	-
GFSC707E	2,10	-
GFSC708E	2,10	-
GFSC709E	2,10	-
GFSC710E	2,10	-
GFSC711E	2,10	-

Message Identifier	Routing Code	Descriptor Code
GFSC712E	2,10	-
GFSC713E	2,10	-
GFSC714E	2,10	-
GFSC715E	2,10	-
GFSC716I	2,10	-

IAR Messages

Message Identifier	Routing Code	Descriptor Code
IAR002A	1	2
IAR003W	1	1
IAR004I	2	4
IAR005E	1	11
IAR006A	1	2
IAR007I	5	-
IAR008E	5	-
IAR009I	4	1
IAR010I	4	1
IAR011I	1	4
IAR011W	2	1
IAR012W	2	1
IAR013I	2	4
IAR014I	1	12
IAR015I	-	-
IAR016I	1	12

ICH Messages

Message Identifier	Routing Code	Descriptor Code
ICH001E	2,9,10	11
ICH002I	2,9,10	4
ICH003I	2,9,10	4
ICH004I	2,9,10	4
ICH005I	9	4
ICH006D	2,9,10	2
ICH007E	2,9,10	11
ICH301I	9	4
ICH302D	9	2
ICH401I	9,11	4
ICH402I	9	4
ICH403I	9	4
ICH404I	9	4
ICH405I	2,9,11	4
ICH406I	9,11	4
ICH407I	9,11	4
ICH408I	9,11	4
ICH409I	9,11	1
ICH410I	9	4
ICH411I	9	4
ICH412I	2	4
ICH413I	4,13	4
ICH414I	1,2,9	2

Message Identifier	Routing Code	Descriptor Code
ICH415I	9,11	4
ICH500I	2	4
ICH501I	1	4
ICH502A	1	2
ICH503I	2	4
ICH504I	2	4
ICH505A	1	1,2
ICH506I	2	4
ICH507I	2	4
ICH508I	2,9	4
ICH509I	2	4
ICH510I	2	4
ICH511I	2	4
ICH512I	2	4
ICH513I	2	4
ICH515I	2	4
ICH516I	2	4
ICH517I	2	4
ICH518I	2	4
ICH519I	2	4
ICH520I	2	4
ICH521I	2	4
ICH522I	2	4
ICH523I	2	4
ICH524I	2	4
ICH525I	2	4
ICH526I	2	4
ICH527I	2	4
ICH528I	2	4
ICH529I	2,11	4
ICH530I	2,11	4
ICH531I	2	4
ICH532I	2,11	4
ICH533I	2,11	4
ICH534I	2,11	4
ICH535I	2,11	4
ICH536I	2,11	4
ICH537I	2,11	4
ICH538I	2,11	4
ICH539I	2,11	4
ICH540I	2,11	4
ICH541I	2,11	4
ICH542I	2,11	4
ICH543I	2,11	4
ICH545I	2	4
ICH701A	1,9	2
ICH702A	1,9	2
ICH703A	1,9	2
ICH801I	1,2,9,11	4
ICH802D	1,2,9,11	2
ICH901I	1,2,9,11	4
ICH14049I	-	-
ICH14050I	-	-
ICH14051I	-	-

Message Identifier	Routing Code	Descriptor Code
ICH14052I	-	-
ICH14053I	-	-
ICH14054I	-	-
ICH14055I	-	-
ICH14056I	-	-

ICP Messages

Message Identifier	Routing Code	Descriptor Code
ICP050D	1,11	7
ICP056I	2,11	6
ICP057I	2,11	6

ICT Messages

Message Identifier	Routing Code	Descriptor Code
ICT010I	9	4
ICT011I	9	4
ICT012I	9	4
ICT020I	2,9,10	4
ICT021I	9	4
ICT022I	2,9,10	4
ICT023I	9	4
ICT024I	2,9,10	4
ICT030I	*,10,11	4
ICT031I	*,10,11	4
ICT032I	*,10,11	4
ICT033I	*,10,11	4
ICT034I	*,10,11	4
ICT035I	*,10	4
ICT036I	*,10,11	4
ICT040I	*,9	4
ICT041I	*,9,11	4
ICT042I	*,9,10,11	4
ICT043I	*,10,11	4
ICT044I	*,10,11	4
ICT045I	*,11	4
ICT046I	*,9,11	4

ICU Messages

Message Identifier	Routing Code	Descriptor Code
ICU010I	9	4
ICU011I	9	4
ICU012I	9	4
ICU013I	9	4
ICU014I	9	4

Message Identifier	Routing Code	Descriptor Code
ICU020I	2,9,10	4
ICU021I	9	4
ICU022I	2,9,10	4
ICU024I	2,9,10	4
ICU025I	2,9	4
ICU030I	10,11,*	4
ICU031I	10,11,*	4
ICU033I	10,11,*	4
ICU034I	10,11,*	4
ICU041I	9,11,*	4
ICU042I	9,10,11,*	4
ICU043I	10,11,*	4
ICU044I	10,11,*	4
ICU045I	11,*	4
ICU047I	9,*	4
ICU048I	9,*	4
ICU050I	2,9	4
ICU051I	2,9	4
ICU052I	2,9	4
ICU053I	2,9	4
ICU054I	2,9,11	4
ICU055I	2,9	4
ICU061I	10,11,*	4
ICU062I	9,11,*	4
ICU070I	2,9,10	4
ICU071I	2,9,10	4
ICU072I	2,9,10	4
ICU073I	2,9,10	4
ICU074I	2,9,10	4
ICU077I	2,9,10	4
ICU078I	2,9,10	4
ICU080I	2,9,10	4
ICU081I	2,9,10	4
ICU082I	2,9,10	4
ICU084I	2,9,10	4
ICU085I	2,9,10	4

IDA Messages

Message Identifier	Routing Code	Descriptor Code
IDA001	Note 11	-
IDA002	Note 11	-
IDA003	Note 11	-
IDA004	Note 11	-
IDA005	Note 11	-
IDA006	Note 11	-
IDA007	Note 11	-
IDA008	Note 11	-
IDA009	Note 11	-
IDA010	Note 11	-
IDA011	Note 11	-
IDA018	Note 11	-

Message Identifier	Routing Code	Descriptor Code
IDA019	Note 11	-
IDA020	Note 11	-
IDA021	Note 11	-
IDA022	Note 11	-
IDA024	Note 11	-
IDA025	Note 11	-
IDA026	Note 11	-

IDC Messages

Message Identifier	Routing Code	Descriptor Code
IDC394I	1	4
IDC497E	1	3
IDC498D	1	2
IDC783E	1	3
IDC791E	1	3
IDC01551I	2	4
IDC01552I	2	4
IDC01553I	2	4
IDC01554I	2	4
IDC01555I	2	4
IDC01556I	2	4
IDC01557I	2	4
IDC0254I	Note 11	-
IDC4999I	11	-

IEA Messages

Message Identifier	Routing Code	Descriptor Code
IEA000A	3/4/7/ 8/Note 4	2
IEA000I	3/4/7/ 8,10,11	2,4,10
IEA002I	1	12
IEA007I	5,8,9	-
IEA008I	-	2
IEA009I	-	-
IEA010I	-	-
IEA011A	-	12
IEA012E	-	12
IEA013E	-	12
IEA014W	-	12
IEA017E	2	11
IEA018A	1,2	-
IEA020W	1	1
IEA025I	Note 11	-
IEA030I	11	-
IEA039I	10	4
IEA040W	1	1
IEA041I	10	4

Message Identifier	Routing Code	Descriptor Code
IEA042I	10	4
IEA043I	2	4
IEA050I	Note 9	12
IEA051I	Note 9	12
IEA052I	Note 9	12
IEA080D	1	2
IEA081I	2	12
IEA086I	-	-
IEA099A	2	11
IEA100I	Note 13	4
IEA101A	-	12
IEA107I	-	-
IEA116A	-	-
IEA120D	1	2
IEA123I	-	4
IEA124I	-	12
IEA125I	-	12
IEA126I	-	12
IEA127I	2	12
IEA128I	2	12
IEA129I	-	12
IEA133E	1	11
IEA134I	2	5
IEA139E	1	11
IEA140W	Note 9	-
IEA145E	1,2	11
IEA162I	Note 9	12
IEA163E	Note 9	12
IEA164E	2,10	11
IEA165I	2	4
IEA166I	2	4
IEA167I	2	4
IEA168I	2	4
IEA169I	2	4
IEA170I	2	4
IEA171I	2	4
IEA180I	2,10	4
IEA181I	2,10	4
IEA182W	1,10	1
IEA183W	1,10	1
IEA184W	1,10	1
IEA186I	-	4
IEA187I	-	12
IEA188I	2,10	4
IEA189I	2,10	4
IEA190I	2,10	4
IEA191I	2,10	4
IEA192I	2,10	4
IEA193I	-	12
IEA194I	2,10	4
IEA195I	2,10	4
IEA196I	2,10	4
IEA208I	-	12
IEA212A	1	2

Message Identifier	Routing Code	Descriptor Code
IEA230E	2,10	11
IEA231A	2,10	2
IEA232I	2,10	4
IEA233I	-	12
IEA234I	-	12
IEA235I	-	12
IEA236I	Note 13	12
IEA238I	2	12
IEA240I	-	-
IEA246I	-	-
IEA247I	-	2
IEA248I		
IEA254I	2,10	12
IEA255I	1	12
IEA256I	1	12
IEA257I	Note 13	
IEA258I	Note 13	
IEA259I	2	12
IEA260I	10	4
IEA261I	10	11
IEA262I	10	11
IEA263I	10	11
IEA264I	10	11
IEA265I	10	11
IEA266I	2	12
IEA267I	Note 13	4
IEA268I	10	11
IEA269I	10	4
IEA270I	10	11
IEA271I	Note 13	4
IEA272I	10	11
IEA273I	Note 13	4
IEA274W	1	1
IEA275I	Note 13	4
IEA276I	Note 13	4
IEA277I	Note 13	4
IEA278I	10	12
IEA279I	*	5
IEA280I	10	11
IEA281I	10	11
IEA282I	*	5
IEA283I	*	5
IEA284I	*	5
IEA285I	10	12
IEA298I	2,10	4
IEA299I	-	-
IEA300I	1	12
IEA301I	1	12
IEA303W	1	12
IEA304W	1	12
IEA306I	-	12
IEA307I	2	12
IEA310A	1	2
IEA311I	2	12

Message Identifier	Routing Code	Descriptor Code
IEA313I	2	4
IEA321I	Note 9	-
IEA322A	Note 9	-
IEA326I	-	12
IEA328E	1,10	11,12
IEA329I	2,10	4
IEA330A	Note 9	-
IEA331I	Note 9	-
IEA332A	Note 9	-
IEA335I	-	-
IEA340I	Note 9	12
IEA343D	Note 9	2
IEA347A	Note 2	-
IEA350I	-	12
IEA351I	-	12
IEA352I	-	12
IEA353I	-	12
IEA354I	-	12
IEA355A	Note 9	-
IEA356I	-	-
IEA357I	-	12
IEA358I	-	-
IEA359E	2,10	11
IEA360A	2,10	2
IEA361I	2,10	4
IEA362E	2,10	11
IEA363I	2,10	4
IEA364E	2,10	11
IEA365E	2,10	11
IEA366W	Note 12	1
IEA367A	-	2
IEA371I	-	-
IEA372I	-	-
IEA376I	Note 9	4
IEA377D	Note 9	-
IEA378I	Note 9	4
IEA379I	Note 9	4
IEA400I	2,10	4
IEA401I	10	4
IEA402A	1	2
IEA403I	-	4
IEA404A	2,10	2
IEA405E	2,10	11
IEA406I	2,10	4
IEA409I	2	4
IEA411I	10	4
IEA412I	10	4
IEA413I	10	4
IEA414I	10	4
IEA415I	10	4
IEA416W	1	2
IEA421E	1,10,Note 12	11
IEA422I	10	4
IEA423I	10	4

Message Identifier	Routing Code	Descriptor Code
IEA424I	10	4
IEA425I	4	5
IEA426I	10	4
IEA430E	7	4
IEA431A	7	4
IEA432I	-	12
IEA439I	2	4
IEA442E	2,10	11
IEA448I	1,6	4
IEA449A	1,6	2
IEA451I	1,6	11
IEA452I	1,6	4
IEA453I	1,6	4
IEA454E	1,6	11
IEA455E	1,6	11
IEA457I	1,6	4
IEA458I	1,6	4
IEA466I	1,4,6,8	4
IEA467E	1,6	11
IEA468E	1,6	4
IEA469E	1,6	11
IEA473I	1,6	4
IEA474E	1,6	4
IEA475E	1,6	11
IEA476E	1,6	11
IEA477I	1,6	4
IEA478E	1,6	4
IEA479I	1,6	4
IEA480E	1,6	2
IEA481I	1,6	4
IEA486E	1,6	2,4
IEA489I	2,4,10,11	-
IEA493I	Note 2	-
IEA500A	Note 12	-
IEA501I	Note 12	-
IEA502A	Note 12	-
IEA503W	1	1
IEA504I	2,10	12
IEA510A	-	-
IEA526I	-	12
IEA527A	Note 2	-
IEA530I	Note 10	-
IEA531I	Note 10	-
IEA532I	Note 10	-
IEA533I	Note 10	-
IEA534I	Note 10	-
IEA535I	Note 10	-
IEA536I	Note 10	-
IEA537I	Note 10	-
IEA540I	2,10	4
IEA541E	2,10	11
IEA542I	2,10	4
IEA544I	-	12
IEA545W	Note 12	-

Message Identifier	Routing Code	Descriptor Code
IEA546E	2,10	3
IEA547E	Note 12	3
IEA548W	Note 12	4
IEA549I	-	12
IEA554I	*	4
IEA555E	1	3
IEA557A	1	2
IEA590I	2,10	4
IEA598I	10	12
IEA599I	2	12
IEA600I	2	12
IEA601I	2	12
IEA607E	2,10	3
IEA607I	2,10	3
IEA630I	Note 13	-
IEA631I	Note 13	-
IEA652A	1,2	1
IEA653I	2	4
IEA654A	1,2	2
IEA655I	-	4
IEA705I	11	6
IEA710A	-	-
IEA711E	1,10	11,12
IEA712I	-	12
IEA713I	-	-
IEA716I	-	12
IEA738I	2,10	12
IEA740W	2,10	2
IEA763I	Note 25	Note 25
IEA764I	-	5
IEA765I	2,10	12
IEA766I	2,10	12
IEA767I	2,10	12
IEA768I	2	4
IEA774I	2	12
IEA792I	2,10	6
IEA793A	1	2
IEA794I	2	4
IEA796E	2,10	11
IEA797W	1	1
IEA798W	Note 4	1
IEA802W	-	1
IEA806I	1,10	4
IEA809I	Note 11	-
IEA811E	Note 9	12
IEA812E	Note 9	12
IEA813E	Note 9	12
IEA814D	Note 9	2
IEA821I	2,10	4
IEA823I	2,10	4
IEA824I	2,10	4
IEA825I	2,10	4
IEA826I	2,10	4
IEA828I	2,10	4

Message Identifier	Routing Code	Descriptor Code
IEA829I	2,10	4
IEA830I	2,10	4
IEA832I	2,10	4
IEA833I	2,10	4
IEA836I	Note 9	12
IEA837I	Note 9	12
IEA838I	11	-
IEA839I	Note 9	4
IEA840I	2	4
IEA841E	Note 9	12
IEA842E	Note 9	12
IEA843I	10	4
IEA846I	-	5
IEA848I	11	4
IEA849I	1	-
IEA850I	2	4
IEA851A	2	4
IEA851I	2	12
IEA852A	2	4
IEA852I	2	12
IEA853A	2	4
IEA854I	2	12
IEA855I	2	4
IEA857W	1	1
IEA858E	2,10	4
IEA859I	2	12
IEA860A	2	4
IEA861A	2	4
IEA862I	10	6
IEA863I	2	4
IEA864I	2	4
IEA865I	1	1
IEA866I	2	12
IEA867I	2	12
IEA872I	2	4
IEA873I	2	4
IEA874I	2	4
IEA875I	1	4
IEA876I	1	4
IEA877A	1	2
IEA878I	10	4
IEA879A	4	2
IEA880I	10	-
IEA881I	10	4
IEA882A	1	2
IEA883I	10	4
IEA884I	10	4
IEA885I	10	4
IEA886A	1	2
IEA888A	1	12,2
IEA889A	1	2
IEA890I	2	4
IEA891I	2,10	4
IEA892I	2,10	12

Message Identifier	Routing Code	Descriptor Code
IEA893A	2	4
IEA894I	2	12
IEA895A	2	4
IEA896I	2	4
IEA900I	2	4
IEA903A	1	2
IEA906A	Note 9	-
IEA907W	Note 9	-
IEA908I	Note 9	-
IEA909I	Note 9	-
IEA911E	2	11
IEA912I	11	-
IEA913I	Note 9	-
IEA915E	Note 9	12
IEA916E	Note 9	12
IEA918I	Note 9	12
IEA920I	Note 9	1
IEA921I	Note 9	1
IEA922D	Note 9	2
IEA923D	Note 9	2
IEA924D	Note 9	2
IEA925D	Note 9	2
IEA926I	Note 9	-
IEA927I	Note 9	4
IEA928I	Note 9	4
IEA929I	Note 9	4
IEA930I	Note 9	4
IEA931I	Note 11	-
IEA932I	Note 11	-
IEA933I	Note 11	-
IEA934I	Note 11	-
IEA935W	Note 9	1
IEA936D	Note 9	2
IEA937I	Note 9	4
IEA938W	Note 9	1
IEA939D	Note 9	2
IEA940I	Note 9	4
IEA941D	Note 9	2
IEA942I	Note 9	12
IEA943W	Note 9	1
IEA944I	Note 9	12
IEA945W	Note 9	1
IEA946W	1	1
IEA947A	2	4
IEA948I	2	12
IEA949A	2	4
IEA949I	2	12
IEA950I	Note 9	-
IEA959I	Note 4	2
IEA964I	2,10	4
IEA966I	Note 9	-
IEA967W	2,10	2
IEA973I	-	4
IEA974I	Note 10	-

Message Identifier	Routing Code	Descriptor Code
IEA975I	Note 10	-
IEA976I	Note 10	-
IEA977I	Note 10	-
IEA978I	Note 10	-
IEA979I	2	4
IEA980I	Note 10	-
IEA981I	2	4
IEA982I	2	4
IEA983I	Note 9	-
IEA984E	2,3	3,11
IEA985I	2	4
IEA986I	2	4
IEA987I	2	4
IEA989I	-	-
IEA990I	Note 9	-
IEA991I	Note 9	-
IEA992I	1	4
IEA993I	11	6
IEA994A	2	2
IEA994E	2	3
IEA995I	11	6
IEA996I	11	-
IEA997I	11	-
IEA998I	11	6
IEA999W	2	1

IEB Messages

Message Identifier	Routing Code	Descriptor Code
IEB101I	Note 11	-
IEB102I	Note 11	-
IEB103I	11	7
IEB104I	Note 11	-
IEB105I	Note 11	-
IEB106I	Note 11	-
IEB107I	Note 11	-
IEB108I	Note 11	-
IEB109I	Note 11	-
IEB110I	Note 11	-
IEB111I	Note 11	-
IEB112I	Note 11	-
IEB113I	Note 11	-
IEB114I	Note 11	-
IEB115I	Note 11	-
IEB116I	Note 11	-
IEB117I	Note 11	-
IEB118I	Note 11	-
IEB119I	Note 11	-
IEB120I	Note 11	-
IEB121I	Note 11	-
IEB122I	Note 11	-
IEB123I	Note 11	-
IEB124I	Note 11	-

Message Identifier	Routing Code	Descriptor Code
IEB125I	Note 11	-
IEB126I	Note 11	-
IEB127I	Note 11	-
IEB128I	Note 11	-
IEB129I	Note 11	-
IEB130I	Note 11	-
IEB131I	Note 11	-
IEB132I	Note 11	-
IEB133I	11	7
IEB134I	Note 11	-
IEB135I	Note 11	-
IEB136I	Note 11	-
IEB137I	Note 11	-
IEB138I	Note 11	-
IEB139I	11	7
IEB140I	Note 11	-
IEB141I	Note 11	-
IEB142I	Note 11	-
IEB143I	Note 11	-
IEB144I	Note 11	-
IEB145I	Note 11	-
IEB146I	Note 11	-
IEB147I	Note 11	-
IEB148I	Note 11	-
IEB149I	Note 11	-
IEB150I	11	7
IEB151I	Note 11	-
IEB152I	Note 11	-
IEB153I	Note 11	-
IEB154I	Note 11	-
IEB155I	Note 11	-
IEB156I	Note 11	-
IEB157I	Note 11	-
IEB158I	Note 11	-
IEB159I	Note 11	-
IEB160I	Note 11	-
IEB161I	Note 11	-
IEB162I	Note 11	-
IEB163I	Note 11	-
IEB164I	Note 11	-
IEB165I	Note 11/11	-/7
IEB166I	Note 11	-
IEB167I	Note 11	-
IEB168I	Note 11/11	-/7
IEB169I	Note 11	-
IEB170I	Note 11	-
IEB171I	Note 11	-
IEB172I	Note 11/11	-/7
IEB174I	Note 11	-
IEB175I	Note 11	-
IEB176I	Note 11	-
IEB177I	Note 11	-
IEB178I	Note 11	-
IEB179I	Note 11	-

Message Identifier	Routing Code	Descriptor Code
IEB180I	Note 11	-
IEB181I	Note 11	-
IEB182I	Note 11	-
IEB183I	Note 11	-
IEB184I	Note 11	-
IEB185I	Note 11	-
IEB186I	Note 11	-
IEB187I	Note 11	-
IEB188I	Note 11	-
IEB189I	Note 11	-
IEB190I	Note 11	-
IEB191I	Note 11	-
IEB192I	Note 11	-
IEB193I	Note 11	-
IEB194I	Note 11	-
IEB195I	Note 11	-
IEB196I	Note 11	-
IEB197I	Note 11	-
IEB198I	Note 11	-
IEB199I	Note 11	-
IEB267I	11	7
IEB351I	11	7
IEB421I	11	7
IEB451I	-	-
IEB500I	-	-
IEB501I	-	-
IEB502D	1,7	7
IEB503D	1,7,9	7
IEB504I	-	-
IEB505I	-	-
IEB506I	-	-
IEB507I	-	-
IEB508I	-	-
IEB509I	-	-
IEB510I	-	-
IEB511I	11	7
IEB512I	-	-
IEB513I	-	-
IEB514I	-	-
IEB515I	-	-
IEB516I	-	-
IEB517D	1,7,9	7
IEB518D	1,7,9	7
IEB519I	-	-
IEB520I	11	7
IEB521I	-	-
IEB530I	2,7	7
IEB531I	2,7	7
IEB532A	1,7	7
IEB540D	1,7	7
IEB541D	1,7	7
IEB542D	1,7,9	7
IEB543I	2,7	7
IEB544E	2,7	7

Message Identifier	Routing Code	Descriptor Code
IEB545I	2,7	7
IEB546I	2,7	7
IEB547D	1,7	7
IEB548E	2,7,10	7
IEB549I	2,7	7
IEB550E	2,7	7
IEB551I	-	-
IEB552I	2,7	7
IEB553I	2,7	7
IEB554E	2,7,10	7
IEB555E	2,7	7
IEB556E	2,7	7
IEB570I	2,7	7
IEB571I	2,7	7
IEB572E	2,7,10	7
IEB573E	2,7	7
IEB574I	2,7	7
IEB575A	1,7,9	7
IEB576I	2,7,10	7
IEB577E	2,7	7
IEB578I	2,7	7
IEB579I	2,7	7
IEB580I	2,7	7
IEB581E	11	7
IEB802I	11	7
IEB1000I	Note 11	-
IEB1001I	Note 11	-
IEB1002W	Note 11	-
IEB1003W	Note 11	-
IEB1004W	Note 11	-
IEB1005W	Note 11	-
IEB1006I	Note 11	-
IEB1007I	Note 11	-
IEB1008W	Note 11	-
IEB1009W	Note 11	-
IEB1010I	Note 11	-
IEB1011E	Note 11	-
IEB1012E	Note 11	-
IEB1013I	Note 11	-
IEB1014I	Note 11	-
IEB1017W	Note 11	-
IEB1018I	Note 11	-
IEB1019I	Note 11	-
IEB1020I	Note 11	-
IEB1021E	11	7
IEB1022I	11	7
IEB1023I	11	7
IEB1024E	Note 11	-
IEB1025E	11	7
IEB1026E	Note 11	-
IEB1027E	Note 11	-
IEB1031E	Note 11	-
IEB1032E	Note 11	-
IEB1033E	Note 11	-

Message Identifier	Routing Code	Descriptor Code
IEB1034E	Note 11	-
IEB1035I	Note 11	-
IEB1037I	Note 11	-
IEB1050I	Note 11	-
IEB1051I	Note 11	-
IEB1052I	Note 11	-
IEB1056I	Note 11	-
IEB1057I	Note 11	-

IEC Messages

Message Identifier	Routing Code	Descriptor Code
IEC001A	4,11	2
IEC003E	3/4	3
IEC006I	11	-
IEC011I	11	6
IEC014E	4	3
IEC015I	11	6
IEC020I	11	3
IEC021I	9	4
IEC022I	11	6
IEC023I	11	6
IEC024I	11	6
IEC025I	11	6
IEC026I	11	6
IEC027I	11	6
IEC028I	11	6
IEC029I	11	6
IEC030I	11	6
IEC031I	11	6
IEC032I	11	6
IEC033I	11	6
IEC034I	11	6
IEC036I	11	6
IEC037I	11	6
IEC040I	11	6
IEC041I	11	6
IEC042I	11	6
IEC066I	2,11	4
IEC067I	2,11	6
IEC068A	3	2
IEC070I	11	6
IEC090I	11	2
IEC101A	4,11	2
IEC102I	11	4
IEC103I	11	6
IEC105I	11	4
IEC111E	11	6
IEC113A	9	2
IEC114E	4	3
IEC115I	9	2
IEC116A	9	2

Message Identifier	Routing Code	Descriptor Code
IEC119I	2,4,11	4
IEC120A	7	2
IEC121D	7	2
IEC122D	7	2
IEC123D	7	2
IEC124I	7,10,11	4
IEC125D	7	2
IEC126I	7,10,11	4
IEC127D	7	2
IEC128D	7	2
IEC129D	7	2
IEC129I	7	2
IEC130I	11	6
IEC131I	11	6
IEC132I	11	6
IEC135A	3	2
IEC138I	11	6
IEC140I	11	6
IEC141I	11	6
IEC142I	11	6
IEC143I	11	6
IEC144I	11	6
IEC145I	11	6
IEC146I	11	6
IEC147I	11	6
IEC148I	11	6
IEC149I	11	6
IEC150I	11	6
IEC151I	11	6
IEC152I	11	6
IEC153I	11	6
IEC155I	11	6
IEC156I	11	6
IEC157I	11	7
IEC158I	11	7
IEC159I	11	7
IEC161I	11	6
IEC162I	7,11	4
IEC163A	7	2
IEC164A	7	4
IEC166I	2,11	4
IEC167I	11	2
IEC185I	11	-
IEC190I	11	6
IEC191I	11	6
IEC192I	11	6
IEC203I	11	6
IEC210I	11	6
IEC211I	11	6
IEC212I	11	6
IEC214I	11	6
IEC215I	11	6
IEC216I	11	6
IEC217I	11	6

Message Identifier	Routing Code	Descriptor Code
IEC218I	11	6
IEC220I	11	6
IEC221I	11	6
IEC222I	11	6
IEC223I	11	6
IEC225I	11	6
IEC250I	11	6
IEC251I	11	6
IEC252I	11	6
IEC253I	11	6
IEC254D	3,4,9	5
IEC255D	1,3,4,5,6,9	2
IEC256A	3,4,9	3
IEC271I	3	7
IEC290I	11	6
IEC291I	11	6
IEC292I	11	6
IEC301A	9	2
IEC302I	2,10	4
IEC304I	2,10	4
IEC305I	2,10	4
IEC331I	2,11	6
IEC332I	2,11	6
IEC333I	2,11	6
IEC338I	11	-
IEC339I	11	-
IEC341I	11	7
IEC342I	11	7
IEC343I	11	7
IEC345I	2,11	7
IEC346I	2,11	7
IEC347I	2,10,11	9
IEC348I	2,10,11	9
IEC349I	2,10,11	9
IEC355I	2	7
IEC356W	2	1
IEC357I	2	7
IEC358D	1	2
IEC359I	2,10,11	9
IEC366I	2,11	4
IEC368I	2,4,10,11	4
IEC369I	2,4,10,11	4
IEC370I	2,4,10,11	4
IEC371I	2,4,10,11	4
IEC372I	2,4,10,11	4
IEC373I	2,4,10,11	4
IEC374I	2,4,10,11	4
IEC375I	2,4,10,11	4
IEC400A	3,5	2
IEC401A	3	2
IEC402D	1,3	2
IEC403A	4,6	2
IEC404E	3,5	3
IEC466I	2,11	4

Message Identifier	Routing Code	Descriptor Code
IEC501A	3,5/4,6	2
IEC502E	4	2
IEC503I	4	2,10
IEC504I	4	2,10
IEC505I	4	2,10
IEC507D	1	2
IEC509A	3,5	2
IEC510D	3,5	2
IEC512I	2,10	4
IEC513D	1,10	2
IEC516E	11	4
IEC518I	2,11	4
IEC534D	3,5	2
IEC537I	11	-
IEC601D	4	2
IEC602I	4,10	4
IEC603I	4,10	4
IEC604I	4,10	4
IEC605I	4,10	4
IEC606I	4,10	4
IEC607I	9,11	4
IEC608I	4,10	4
IEC609I	4,10	4
IEC614I	11	4
IEC666I	2,11	4
IEC701D	3	2
IEC702I	3	4
IEC703I	3	4
IEC704A	1	2
IEC705I	3,5	4
IEC708I	2,11	4
IEC801I	8,10	4
IEC802I	8	4
IEC807I	8	4
IEC808I	8	4
IEC809I	8,10	4
IEC815I	2,8,10	4
IEC900I	11	6
IEC902I	11	6
IEC903I	11	6
IEC904I	11	6
IEC905I	11	6
IEC906I	11	6
IEC907I	11	6
IEC908I	11	6
IEC909I	11	6
IEC910I	11	6
IEC911I	11	6
IEC912I	11	6
IEC913I	11	6
IEC914I	11	6
IEC915I	11	6
IEC916I	11	6
IEC917I	11	6

Message Identifier	Routing Code	Descriptor Code
IEC918I	11	6
IEC919I	11	6
IEC920I	11	6
IEC921I	11	6
IEC922I	9,11	4
IEC950I	11	6
IEC951I	11	6
IEC952I	11	6
IEC953I	11	6
IEC954I	11	6
IEC999I	10,11	6

IEE Messages

Message Identifier	Routing Code	Descriptor Code
IEE012A	1,2	1
IEE019I	*	5
IEE020I	2	11
IEE021A	1, 2	-
IEE023I	*	5
IEE025I	*	5
IEE026I	*	5
IEE027I	*	5
IEE028I	2,10	5,12
IEE029I	2,10	5,12
IEE032I	*	5
IEE033I	*	5
IEE037D	2	4
IEE041I	2	4
IEE042I	Note 10	-
IEE043I	2	4
IEE044I	*	5
IEE045I	*	5
IEE046I	*	5
IEE047I	*	5,8,9
IEE048I	Note 34	-
IEE049I	2,10	12
IEE050I	2,10	12
IEE051I	2,10	12
IEE052I	10	12
IEE053I	10	12
IEE054I	10	4
IEE055I	10	4
IEE056I	10	4
IEE057I	10	4
IEE058I	2,10	12
IEE059I	*	5
IEE060I	*	5
IEE061I	1,2,10	4
IEE062I	*	5,8,9
IEE063I	*	5,8,9
IEE064I	*	5,8,9

Message Identifier	Routing Code	Descriptor Code
IEE065I	*	5
IEE066I	10	4
IEE067I	10	4
IEE076I	-	5
IEE077I	-	5
IEE078I	*	5
IEE079I	*	5
IEE083A	Note 12	-
IEE084I	*	5
IEE094D	*	5
IEE097I	#	5,8,9
IEE098I	-	5
IEE099A	*	3
IEE100E	*	11
IEE103I	-	5
IEE104I	*	5,8,9,10
IEE105I	*	5,8,9,10
IEE106I	*	5,8,9
IEE107I	Note 12	-
IEE108I	-	5
IEE109I	-	5
IEE112I	#	5,8,9
IEE113I	-	5
IEE114I	-	5
IEE115I	-	5
IEE116I	-	5
IEE121I	2,10,*	3
IEE122I	*	5
IEE124I	*	5
IEE125A	Note 12	-
IEE126I	Note 12	-
IEE128A	Note 9	-
IEE131D	-	7
IEE132I	2,10,*	3
IEE133I	-	5
IEE134I	*	5
IEE135I	*	5
IEE136I	*	5
IEE138I	*	5
IEE141A	Note 4	2
IEE142I	2,10	4
IEE144I	*	5
IEE145I	*	5
IEE146I	-	5
IEE147I	2	4
IEE148I	-	5
IEE150I	Note 6	-
IEE151I	Note 6	-
IEE156I	Note 6	-
IEE157E	Note 6	-
IEE158I	-	5
IEE159E	Note 6	-
IEE160I	Note 6	-
IEE161I	Note 6	-

Message Identifier	Routing Code	Descriptor Code
IEE162I	Note 6	-
IEE163I	Note 6	-
IEE164I	Note 6	-
IEE165I	2,10	5
IEE166E	2,10	11
IEE168D	1	2
IEE169I	-	5
IEE170E	Note 6	-
IEE171E	Note 6	-
IEE172I	-	5
IEE173I	-	5
IEE174I	-	4
IEE176I	-	5
IEE177D	-	7
IEE178I	Note 12	-
IEE179I	2	4
IEE180I	2,10,Note 13	12/4
IEE181I	2,10,Note 13	12/4
IEE182I	2,10,Note 13	12/4
IEE183W	Note 12	-
IEE184I	2	4
IEE185I	*	5
IEE186I	*,9	5
IEE187I	-	-
IEE188I	Note 14	5
IEE189I	*	5,8,9
IEE192I	Note 2	5
IEE200I	*	5
IEE201I	*	5
IEE202I	*	5
IEE203I	*	5
IEE204I	*	5
IEE205I	*	5
IEE206I	*	2,5
IEE220I	-	5
IEE221I	-	5
IEE222I	-	5
IEE223I	-	5
IEE224I	-	5
IEE225I	-	5
IEE226I	-	5
IEE227I	-	5
IEE228I	-	5
IEE229I	-	5
IEE230I	-	5
IEE232I	2,10	5
IEE233I	2,10	5
IEE234I	2,10	4
IEE235I	-,**	5,8,9
IEE236I	-	5
IEE239I	-	5
IEE240I	-	5
IEE241I	-	5
IEE242I	-	5

Message Identifier	Routing Code	Descriptor Code
IEE243I	-	5
IEE244D	-	5
IEE245I	-	5
IEE248I	-	5,8,9
IEE251I	*	5
IEE252I	-	4
IEE253I	-	12
IEE254I	*	5
IEE260I	2,10	4
IEE271I	*	5
IEE272I	*	5
IEE273I	*	5
IEE274I	*	5
IEE275I	*	5
IEE276I	*	5
IEE277I	*	5
IEE278I	2	5,12
IEE279A	-	4
IEE280A	-	4
IEE281A	-	4
IEE282A	-	4
IEE283A	-	4
IEE286I	-	4
IEE287I	-	4
IEE289I	*	5
IEE290I	-	5
IEE291I	*	5
IEE294I	*	5
IEE295I	Note 13,Note 14	-
IEE296I	*,9	5
IEE298I	*	5
IEE299I	-	5
IEE300I	*	5
IEE301I	*	5
IEE302I	-/Note 13	5
IEE303I	-/Note 13	5
IEE304I	2	5
IEE305I	*	5
IEE306I	*	5
IEE307I	*	5
IEE308I	*	5
IEE309I	*	5
IEE310I	*	5
IEE311I	*	5
IEE312I	*	5
IEE313I	*	5
IEE314I	*	5
IEE315I	*	5
IEE316I	2,10	4
IEE318I	*	5
IEE319I	2,10	4
IEE320I	2,10	4
IEE324I	*	5
IEE325D	-	7

Message Identifier	Routing Code	Descriptor Code
IEE328I	*	5
IEE329I	*	5
IEE331A	Note 12	-
IEE334I	*,2	5
IEE335I	*	5
IEE338I	*	5
IEE339I	*	5
IEE341I	*	5
IEE342I	*	5
IEE343I	Note 18	5,8,9
IEE345I	*	5
IEE350I	*	5
IEE351I	2	4
IEE352A	1	2
IEE353A	1,4	2
IEE354I	2	4
IEE355I	2	4
IEE356A	1	2
IEE357A	1	2
IEE360I	2	4
IEE362A	1	2
IEE362I	2	4
IEE364I	2,10	4
IEE365I	2	4
IEE366I	4	2
IEE367I	-	5
IEE368E	1,10	3
IEE369E	1,10	3
IEE370I	*	5
IEE371I	*	5
IEE372I	*	5
IEE373I	*	5
IEE374I	*	5
IEE376I	-	5
IEE377I	*	5
IEE378I	-	5
IEE379I	-	5
IEE380I	*	5
IEE381I	*	5
IEE382I	*	5
IEE383I	-	5
IEE384I	-	5
IEE385I	-	5
IEE386I	-	5
IEE387I	*	5
IEE388I	2	4
IEE389I	2,10	12
IEE390I	2,10	12
IEE391A	1	2
IEE392I	2	4
IEE393I	2	4
IEE394I	2,10	5
IEE395I	2,10	5
IEE396I	2,10	5

Message Identifier	Routing Code	Descriptor Code
IEE397I	2,10	5
IEE398I	2	4
IEE399I	*	5
IEE400I	*	-
IEE401I	*	5
IEE403I	-	5
IEE404I	*	5
IEE405I	10	4
IEE406I	-,10	4,5
IEE407D	-	5
IEE408I	-	5
IEE409I	*	5
IEE411I	-	5
IEE420I	*	5
IEE421I	-	5,8,9
IEE422I	*	5,8,9
IEE423I	*	5
IEE424I	*	5
IEE432I	-	12
IEE450I	#	5,8,9
IEE451I	10	4
IEE452I	*	8
IEE453I	*	8
IEE455I	*	8
IEE456I	Note 18	5
IEE457I	Note 18	5,8,9
IEE459I	#	8,9
IEE460I	Note 18	5
IEE461I	Note 18	5
IEE462I	Note 18	5
IEE463I	Note 18	5
IEE464I	Note 18	5
IEE476I	-/Note 13	5
IEE479W	2,10	1
IEE480I	2,10	4
IEE481I	2,10	4
IEE482E	2,10	11
IEE485I	*	5
IEE491I	-	5
IEE494W	Note 12	-
IEE495I	5	-
IEE497I	2,10	5
IEE498I	2,10	5
IEE499I	*,2,10 5	
IEE500I	2,10	5
IEE501I	2,10	4
IEE502I	-	5
IEE503I	-	5
IEE504I	-	5
IEE505I	-	5
IEE507D	*	2
IEE508E	*	11
IEE510I	-	5
IEE512I	-	5

Message Identifier	Routing Code	Descriptor Code
IEE513I	2,10	4
IEE521I	*	4,8,9
IEE522D	*	-
IEE524I	-	5
IEE525I	-	5
IEE526I	-	5
IEE527I	-	5
IEE529I	-	5
IEE530I	2,10	4
IEE531I	2	4
IEE532I	2	4
IEE533E	2	4
IEE534I	2	4
IEE535I	*	5
IEE536I	*	5
IEE537I	*	5
IEE538I	*	5
IEE539I	*	5
IEE540I	*	5
IEE541I	-	5
IEE559I	-	5
IEE564I	2	5
IEE574I	-	5
IEE575A	-	7
IEE576I	-	5
IEE577D	-	7
IEE578I	-	5
IEE590I	-	5
IEE591I	*	5
IEE592I	*	5
IEE593I	-	5
IEE594I	-	5
IEE595I	-	5
IEE600I	*	5
IEE601E	Note 12	-
IEE602I	-	5
IEE603I	*	5,8,9
IEE604D	-	5
IEE605I	*	5
IEE606I	*	5
IEE610I	2,10	5
IEE611I	2,10	5
IEE612I	-	-
IEE617I	*	5
IEE618I	*	5
IEE619I	*	5
IEE620I	2,10	4
IEE627D	1	2
IEE628I	-	5
IEE623I	*	5
IEE624I	*	5
IEE625I	*	5
IEE676I	-	5
IEE677I	*	5,8,9

Message Identifier	Routing Code	Descriptor Code
IEE678I	-	5
IEE679I	2	5
IEE680I	-	5
IEE681I	-	5
IEE682I	-	5
IEE683I	-	5
IEE684I	-	5
IEE685I	-	5
IEE686I	*	5
IEE687I	-	5
IEE688I	2,10	4,5
IEE699I	*	5
IEE700I	*	5
IEE701I	*	5
IEE702I	*	5
IEE703I	*	5
IEE704I	*	5
IEE705I	2,10	5
IEE706I	*	5
IEE707I	*	5
IEE708I	*,5	-
IEE709I	*	5
IEE710I	*	5
IEE711I	-	7
IEE712I	*	5
IEE713I	-	5
IEE714I	-	5
IEE715I	*	5
IEE717D	1	7
IEE717I	-	5
IEE718I	#	5
IEE719I	-	5
IEE720I	*	5
IEE721I	*	-
IEE722I	*	-
IEE723I	*	-
IEE725I	*	5
IEE726D	*	5
IEE727I	10	4,5
IEE729D	*	5
IEE730I	2,10	4
IEE731I	*	5
IEE732D	*	5
IEE733I	*	5
IEE734I	-	5
IEE735I	#	5,8,9
IEE736D	*	5
IEE737I	2	5
IEE738D	*	5
IEE739I	*	5
IEE740I	*,10	5
IEE741I	*	5
IEE742I	*	5
IEE743I	*,10	4

Message Identifier	Routing Code	Descriptor Code
IEE748E	10	3
IEE754I	-	5
IEE755I	-	5
IEE756I	*	5
IEE763I	-	5
IEE764I	Note 21	
IEE765E	2,10	2
IEE766E	2,10	11
IEE767A	2,10	2
IEE768I	2,10	4
IEE769E	2	4
IEE772I	-	5
IEE775E	2	4
IEE777I	*	5
IEE779I	*	5
IEE781I	*	5
IEE782I	*	5
IEE783I	*	5
IEE784I	*	5
IEE785I	*	5
IEE786I	*	5
IEE787A	*	2,5
IEE788A	*	2,5
IEE789I	*	5
IEE791I	*	5
IEE792I	*	5
IEE793I	*	5
IEE794I	*	5
IEE795I	2	4
IEE796I	#	5,8,9
IEE797I	2	5
IEE798I	2	5
IEE799D	*	5
IEE800D	*	5
IEE802A	Note 34	-
IEE803A	Note 34	-
IEE804A	Note 34	-
IEE805A	Note 34	-
IEE806A	1,2,10	2
IEE815I	-	2
IEE816I	2,10	5
IEE819E	2,10	11
IEE820E	*,2,10	3
IEE821E	*,2,10	3
IEE822E	1,2,10	3
IEE823E	2,10	11
IEE824E	2,10	11
IEE824I	2	4,6
IEE825I	*	5
IEE826I	*	5
IEE827I	*	5
IEE828E	1,10	3
IEE830I	*	5
IEE831D	*	5

Message Identifier	Routing Code	Descriptor Code
IEE832I	*	5
IEE836D	*	5
IEE838I	*	5
IEE839I	*	5
IEE840I	*/2,10	5/4
IEE841I	*	5
IEE842I	*	5
IEE843I	*	5,8,9
IEE844W	1	1
IEE845I	-	5
IEE846I	-	5
IEE847I	-	5
IEE852I	-	5,8,9
IEE853I	-	5,8,9
IEE854I	-	5,8,9
IEE855I	-	5,8,9
IEE857I	#	5,8,9
IEE859I	2,10	4
IEE860I	*	5
IEE861I	-	5,8,9
IEE862I	-	5,8,9
IEE866I	2,10	5
IEE870I	2,10	12
IEE871I	*	5
IEE889I	*	5,8,9
IEE890I	*	5,8,9
IEE891I	*	5,8,9
IEE892I	*	5,8,9
IEE907I	*	5
IEE908I	*	5
IEE919I	*	5
IEE921I	*	5
IEE922I	*	5
IEE923I	*	5
IEE924I	*	5
IEE925I	*	5
IEE926I	*	5
IEE927I	*	5
IEE928I	*	5
IEE929I	*	5
IEE930I	*	5
IEE931I	*	5
IEE932I	*	5,8,9
IEE935I	2,10	4
IEE936I	2,10	4
IEE944I	2	5
IEE945I	2	5
IEE946I	2	5
IEE947I	2	5
IEE948E	2,10	11
IEE948I	2	5
IEE949I	#/2	4,5,8,9
IEE950I	2,10	5
IEE951I	2,10	5

Message Identifier	Routing Code	Descriptor Code
IEE952I	2,10	5
IEE953I	2,10	5
IEE955I	2	5
IEE956A	1	2
IEE957I	2	5
IEE958I	2,10	5
IEE959I	2,4	5
IEE960I	2,10	5
IEE961I	2,10	4
IEE962E	2,10	11
IEE962I	2	5
IEE963I	2,10	4
IEE964I	2,10	5
IEE965I	2,10	5
IEE966I	2	5
IEE967I	#/2	4,5,8,9
IEE968I	2,10	5
IEE969I	2,10	5
IEE970I	2,10	5
IEE971I	2,10	5
IEE972I	2,10	5
IEE973I	2,10	5
IEE974I	#/2	4,5,8,9
IEE979W	2	1
IEE980I	2,10	5
IEE981I	2,10	5
IEE982I	2,10	5
IEE984I	2,10	5
IEE985A	1	2
IEE986E	2,10	11
IEE987E	Note 12	-
IEE988E	Note 12	-
IEE989I	2,10	5
IEE990I	2,10	5
IEE991I	2,10	5
IEE992I	2,10	5
IEE993I	2,10	5

IEF Messages

Message Identifier	Routing Code	Descriptor Code
IEF001I	11	6
IEF006I	2	6
IEF007I	2,11	6
IEF008I	*	/
IEF009I	Note 31	-
IEF010I	2,11	6
IEF085I	11	-
IEF086I	11	6
IEF087I	11	6
IEF089I	11	6
IEF090E	1	3
IEF091I	2	4

Message Identifier	Routing Code	Descriptor Code
IEF092I	2	6
IEF096I	10	4
IEF097I	Note 13	-
IEF098I	10	6
IEF099I	2	2
IEF100I	2,10	4
IEF101I	11	6
IEF102I	11	-
IEF103I	11	-
IEF104I	2,3/4,7	6
IEF105I	11,Note 13	4
IEF106I	2,3/4,7	6
IEF107I	-	5
IEF108I	11,Note 13	4
IEF109I	-	5
IEF110I	2,3/4/7/8	4
IEF111I	11	6
IEF112I	11	2
IEF113I	11	6
IEF114I	11	6
IEF115I	11	6
IEF116I	11	6
IEF117I	-	-
IEF118I	11	6
IEF119I	3	4
IEF120I	11	6
IEF121I	2,10	12
IEF121A	1,10	2
IEF125I	Note 7	4
IEF126I	Note 7	4
IEF127I	11	-
IEF128I	11	-
IEF129I	11	-
IEF130I	11	-
IEF131I	11	-
IEF132I	11	-
IEF133I	11	-
IEF134I	11	-
IEF135I	11	-
IEF136I	11	-
IEF140I	11	-
IEF141I	11	-
IEF142I	11	-
IEF143I	11	-
IEF145I	11	-
IEF147I	11	6
IEF148E	2	3
IEF149E	2	3
IEF150I	11	6
IEF151I	11	6
IEF152I	11	6
IEF153I	11	6
IEF154I	2	4
IEF155I	11	6

Message Identifier	Routing Code	Descriptor Code
IEF156I	11	6
IEF157E	2	3
IEF167I	11	6
IEF168I	11	6
IEF169I	2	6
IEF170I	2	5
IEF172E	1	3
IEF173I	2,11	6
IEF174I	2,11	6
IEF176I	2	4
IEF177I	2	3
IEF179I	2	3
IEF180I	11	-
IEF186I	11	-
IEF187I	2,11	6
IEF188I	11	-
IEF191I	2,11	6
IEF192I	11	-
IEF193I	11	-
IEF194I	11	-
IEF195I	11	-
IEF196I	Note 10	-
IEF197I	11	6
IEF198I	11	-
IEF201I	11	-
IEF202I	11	-
IEF206I	11	6
IEF209I	2,11	6
IEF210I	11	-
IEF211I	11	-
IEF212I	11	-
IEF213I	11	-
IEF217I	11	-
IEF218I	11	-
IEF219I	11	-
IEF221I	11	-
IEF222I	2,Note 13	-
IEF223I	2	12
IEF224I	2	-
IEF225D	1	2
IEF233A	3/4,5/6	2
IEF233D	3/4,5/6	3
IEF234E	3/4	3
IEF235D	2	6
IEF236I	2,7	6
IEF237I	2,7	6
IEF238D	2,3/4/7	2
IEF240I	11	-
IEF241I	11	6
IEF242I	11	-
IEF243I	11	-
IEF244I	2,3,4	6
IEF245I	11	-
IEF246I	11	-

Message Identifier	Routing Code	Descriptor Code
IEF248I	-	-
IEF250I	2	12
IEF251I	2	6
IEF252I	2	4
IEF253I	11	-
IEF254I	11	-
IEF255I	2	12
IEF256I	11	-
IEF257I	11	-
IEF258I	11	-
IEF259I	2,3,10	4
IEF260I	11	-
IEF261I	11	-
IEF262I	11	-
IEF263I	11	-
IEF264I	11	-
IEF265I	2	4
IEF266I	11	-
IEF267I	11	-
IEF268I	2,3	4
IEF269E	2	3
IEF270E	2	3
IEF271E	2	3
IEF272I	11	-
IEF273I	11	-
IEF274I	11	-
IEF275I	11	-
IEF278I	11	6
IEF279I	2	12
IEF280I	11	6
IEF281I	2,3/4/7/8	5
IEF282I	2/3/4/7/8	5
IEF283I	2/3/4	4
IEF284I	11	6
IEF285I	11	-
IEF286I	11	-
IEF287I	11	-
IEF288I	11	4
IEF289E	2	3
IEF290E	2	3
IEF291I	2	4
IEF292I	3	4
IEF294I	3	4
IEF295I	11	-
IEF296I	2	12
IEF297I	2	12
IEF300I	*,2,10	4
IEF301I	-	4
IEF302A	2,7	2
IEF303I	*,7,10	4
IEF307I	*,7,10	4
IEF311I	2,7,11	6
IEF314I	Note 11	-
IEF316I	Note 11	-

Message Identifier	Routing Code	Descriptor Code
IEF318I	11	6
IEF321I	Note 11	-
IEF322I	Note 11	-
IEF323I	Note 11	-
IEF324I	Note 11	-
IEF325I	2,7,11	5
IEF326I	2,7,11	4
IEF327I	2,7,10,11	4
IEF328I	2,7,10,11	4
IEF329I	7,11	5
IEF330I	11	-
IEF331I	2,7,10,11	6
IEF333I	11	2
IEF336I	11	-
IEF337I	11	-
IEF338I	2	6
IEF339A	1	6
IEF341I	2	12
IEF342I	2	12
IEF343I	11	6
IEF344I	11	6
IEF346I	3	4
IEF347I	9,11	6
IEF348I	3	4
IEF349I	3	4
IEF350I	2,11	6
IEF351I	3	4
IEF352I	2,11	6
IEF353A	2,11	11
IEF354I	3	4
IEF355A	2,11	11
IEF356I	2,11	6
IEF357I	11	-
IEF358I	11	-
IEF359I	*	4
IEF360I	2,11	6
IEF361I	11	-
IEF362I	11	-
IEF363I	11	-
IEF364I	11	-
IEF365I	11	-
IEF366I	11	-
IEF367I	11	-
IEF369D	3/4	2,6
IEF371I	11	-
IEF372I	11	-
IEF373I	11	-
IEF374I	11	-
IEF375I	11	-
IEF376I	11	-
IEF380I	11	-
IEF381I	-	-
IEF382A	2,7	2
IEF383A	7	2

Message Identifier	Routing Code	Descriptor Code
IEF391I	11	6
IEF402I	2	4,6
IEF403I	Note 7	6
IEF404I	Note 7	6
IEF405I	2,11	4
IEF406I	2,11	4
IEF430I	2	4
IEF433D	3/4/7	2,6
IEF434D	3/4/7	2,6
IEF438I	2	4
IEF450I	2	6
IEF451I	Note 7	6
IEF452I	2,10	4
IEF453I	Note 7	6
IEF455D	3/4	2,6
IEF456I	11	-
IEF458D	2	6
IEF464I	11	-
IEF465I	11	-
IEF466I	11	-
IEF467I	11	-
IEF468I	11	-
IEF469I	11	-
IEF470I	11	-
IEF471E	11	-
IEF472I	2	6
IEF473I	11	-
IEF474I	11	-
IEF475I	11	-
IEF476I	11	-
IEF477I	11	-
IEF478I	11	-
IEF479I	11	-
IEF480I	11	-
IEF481I	11	-
IEF482I	11	-
IEF483I	11	-
IEF484I	11	-
IEF485I	11	-
IEF488I	2,3/4/7	6
IEF490I	2,3/4/7	2,6
IEF491I	11	-
IEF492I	11	-
IEF493I	11	-
IEF500I	11	4
IEF502I	*3/4	4/5
IEF503I	*3/4	4/5
IEF503I	3/4	4
IEF506I	11	-
IEF510I	*3	4/5
IEF510E	3	4
IEF524I	3,4,7,8,2	5
IEF525E	3,4,7,8,2	3
IEF550I	11	6

Message Identifier	Routing Code	Descriptor Code
IEF602I	10	4
IEF604I	2,10	4
IEF606I	2,10	4
IEF617I	2,10	4
IEF619I	2,10	4
IEF623I	2,10	4
IEF624I	Note 19	-
IEF627I	2,10	4
IEF630I	2,10	4
IEF631I	2,10	4
IEF632I	2,10	4
IEF633I	2,10	4
IEF634I	2,10	4
IEF635I	2,10	4
IEF636I	2,10	4
IEF637I	2,10	4
IEF638I	2,10	4
IEF639I	2,10	4
IEF640I	2,10	4
IEF642I	2,10	4
IEF643I	2,10	4
IEF644I	2,10	4
IEF645I	2,10	4
IEF646I	2,10	4
IEF647I	2,10	4
IEF648I	2,10	4
IEF649I	2,10	4
IEF653I	2	4
IEF654I	2,10	4
IEF655I	2,10	4
IEF656I	2,10	4
IEF661I	2,10	4
IEF667E	2,10	11
IEF669I	2,10	4
IEF670I	2,10	4
IEF671I	2,10	4
IEF672I	2,10	4
IEF673I	2,10	4
IEF674I	2,10	4
IEF675I	2,10	4
IEF677I	2	4
IEF679I	2	4
IEF680I	2,10	4
IEF681I	2,10	4
IEF682I	2,10	4
IEF683I	2	4
IEF684I	2,10	4
IEF685I	2,10	4
IEF686I	2,10	4
IEF687I	11	-
IEF689I	11	-
IEF690I	2	6
IEF691I	11	-
IEF692I	Note 19	-

Message Identifier	Routing Code	Descriptor Code
IEF696I	2,3 or 2,4	4
IEF701I	11	-
IEF702I	11	-
IEF710I	2,4	6
IEF711I	2,4	6
IEF712I	2,4	6
IEF713I	11	-
IEF714I	11	-
IEF715I	11	-
IEF716I	11	-
IEF717I	11	-
IEF718I	11	-
IEF719I	11	6
IEF720I	11	6
IEF721I	11	6
IEF722I	2,9,11	6
IEF723E	2,10	11
IEF724I	11	-
IEF725I	11	-
IEF726I	11	-
IEF729I	10	11
IEF731I	2,10	6,12
IEF732I	10	6
IEF734I	2,10	4
IEF735I	2,10	4
IEF736A	1	2
IEF737I	2,10	4
IEF738I	2,10	4
IEF739D		
IEF740I	11	6
IEF741I	11	6
IEF742I	11	-
IEF743I	2	4,5,6
IEF751I	11	-
IEF752I	11	-
IEF753I	11	-
IEF754I	11	-
IEF755I	11	-
IEF756I	11	-
IEF757I	2,10	4
IEF758I	2,10	4
IEF759I	2,10	4
IEF760I	2,10	4
IEF761I	Note 13	
IEF764I	11,Note 13	4
IEF765I	11,Note 13	4
IEF766I	11,Note 13	4
IEF767I	11,Note 13	4
IEF768I	11,Note 13	4
IEF769I	11,Note 13	4
IEF770I	11,Note 13	4
IEF771I	2,3,10	4
IEF772I	-	5
IEF773I	2	-

Message Identifier	Routing Code	Descriptor Code
IEF775I	11,Note 13	4
IEF776I	11,Note 13	4
IEF777I	11,Note 13	4
IEF779I	*,2,3,4,7,8,HRDCPY	4
IEF781I	11,Note 13	4
IEF783I	11,Note 13	4
IEF786I	*/3	4/5
IEF787I	-	5
IEF788I	-	5
IEF789I	-	5
IEF790I	-	5
IEF791I	-	5
IEF811I	2,10	4
IEF812I	2	4
IEF815I	2,10	4
IEF816I	7	4
IEF817I	2,10	4
IEF818E	1	11
IEF819I	2,10	4
IEF820I	2,10	4
IEF823I	2,10	4
IEF824I	2,10	4
IEF825I	2,10	4
IEF861I	2	6
IEF863I	2	6
IEF874I	11	6
IEF875I	11	6
IEF876I	11	-
IEF877E	2	3
IEF878I	2	3
IEF879I	*,2,3,4,7,8,HRDCPY	4
IEF880I	*,2,3,4,7,8,HRDCPY	4
IEF893I	2	4
IEF894I	2	4
IEF895I	-	4
IEF896I	-	4
IEF897I	-	4
IEF923I	2,10/Note 11/ Note 13	4
IEF924I	2,10/Note 11	4
IEF925I	2,10/Note 11	4
IEF926I	Note 11/Note 13	-
IEF927I	2	-
IEF928I	2	-
IEF929I	11	-

IEFC Messages

Message Identifier	Routing Code	Descriptor Code
IEFC001I	-	4
IEFC002I	2,10	4
IEFC003I	2,10	4

Message Identifier	Routing Code	Descriptor Code
IEFC004I	2,10	4
IEFC005I	2,10	4
IEFC006I	2,10	4
IEFC007I	2,10	4
IEFC008I	2,10	4
IEFC009I	2,10	4
IEFC010I	2,10	4
IEFC011I	2,10	4
IEFC012I	2,10	4
IEFC013I	2,10	4
IEFC014I	2,10	4
IEFC015I	2,10	4
IEFC016I	2,10	4
IEFC017I	2,10	4
IEFC018I	2,10	4
IEFC019I	2,10	4
IEFC020I	2,10	4
IEFC021I	2,10	4
IEFC022I	2,10	4
IEFC023I	2,10	4
IEFC024I	2,10	4
IEFC031I	2,10	4
IEFC032I	2,10	4
IEFC033I	2,10	4
IEFC044I	2,10	4
IEFC045D	2,10	4
IEFC165I	1	5
IEFC166D	1	2
IEFC417I	2,10	4
IEFC452I	2,10	4
IEFC601I	2,10	4
IEFC602I	2,10	4
IEFC603I	2,10	4
IEFC605I	2,10	4
IEFC607I	2,10	4
IEFC610I	2,10	4
IEFC611I	2,10	4
IEFC612I	2,10	4
IEFC614I	2,10	4
IEFC616I	2,10	4
IEFC618I	2,10	4
IEFC620I	2,10	4
IEFC621I	2,10	4
IEFC622I	2,10	4
IEFC624I	2,10	4
IEFC625I	2,10	4
IEFC626I	2,10	4
IEFC627I	2,10	4
IEFC628I	2,10	4
IEFC629I	2,10	4
IEFC630I	2,10	4
IEFC640I	2,10	4
IEFC641I	2,10	4
IEFC642I	2,10	4

Message Identifier	Routing Code	Descriptor Code
IEFC646I	2,10	4
IEFC647I	2,10	4
IEFC650I	2,10	4
IEFC651I	2,10	4
IEFC653I	2,10	4
IEFC658I	2,10	4
IEFC660I	2,10	4
IEFC662I	2,10	4
IEFC663I	2,10	4
IEFC665I	2,10	4
IEFC668I	2,10	4
IEFC677I	2	4
IEFC678I	2,10	4
IEFC679I	2,10	4
IEFC680I	2,10	4
IEFC683I	3	6
IEFC744I	2,10	4
IEFC745I	2,10	4
IEFC746I	2,10	4
IEFC747I	2,10	4
IEFC748I	2,10	4
IEFC750I	2,10	4
IEFC822I	2,10	4

IEFE Messages

Message Identifier	Routing Code	Descriptor Code
IEFE001I	2	4
IEFE002I	2,10	4

IEFI Messages

Message Identifier	Routing Code	Descriptor Code
IEFI000	11	6
IEFI001	11	6
IEFI002	11	6

IEFJ Messages

Message Identifier	Routing Code	Descriptor Code
IEFJ000I	Note 10	-
IEFJ001I	-	5
IEFJ002I	-	5
IEFJ003I	2,10	4
IEFJ004I	2,10	4
IEFJ005I	2,10	4
IEFJ006I	2,10	4

Message Identifier	Routing Code	Descriptor Code
IEFJ007I	2,10	4
IEFJ008I	2,10	4
IEFJ022I	-	5
IEFJ023I	-	5
IEFJ024I	-	5
IEFJ025I	-	5
IEFJ026I	-	5
IEFJ027I	-	5
IEFJ028I	-	5
IEFJ029I	-	5
IEFJ030I	-	5
IEFJ031I	-	5
IEFJ032I	-	5
IEFJ034I	-	5
IEFJ035I	-	5
IEFJ036I	-	5
IEFJ037I	-	5
IEFJ051I	-	5
IEFJ052I	-	5
IEFJ053I	-	5
IEFJ100I	2	5
IEFJ200I	Note 10	-

IEW Messages

Message Identifier	Routing Code	Descriptor Code
IEW0000	Note 11	-
IEW0012	Note 11	-
IEW0022	Note 11	-
IEW0033	Note 11	-
IEW0043	Note 11	-
IEW0053	Note 11	-
IEW0063	Note 11	-
IEW0073	Note 11	-
IEW0083	Note 11	-
IEW0093	Note 11	-
IEW0102	Note 11	-
IEW0113	Note 11	-
IEW0123	Note 11	-
IEW0132	Note 11	-
IEW0143	Note 11	-
IEW0152	Note 11	-
IEW0161	Note 11	-
IEW0172	Note 11	-
IEW0182	Note 11	-
IEW0201	Note 11	-
IEW0212	Note 11	-
IEW0222	Note 11	-
IEW0234	Note 11	-
IEW0241	Note 11	-
IEW0254	Note 11	-
IEW0264	Note 11	-

Message Identifier	Routing Code	Descriptor Code
IEW0272	Note 11	-
IEW0284	Note 11	-
IEW0294	Note 11	-
IEW0302	Note 11	-
IEW0314	Note 11	-
IEW0324	Note 11	-
IEW0332	Note 11	-
IEW0342	Note 11	-
IEW0354	Note 11	-
IEW0364	Note 11	-
IEW0374	Note 11	-
IEW0382	Note 11	-
IEW0394	Note 11	-
IEW0404	Note 11	-
IEW0412	Note 11	-
IEW0421	Note 11	-
IEW0432	Note 11	-
IEW0444	Note 11	-
IEW0454	Note 11	-
IEW0461	Note 11	-
IEW0472	Note 11	-
IEW0484	Note 11	-
IEW0492	Note 11	-
IEW0502	Note 11	-
IEW0512	Note 11	-
IEW0522	Note 11	-
IEW0532	Note 11	-
IEW0543	Note 11	-
IEW0552	Note 11	-
IEW0564	Note 11	-
IEW0572	Note 11	-
IEW0581	Note 11	-
IEW0594	Note 11	-
IEW0602	Note 11	-
IEW0614	Note 11	-
IEW0622	Note 11	-
IEW0630	Note 11	-
IEW0642	Note 11	-
IEW0652	Note 11	-
IEW0664	Note 11	-
IEW0670	Note 11	-
IEW0682	Note 11	-
IEW0694	Note 11	-
IEW0704	Note 11	-
IEW0714	Note 11	-
IEW0722	Note 11	-
IEW0731	Note 11	-
IEW0740	Note 11	-
IEW0751	Note 11	-
IEW0761	Note 11	-
IEW0771	Note 11	-
IEW0781	Note 11	-
IEW0791	Note 11	-
IEW0801	Note 11	-

Message Identifier	Routing Code	Descriptor Code
IEW0813	Note 11	-
IEW0824	Note 11	-
IEW0832	Note 11	-
IEW0984	11	-
IEW0994	11	-
IEW1001	Note 11	-
IEW1012	Note 11	-
IEW1024	Note 11	-
IEW1034	11	-
IEW1044	Note 11	-
IEW1053	Note 11	-
IEW1072	Note 11	-
IEW1082	Note 11	-
IEW1093	Note 11	-
IEW1102	Note 11	-
IEW1112	Note 11	-
IEW1123	Note 11	-
IEW1132	Note 11	-
IEW1141	Note 11	-
IEW1152	Note 11	-
IEW1161	Note 11	-
IEW1173	Note 11	-
IEW1182	Note 11	-
IEW1194	Note 11	-
IEW1204	Note 11	-
IEW1214	Note 11	-
IEW1224	Note 11	-
IEW1232	Note 11	-
IEW1241	Note 11	-
IEW1251	Note 11	-
IEW1262	Note 11	-
IEW1271	Note 11	-
IEW1991	2,11	-
IEW4000I	11	-
IEW4001I	11	-
IEW4002I	11	-
IEW4003I	11	-
IEW4004I	11	-
IEW4005I	11	-
IEW4006I	11	-
IEW4007I	11	-
IEW4008I	11	-
IEW4009I	11	-
IEW4010I	11	-
IEW4011I	11	-
IEW4012I	11	-
IEW4014I	11	-

IFA Messages

Message Identifier	Routing Code	Descriptor Code
IFA010I	-	-

Message Identifier	Routing Code	Descriptor Code
IFA011I	-	-
IFA012I	-	-
IFA013I	-	-
IFA014I	-	-
IFA015I	2	5
IFA016I	-	-
IFA017I	-	-
IFA018I	-	-
IFA019A	-	-
IFA020I	-	-
IFA021I	-	-
IFA022I	-	-
IFA023I	-	-
IFA024I	-	-
IFA100I	-	5
IFA101I	-	5
IFA102I	-	5
IFA103I	-	5
IFA104I	10,11	-
IFA110I	-	5
IFA111I	-	5
IFA112I	-	5

IFB Messages

Message Identifier	Routing Code	Descriptor Code
IFB010D	1	2
IFB020I	2	4
IFB080E	1	11
IFB081I	1	11
IFB082I	1	4
IFB083I	1	4
IFB084I	1	4
IFB085I	Note 9	4
IFB086I	Note 9	4
IFB087I	Note 9	12
IFB090I	2,10	5,8,9
IFB091I	11	6
IFB094I	2,10	5
IFB095I	2,10	5
IFB096I	2,10	5
IFB097I	2,10	5
IFB098E	2,10	11
IFB099I	2,10	5
IFB100E	2,10	3
IFB101I	11	6

IFC Messages

Message Identifier	Routing Code	Descriptor Code
IFC001I	1	6
IFC009I	1	6
IFC021I	1	6
IFC026I	1	6
IFC156I	1	6

IFD Messages

Message Identifier	Routing Code	Descriptor Code
IFD100I	10	7
IFD101D	10	7
IFD102I	2,10	7
IFD103I	10	7
IFD104E	10	7
IFD105D	10	7
IFD106I	10	7
IFD107I	10	7
IFD108I	10	7
IFD109I	10	7
IFD110I	10	7
IFD111I	10	7
IFD112I	10	7
IFD113D	10	7
IFD114I	10	7
IFD115I	10	7
IFD117I	10	7
IFD118I	10	7
IFD119I	10	7
IFD120D	10	7
IFD121I	10	7
IFD122I	10	7
IFD124I	10	7
IFD125I	10	7
IFD127I	10	7
IFD129I	10	7
IFD130I	10	7
IFD134I	10	7
IFD137I	10	7
IFD138I	10	7
IFD139D	10	7
IFD140I	10	7
IFD144D	10	7
IFD145D	10	7
IFD146I	10	7
IFD147I	10	7
IFD148I	10	7
IFD149I	10	7
IFD152D	10	7
IFD154I	10	7
IFD155I	10	7

Message Identifier	Routing Code	Descriptor Code
IFD156I	10	7
IFD157I	10	7
IFD158I	10	7
IFD160I	10	7
IFD161I	10	7
IFD162I	10	7
IFD173I	10	7
IFD174I	10	7
IFD176I	10	7
IFD178I	10	7
IFD179I	10	7
IFD180I	10	7
IFD200I	10	7
IFD201I	10	7
IFD202I	10	7
IFD203I	10	7
IFD205I	10	7
IFD210I	10	7
IFD212I	10	7
IFD227I	10	7
IFD229I	10	7
IFD231I	10	7
IFD243D	10	7
IFD244I	10	7
IFD248I	10	7
IFD251I	10	7
IFD252I	10	7
IFD253I	10	7
IFD255I	10	7
IFD260I	10	7
IFD261I	10	7
IFD262I	10	7
IFD263D	10	7
IFD264D	10	7
IFD271I	10	7
IFD272I	10	7
IFD273I	10	7
IFD274D	10	7
IFD275I	10	7
IFD276I	10	7
IFD277I	10	7
IFD278I	10	7
IFD279I	Note 14	
IFD310I	10	7
IFD313I	10	7
IFD327I	10	7
IFD373I	10	7
IFD394D	10	7
IFD395I	10	7
IFD396D	10	7
IFD397I	10	7
IFD398I	10	7
IFD399I	10	7
IFD400I	10	7

Message Identifier	Routing Code	Descriptor Code
IFD405I	10	7
IFD406I	10	7
IFD407I	10	7
IFD408I	10	7
IFD412I	10	7
IFD413I	10	7
IFD415I	10	7
IFD450I	10	7
IFD467I	10	7
IFD468I	10	7
IFD469D	10	7
IFD470I	10	7
IFD472I	10	7
IFD473I	10	7
IFD474I	10	7
IFD475I	10	7
IFD476I	10	7
IFD477I	10	7
IFD501I	10	7
IFD502I	10	7
IFD503I	10	7
IFD890I	10	7
IFD899I	10	7
IFD900I	10	7
IFD901I	10	7
IFD902I	10	7
IFD903I	10	7
IFD904I	10	7
IFD905I	10	7
IFD906I	10	7
IFD907I	10	7
IFD908I	10	7
IFD909I	10	7
IFD911I	10	7

IGD Messages

Message Identifier	Routing Code	Descriptor Code
IGD001I	2	5,8,9
IGD002I	2	5,8,9
IGD004I	2	5,8,9
IGD005I	2	5,8,9
IGD006I	2	5,8,9
IGD007I	2	5,8,9
IGD008I	2	4
IGD009I	2	5
IGD010I	2	5
IGD011I	2,10	4
IGD012I	2,10	5,8,9
IGD013I	2,10	5,8,9
IGD014I	2	4
IGD015I	2,10	4

Message Identifier	Routing Code	Descriptor Code
IGD016I	2	5,8,9
IGD020I	2	4
IGD021I	2,10	4
IGD022I	2,10	4
IGD023I	2,10	4
IGD025I	2,10	4
IGD026I	2,10	4
IGD027I	2,10	4
IGD028I	2,10	4
IGD029I	2,10	4
IGD030I	2,10	4,12
IGD031I	2	5,8,9
IGD032D	1	2
IGD033I	2,10	4
IGD035I	2,10	4,12
IGD037I	2,10	4,12
IGD038E	2,10	4
IGD040D	1	2
IGD041I	2,10	4
IGD042I	2,10	4
IGD043D	9	2
IGD045I	2,10	4
IGD046I	2	4
IGD047I	2,10	4
IGD048I	2,10	4
IGD049I	2,10	4
IGD050I	2	4
IGD051I	2,10	4
IGD052I	2,10	4
IGD053I	2,10	4
IGD054I	2,10	4
IGD055I	2,10	4
IGD056I	2,10	4
IGD057I	2,10	4
IGD058I	2,10	4
IGD059I	2,10	4
IGD060I	2,10	4
IGD061I	2,10	4
IGD062I	2,10	4
IGD070D	1	2
IGD071I	2,10	4
IGD072A	1	2
IGD073I	2,10	4
IGD074D	1	2
IGD075D	1	2
IGD076D	1	2
IGD077I	2,10	4
IGD078D	1	2
IGD079D	1	2
IGD100I	2	4
IGD101I	2	4
IGD103I	2	4
IGD104I	2	4
IGD105I	2	4

Message Identifier	Routing Code	Descriptor Code
IGD106I	2	4
IGD107I	2	4
IGD108I	2	4
IGD300I	2,10	4
IGD301I	2	4
IGD302I	2	4
IGD303I	2	4
IGD304I	2	4
IGD305I	2,Note 28	4
IGD306I	2,10	4
IGD307I	11	4
IGD308I	2	4
IGD309I	2	4
IGD310I	2	4
IGD311I	2,10	4
IGD312I	2,10	4
IGD313I	2	4
IGD314I	2	4
IGD317I	2	4
IGD318I	2,Note 28	4
IGD320I	2	4
IGD500I	10,11	6
IGD501I	10,11	6
IGD502I	10,11	6
IGD601I	2,10	4
IGD602I	2,10	4
IGD603I	2,10	4
IGD604I	2,10	4
IGD605I	2,10	4
IGD606I	2,10	4
IGD701I	2,10	4
IGD703D	2,10	2
IGD704D	2,10	2
IGD705D	2,10	2
IGD800I	2	4
IGD848I	2	4
IGD903I	2	4
IGD01001I	11	4
IGD01004I	11	4
IGD01005I	11	4
IGD01006I	11	4
IGD01007I	11	4
IGD01008I	11	4
IGD01009I	11	4
IGD01010I	11	4
IGD01011I	11	4
IGD01012I	11	4
IGD01013I	11	4
IGD01014I	11	4
IGD01015I	11	4
IGD01016I	11	4
IGD01017I	11	4
IGD01020I	11	4
IGD03101I	11	4

Message Identifier	Routing Code	Descriptor Code
IGD03112I	2	4
IGD03113I	2	4
IGD03114I	2	4
IGD03115I	2	4
IGD03116I	2	4
IGD03117I	2	4
IGD03118I	2	4
IGD03119I	2	4
IGD03120I	2	4
IGD03121I	2	4
IGD03130I	2	4
IGD03132I	2	4
IGD03133I	2	4
IGD03134I	2	4
IGD03135I	2	4
IGD03136I	2	4
IGD03137I	2	4
IGD03138I	2	4
IGD03139I	2	4
IGD03140I	2	4
IGD03141I	2	4
IGD03142I	2	4
IGD03143I	2	4
IGD03150I	2	4
IGD03151I	2	4
IGD03152I	2	4
IGD03153I	2	4
IGD03154I	2	4
IGD03155I	2	4
IGD03156I	2	4
IGD03157I	2	4
IGD03158I	2	4
IGD03160I	2	4
IGD03161I	2	4
IGD03162I	2	4
IGD03170I	2	4
IGD03171I	2	4
IGD03172I	2	4
IGD03174I	2	4
IGD03175I	2	4
IGD03180I	2	4
IGD03190I	2	4
IGD03200I	2	4
IGD03201I	2	4
IGD03202I	2	4
IGD03210I	2	4
IGD03211I	2	4
IGD03212I	2	4
IGD03213I	2	4
IGD03214I	2	4
IGD03215I	2	4
IGD03220I	2	4
IGD03221I	2	4
IGD03222I	2	4

Message Identifier	Routing Code	Descriptor Code
IGD03223I	2	4
IGD03224I	2	4
IGD03225I	2	4
IGD03226I	2	4
IGD03227I	2	4
IGD03228I	2	4
IGD03229I	2	4
IGD04001I	2	4
IGD04002I	2	4
IGD04004I	2	4
IGD04007I	2	4
IGD04008I	2	4
IGD04009I	2	4
IGD04010I	2	4
IGD04100I	2	4
IGD04900I	2	4
IGD04901I	2	4
IGD06022I	2	4
IGD06023I	2	4
IGD06024I	2	4
IGD06025I	2	4
IGD06026I	2	4
IGD06027I	2	4
IGD06028I	2	4
IGD06029I	2	4
IGD06120I	2	4
IGD06121I	2	4
IGD06122I	2	4
IGD06124I	2	4
IGD06125I	2	4
IGD06126I	2	4
IGD06127I	2	4
IGD06128I	2	4
IGD06129I	2	4
IGD06132I	2	4
IGD06133I	2	4
IGD06138I	2	4
IGD06139I	2	4
IGD06140I	2	4
IGD06141I	2	4
IGD06200I	2	4
IGD06201I	2	4
IGD07001I	2	4
IGD07002I	2	4
IGD07003I	2	4
IGD07004I	2	4
IGD07900I	2	4
IGD07901I	2	4
IGD07902I	2	4
IGD11100I	2	4
IGD11101I	2	4
IGD14000I	2	4
IGD14001I	2	4
IGD16001I	2	4

Message Identifier	Routing Code	Descriptor Code
IGD16002I	2	4
IGD16003I	2	4
IGD17001I	2	4
IGD17002I	2	4
IGD17003I	2	4
IGD17006I	2	4
IGD17012I	2	4
IGD17036I	2	4
IGD17037I	2	4
IGD17038I	2	4
IGD17040I	2	4
IGD17045I	2	4
IGD17046I	2	4
IGD17053I	2	4
IGD17054I	2	4
IGD17055I	2	4
IGD17056I	2	4
IGD17057I	2	4
IGD17058I	2	4
IGD17059I	2	4
IGD17060I	2	4
IGD17061I	2	4
IGD17062I	2	4
IGD17065I	2	4
IGD17066I	2	4
IGD17067I	2	4
IGD17068I	2	4
IGD17070I	2	4
IGD17071I	2	4
IGD17072I	2	4
IGD17073I	2	4
IGD17074I	2	4
IGD17075I	2	4
IGD17076I	2	4
IGD17077I	2	4
IGD17100I	2	4
IGD17101I	2	4
IGD17102I	2	4
IGD17103I	2	4
IGD17104I	2	4
IGD17105I	2	4
IGD17106I	2	4
IGD17107I	2	4
IGD17110I	2	4
IGD17112I	2	4
IGD17116I	2	4
IGD17118I	2	4
IGD17200I	2	4
IGD17201I	2	4
IGD17202I	2	4
IGD17203I	2	4
IGD17204I	2	4
IGD17205I	2	4
IGD17206I	2	4

Message Identifier	Routing Code	Descriptor Code
IGD17207I	2	4
IGD17208I	2	4
IGD17209I	2	4
IGD17210I	2	4
IGD17211I	2	4
IGD17212I	2	4
IGD17213I	2	4
IGD17214I	2	4
IGD17215I	2	4
IGD17217I	2	4
IGD17218I	2	4
IGD17219I	2	4
IGD17221I	2	4
IGD17224I	2	4
IGD17225I	2	4
IGD17226I	2	4
IGD17260I	2	4
IGD17261I	2	4
IGD17262I	2	4
IGD17271I	2	4
IGD17273I	2	4
IGD17274I	2	4
IGD17275I	2	4
IGD17276I	2	4
IGD17277I	2	4
IGD17278I	2	4
IGD17279I	2	4
IGD17301I	2	4
IGD17302I	2	4
IGD17303I	2	4
IGD17304I	2	4
IGD17305I	2	4
IGD17306I	2	4
IGD17307I	2	4
IGD17308I	2	4
IGD17309I	2	4
IGD17311I	2	4
IGD17350I	2	4
IGD17351I	2	4
IGD17352I	2	4
IGD17353I	2	4
IGD17354I	2	4
IGD17355I	2	4
IGD17357I	2	4
IGD17359I	2	4
IGD17360I	2	4
IGD17361I	2	4
IGD17362I	2	4
IGD17364I	2	4
IGD17365I	2	4
IGD17366I	2	4
IGD17368I	2	4
IGD17369I	2	4
IGD17370I	2	4

Message Identifier	Routing Code	Descriptor Code
IGD17371I	2	4
IGD17400I	2	4
IGD17401I	2	4
IGD17403I	2	4
IGD17404I	2	4
IGD17406I	2	4
IGD17407I	2	4
IGD17409I	2	4
IGD17430I	2	4
IGD17432I	0	2
IGD17433I	2	4
IGD17501I	2	4
IGD17502I	2	4
IGD17503I	2	4
IGD17510I	2	4
IGD17511I	2	4
IGD17800I	2	4
IGD17802I	2	4
IGD17803I	2	4
IGD17804I	2	4
IGD17806I	2	4
IGD17807I	2	4
IGD21001I	11	6
IGD21002I	11	6
IGD23100I	2,Note 28	4
IGD23101I	2,Note 28	4
IGD23102I	2,Note 28	4

IGF Messages

Message Identifier	Routing Code	Descriptor Code
IGF500D	1,3,4,7,11	2
IGF500I	1	2,7
IGF501I	1,3,11	4
IGF502E	1,3,4,7,11	11
IGF503I	1,3,11	4
IGF505I	1,3,11	4
IGF509D	1,3,4,7,11	2
IGF509I	1,3,4,7,11	2,7
IGF511A	1,3,11	2
IGF512I	1,3,4,7,11	4
IGF513I	1,3,4,7,11	4
IGF514I	1,4	4
IGF515I	1,3,11	4
IGF516I	1,3,11	4
IGF517I	1,3,11	4
IGF518I	1,3,11	4
IGF519I	1,3,11	4
IGF912W	2,10	4
IGF913W	1,10	1
IGF931E	2,10	11
IGF953I	2	5

Message Identifier	Routing Code	Descriptor Code
IGF955I	2	5
IGF957A	1,Note 12	2
IGF958I	2	5
IGF959I	3	5
IGF970E	2,10	11

IGGN Messages

Message Identifier	Routing Code	Descriptor Code
IGGN000I	2	4
IGGN301I	2	4
IGGN302I	2	4
IGGN303I	2	4
IGGN304I	2	4
IGGN305I	2	4
IGGN306I	2	4
IGGN307I	2	4
IGGN308I	2	4
IGGN309A	1	2
IGGN310I	2	4
IGGN311E	2	4
IGGN312I	2	4
IGGN313I	2	4
IGGN314I	2	4
IGGN315I	2	4
IGGN316A	1	2
IGGN317A	1	2
IGGN501I	2	4
IGGN502A	1	2
IGGN503A	1	2
IGGN504A	1	-
IGGN505A	1	-
IGGN506A	1	2
IGGN507A	1	2
IGGN508W	1	1
IGGN509I	2	4
IGGN601W	1	1
IGGN602W	1	1

IGV Messages

Message Identifier	Routing Code	Descriptor Code
IGV002E	2	4
IGV003I	-	5

IGW Messages

Message Identifier	Routing Code	Descriptor Code
IGW001I	2,10	4

Message Identifier	Routing Code	Descriptor Code
IGW002I	2,10	4
IGW003I	2,10	4
IGW004I	2,10	4
IGW005I	2,10	4
IGW006I	2,10	4
IGW007E	2,10	1
IGW008D	2,10	4
IGW009D	2,10	4
IGW010I	2,10	1
IGW011I	2,10	4
IGW039I	2	11
IGW280I	2,10	4
IGW281I	2,10	4
IGW282I	2,10	4
IGW300E	2,10	3
IGW320	2,10	
IGW321	2,10	
IGW326	2,10	
IGW409	2,10	
IGW414	2,10	
IGW415	2,10	
IGW416	2,10	
IGW417	2,10	
IGW418	1,2,10	
IGW419	1,2,10	
IGW420	2,10	
IGW425	2,10	
IGW430	2,10	
IGW451	2,10	
IGW452	2,10	
IGW453	2,10	
IGW454	2,10	
IGW455	2,10	-
IGW456	2,10	-
IGW457	2,10	-
IGW458	2,10	-
IGW462	2,10	-
IGW463	2,10	-
IGW464	2,10	-
IGW465	2,10	-
IGW467	2,10	-
IGW468	2,10	-
IGW518	2,10	-
IGW519	2,10	-
IGW521	2,10	-
IGW522	2,10	-
IGW530	2,10	5,8,9
IGW531	2,10	5,8,9
IGW570	2,10	-
IGW571	2,10	-
IGW580	2,10	-
IGW600	2,10	-
IGW601	2,10	-

Message Identifier	Routing Code	Descriptor Code
IGW602	2,10	-
IGW603	2,10	-
IGW604	2,10	-
IGW605	2,10	-
IGW606	2,10	-
IGW607	2,10	-
IGW608	2,10	-
IGW609	2,10	-
IGW610	2,10	-
IGW611	2,10	-
IGW612	2	5,8,9
IGW613	2,10	-
IGW614	2,10	-
IGW615	2,10	-
IGW616	2,10	-
IGW617	2,10	-
IGW618	2,10	-
IGW619	2,10	-
IGW620	2,10	-
IGW621	2,10	-
IGW622	2,10	-
IGW623	2,10	-
IGW650	2,10	5,8,9
IGW660	2,10	5,8,9
IGW661	2,10	5,8,9
IGW663	2,10	5,8,9
IGW664	2,10	5,8,9
IGW665	2,10	5,8,9
IGW01001S	11	6
IGW01003T	11	6
IGW01004T	11	6
IGW01005T	11	6
IGW01006T	11	6
IGW01007T	11	6
IGW01009T	11	6
IGW01010T	11	6
IGW01011T	11	6
IGW01012T	11	6
IGW01013T	11	6
IGW01015T	11	6
IGW01016T	11	6
IGW01017T	11	6
IGW01019T	11	6
IGW01021T	11	6
IGW01023T	11	6
IGW01028T	11	6
IGW01030T	11	6
IGW01031T	11	6
IGW01032W	11	6
IGW01033W	11	6
IGW01034T	11	6
IGW01038T	11	6
IGW01039T	11	6
IGW01040T	11	6

Message Identifier	Routing Code	Descriptor Code
IGW01041S	11	6
IGW01042T	11	6
IGW01043T	11	6
IGW01044S	11	6
IGW01045S	11	6
IGW01046S	11	6
IGW01051E	11	6
IGW01052E	11	6
IGW01056T	11	6
IGW01057S	11	6
IGW01058E	11	6
IGW01059T	11	6
IGW01060E	11	6
IGW01061I	11	6
IGW01062I	11	6
IGW01064S	11	6
IGW01065S	11	6
IGW01066S	11	6
IGW01068T	11	6
IGW01069T	11	6
IGW01070T	11	6
IGW01071S	11	6
IGW01072E	11	6
IGW01073S	11	6
IGW01074E	11	6
IGW01075T	11	6
IGW01076E	11	6
IGW01077E	11	6
IGW01078E	11	6
IGW01079E	11	6
IGW01080T	11	6
IGW01081T	11	6
IGW01083S	11	6
IGW01103S	11	6
IGW01104S	11	6
IGW01106S	11	6
IGW01107S	11	6
IGW01108S	11	6
IGW01109T	11	6
IGW01121T	11	6
IGW01122T	11	6
IGW01123S	11	6
IGW01125T	11	6
IGW01129S	11	6
IGW01150T	11	6
IGW01151S	11	6
IGW01152T	11	6
IGW01153T	11	6
IGW01156W	11	6
IGW01159T	11	6
IGW01170W	11	6
IGW01171S	11	6
IGW01177T	11	6
IGW01251W	11	6

Message Identifier	Routing Code	Descriptor Code
IGW01252T	11	6
IGW01253T	11	6
IGW01254E	11	6
IGW01255T	11	6
IGW01256T	11	6
IGW01257S	11	6
IGW01260T	11	6
IGW01261T	11	6
IGW01300W	11	6
IGW01301S	11	6
IGW01302S	11	6
IGW01303T	11	6
IGW01304S	11	6
IGW01306T	11	6
IGW01307W	11	6
IGW01308S	11	6
IGW01309T	11	6
IGW01310T	11	6
IGW01311T	11	6
IGW01312T	11	6
IGW01313T	11	6
IGW01314T	11	6
IGW01317T	11	6
IGW01350W	11	6
IGW01351S	11	6
IGW01352T	11	6
IGW01354T	11	6
IGW01355S	11	6
IGW01356T	11	6
IGW01357T	11	6
IGW01360T	11	6
IGW01421T	11	6
IGW01422T	11	6
IGW01450T	11	6
IGW01451S	11	6
IGW01452S	11	6
IGW01453S	11	6
IGW01454S	11	6
IGW01455S	11	6
IGW01456S	11	6
IGW01460T	11	6
IGW01461T	11	6
IGW01462W	11	6
IGW01463W	11	6
IGW01467E	11	6
IGW01468E	11	6
IGW01469T	11	6
IGW01470T	11	6
IGW01471T	11	6
IGW01500S	11	6
IGW01503S	11	6
IGW01504E	11	6
IGW01505W	11	6
IGW01506E	11	6

Message Identifier	Routing Code	Descriptor Code
IGW01507T	11	6
IGW01508T	11	6
IGW01509T	11	6
IGW01511E	11	6
IGW01512T	11	6
IGW01513T	11	6
IGW01514E	11	6
IGW01515T	11	6
IGW01516T	11	6
IGW01517T	11	6
IGW01518T	11	6
IGW01519E	11	6
IGW01550I	11	6
IGW01551I	11	6
IGW01552I	11	6
IGW01553I	11	6
IGW01554I	11	6
IGW01555I	11	6
IGW01556I	11	6
IGW01562S	11	6
IGW01563T	11	6
IGW01564T	11	6
IGW01565T	11	6
IGW01566E	11	6
IGW01567T	11	6
IGW01568T	11	6
IGW01568T	11	6
IGW01569W	11	6
IGW01570W	11	6
IGW01571W	11	6
IGW01572W	11	6
IGW01573W	11	6
IGW01574W	11	6
IGW01575W	11	6
IGW01576W	11	6
IGW01577W	11	6
IGW01584W	11	6
IGW01585W	11	6
IGW01586W	11	6
IGW01587W	11	6
IGW01588W	11	6
IGW01589W	11	6
IGW01593S	11	6
IGW01594E	11	6
IGW01595W	11	6
IGW01596W	11	6
IGW01597S	11	6
IGW01598S	11	6
IGW01599S	11	6
IGW01600T	11	6
IGW01601T	11	6
IGW01610T	11	6
IGW01611T	11	6
IGW01612T	11	6

Message Identifier	Routing Code	Descriptor Code
IGW01613T	11	6
IGW01651T	11	6

IHJ Messages

Message Identifier	Routing Code	Descriptor Code
IHJ000I	2,11	6
IHJ001I	2,11	6
IHJ002I	2,11	6
IHJ003I	2,11	6
IHJ004I	2,11	6
IHJ005I	2,11	6
IHJ007I	2,11	6
IHJ008I	2,11	6
IHJ009I	2,11	6
IHJ011I	2,11	6
IHJ012I	2,11	6
IHJ013I	2,11	6
IHJ014I	3,11	6
IHJ015I	2,11	6
IHJ101I	1,3,5,9	2
IHJ102I	1,4,6,9	2

IKJ Messages

Message Identifier	Routing Code	Descriptor Code
IKJ000I	-	2,4
IKJ008I	-	5
IKJ139I	-	5
IKJ140I	-	5
IKJ141I	-	5
IKJ142I	-	5
IKJ143I	-	5
IKJ144I	-	5
IKJ145I	Note 2	-
IKJ146I	Note 2	-
IKJ147I	Note 2	-
IKJ150I	-	5
IKJ413I	2,8	5
IKJ550I	11	7
IKJ551I	11	7
IKJ552I	11	7
IKJ553I	11	7
IKJ554I	11	7
IKJ555I	11	7
IKJ556I	11	7
IKJ557I	11	7
IKJ558I	11	7
IKJ570I	-	5
IKJ572I	-	5

Message Identifier	Routing Code	Descriptor Code
IKJ573I	-	5
IKJ574I	-	5
IKJ575I	-	5
IKJ576I	-	5
IKJ577I	9	4
IKJ578I	-	5
IKJ579I	-	5
IKJ580I	-	5
IKJ581I	-	5
IKJ582I	-	5
IKJ583E	-	5
IKJ584I	-,2	5
IKJ585I	-	5
IKJ586I	-,2	5
IKJ587I	-,2	5
IKJ588I	-,2	5
IKJ590I	-	5
IKJ591I	-	5
IKJ592I	-	5
IKJ593I	-	5
IKJ594I	-	5
IKJ595I	-	5
IKJ596I	-	5
IKJ597I	-,2	5
IKJ600I	2,10	4
IKJ601I	2,10	4
IKJ602I	2,10	4
IKJ603I	2,10	4
IKJ605I	2,9	6
IKJ606I	2,9	6
IKJ608I	2,10	4
IKJ609I	2,10	4
IKJ610I	2,10	4
IKJ611I	2,10	4
IKJ612I	-	-
IKJ613I	2,10	4
IKJ614I	2,10	4
IKJ701I	2	4
IKJ702I	2	4
IKJ703I	2	4
IKJ704I	2	4
IKJ705I	2	4
IKJ706I	2	4
IKJ707I	2	4
IKJ708I	2	4
IKJ709I	2	4
IKJ710I	2	4
IKJ711I	2	4
IKJ712I	2	4
IKJ713I	2	4
IKJ714I	2	4
IKJ720I	-	5
IKJ721I	-	5
IKJ722I	-	5

Message Identifier	Routing Code	Descriptor Code
IKJ723I	-	5
IKJ724I	-	5
IKJ732I	-	2
IKJ733A	-	-
IKJ734E	-	5
IKJ735E	-	5
IKJ736E	-	5
IKJ737I	-	5
IKJ738I	-	5
IKJ739E	-	5

ILR Messages

Message Identifier	Routing Code	Descriptor Code
ILR003A	1,10	1
ILR003I	2,10	4
ILR004I	2,10	4
ILR005E	2,4,10	11
ILR006E	2,4,10	11
ILR007I	2,4,10	4
ILR008W	1,4,10	1
ILR009E	2,4,10	11
ILR010I	2,4,10	4
ILR011E	1,10	11
ILR012W	1,4,10	1
ILR018W	1,4,10	1
ILR021I	2,10	4
ILR022A	1,10	1
ILR025E	1,10	11
ILR023I	2,10	4
ILR024I	2,10	4
ILR026I	2	4

IOP Messages

Message Identifier	Routing Code	Descriptor Code
IOP050D	1,11	7
IOP056I	2,11	6
IOP057I	2,11	6

IOS Messages

Message Identifier	Routing Code	Descriptor Code
IOS000I	2/3/4/7/8,10	4
IOS001E	1	11
IOS002A	1,3/4/7/8	2
IOS003A	1,3/4/7/8	2
IOS004I	2,10	1

Message Identifier	Routing Code	Descriptor Code
IOS008I	2,10	4
IOS009I	2,10	4
IOS010I	2,10	4
IOS011I	2,10	4
IOS012I	2,10	4
IOS013I	2,10	4
IOS014I	2,10	4
IOS015I	2,10	4
IOS016I	2,10	4
IOS017I	2,10	4
IOS019W	2,10,Note 12	1
IOS050I	2,10	4
IOS062E	2,10	2
IOS063E	1,10	1,7
IOS070E	1,3,4,10	3
IOS071I	2,3,4,7,10,11	4
IOS072E	1,10	3
IOS073E	1,10	3
IOS074E	1,10	3
IOS075E	2,5,6,7,10,11	3
IOS076E	2,5,6,7,10,11	3
IOS077E	2,5,6,7,10,11	3
IOS078I	2,10,11	4
IOS079I	Note 13	4
IOS084I	-	4
IOS085I	2	12
IOS086I	-	-
IOS093I	2,10	4
IOS094I	2,10	4
IOS095I	2,10	4
IOS096I	2,10	4
IOS100I	2,10	4
IOS101I	2,10	4
IOS102I	2,10	4
IOS104I	2,10	4
IOS105I	2,10	4
IOS106E	1,10	11
IOS109E	1,10	3
IOS110D	2,10	2
IOS111D	2,10	2
IOS112D	2,10	2
IOS113W	2,10,Note 12	1
IOS115A	1,10,Note 12	2
IOS116A	1,10,Note 12	2
IOS117A	1,10	1,7
IOS118A	1,10	1,7
IOS119A	1,10	1,7
IOS120D	1	2
IOS121I	2	4
IOS122I	2	4
IOS123I	2	12
IOS124A	1	2
IOS150I	2,10	4
IOS151I	2,10	4

Message Identifier	Routing Code	Descriptor Code
IOS152E	2,10	11
IOS153E	2,10	11
IOS154I	2,10	11
IOS155I	2,10	11
IOS160I	2,10	4
IOS161I	2,10	4
IOS162A	2,10	2
IOS163A	2,10	2
IOS190I	1,4	4
IOS191I	1,4	4
IOS192A	1	2
IOS201E	2,10	2
IOS202E	2,10	11
IOS203I	2,10	4
IOS204E	1,10	1
IOS205A	1,10	1,7
IOS206A	1,10	1,7
IOS207I	2,10	4
IOS208I	2,10	4
IOS250I	2,10	4
IOS251I	2,10	4
IOS275I	Note 13	4
IOS278I	Note 13	4
IOS281I	Note 13	4
IOS283I	Note 13	4
IOS284I	Note 13	4
IOS290I	Note 13	4
IOS291I	1	4
IOS306I	2	12
IOS310A	1	2
IOS426A	1,4,10	2
IOS427A	1,4,10	2
IOS428I	2,4,10	4
IOS429I	2,4,10	4
IOS430I	2,4,10	4
IOS431I	2,4,10	4
IOS443I	2	4
IOS444I	2,10	4
IOS445I	1	4
IOS446I	1	4
IOS450E	2,10	11
IOS451I	2,10	4
IOS452I	2,10	4
IOS500I	N/A	N/A
IOS502I	Note 13	-
IOS503I	Note 13	-
IOS504I	Note 13	-
IOS505A	2,10	2
IOS506I	N/A	N/A
IOS507D	-	5,8,9
IOS508I	2	12
IOS509I	2,10	4
IOS510I	2,10	4
IOS511A	2,10	2

Message Identifier	Routing Code	Descriptor Code
IOS512I	2,10	4
IOS515A	2,10	2
IOS550I	1	4
IOS551I	1	4
IOS552I	1	4
IOS553I	1	4
IOS554I	1	4
IOS555I	1	4
IOS556I	1	4
IOS557I	1	4
IOS558I	1	4
IOS559I	1	4
IOS560I	1	4
IOS561I	1	4
IOS562I	1	4
IOS563I	1	4
IOS564I	1	4
IOS565I	1	4
IOS566I	1	4
IOS567I	1	4
IOS568I	1	4
IOS569I	1	4
IOS570I	1	4
IOS571I	1	4
IOS572I	1	4
IOS580E	2,10	3
IOS581E	2,10	3
IOS582I	2,10	
IOS600I	2,10	4
IOS601I	2,10	3
IOS602I	-	4
IOS603I	-	4
IOS604I	-	4
IOS605I	-	4
IOS606I	-	4
IOS607I	2,10	4
IOS608I	-	4
IOS609I	-	4
IOS610I	-	8,9
IOS611I	2,10	4
IOS612I	-	4
IOS613I	-	4
IOS620I	2	4
IOS621I	2	4
IOS622I	-	5
IOS623I	-	5
IOS624I	1	5
IOS625I	2	4
IOS626I	2	4

IRA Messages

Message Identifier	Routing Code	Descriptor Code
IRA100E	2	11
IRA101E	2	11
IRA102I	2	4
IRA103I	2	4
IRA104I	2	4
IRA200E	2	11
IRA201E	2	11
IRA202I	2	4
IRA203I	2	4
IRA204E	2	3
IRA300I	Note 13	-
IRA301I	Note 13	-
IRA302I	Note 13	-
IRA303I	Note 13	-
IRA304I	Note 13	-
IRA305I	Note 13	-
IRA400E	2	11
IRA401E	2	11
IRA402I	2	4
IRA403E	2	11
IRA500E	2	11
IRA501I	2	4
IRA600I	2,10	4
IRA601I	2,10	4
IRA602I	10	4
IRA603I	10	4
IRA604I	10	4
IRA605I	10	4
IRA700I	2	6
IRA701I	2	5
IRA702I	2	5
IRA703I	2	5
IRA800I	Note 13	-
IRA801I	Note 13	-
IRA901I	-	5

IRD Messages

Message Identifier	Routing Code	Descriptor Code
IRD000E	7,10	3
IRD001E	10	3

IRR Messages

Message Identifier	Routing Code	Descriptor Code
IRR008I	11	4
IRR009I	11	4
IRR010I	11	4
IRR011I	11	4

Message Identifier	Routing Code	Descriptor Code
IRR012I	11	4
IRR013I	11	4
IRR014I	11	4
IRR015I	11	4
IRR016I	11	4
IRR017I	11	4
IRR018I	11	4

ISG Messages

Message Identifier	Routing Code	Descriptor Code
ISG001D	1,10	2
ISG002I	2	12
ISG003I	2	12
ISG004I	*,2	12
ISG005I	2,10	12
ISG006I	2,10	12
ISG007I	2,10	12
ISG008E	2,10	4
ISG009D	1,10	2
ISG010E	1,10	11
ISG011I	*,2,10	4
ISG012I	*,2,10	5
ISG013I	*,2,10	4
ISG014I	*	5
ISG015I	*,2,10	4
ISG016I	*	5
ISG017D	*	2
ISG018I	10	4
ISG020I	#	5,8,9
ISG021I	2,10	4
ISG022E	1,10	11
ISG023E	1,10	11
ISG024I	*,2,10	4
ISG025E	*,1,10	11
ISG026I	*	5
ISG027D	*	2
ISG028E	1,10	11
ISG031E	1,10	11
ISG032E	1,10	3
ISG033E	1,10	11
ISG034I	11	4
ISG035E	1,10	3
ISG043I	2,10	12
ISG044I	2,10	12
ISG045I	2,10	12
ISG046E	1,10	11
ISG047I	*	5
ISG048I	*	5
ISG062I	2,10	12
ISG063I	2,10	12
ISG064I	2,10	12

Message Identifier	Routing Code	Descriptor Code
ISG065D	1,10	2
ISG066I	10	4
ISG080E	1,10	11
ISG081E	*	11
ISG082D	*	2
ISG083E	1,10	11
ISG085E	2,10	4
ISG086E	2,10	4
ISG089D	2,10	2
ISG100E	*	11
ISG101D	*	2
ISG102I	*	5
ISG103I	*	5
ISG104I	*	5
ISG106I	*	5
ISG110E	*	11
ISG111D	*	2
ISG112I	*	5
ISG113I	*	5
ISG114I	*	5
ISG115I	*	5
ISG116E	*	11
ISG117D	*	2
ISG118I	*	5
ISG119I	*	5
ISG120I	*	5
ISG121I	*	5
ISG122I	*	5
ISG123I	*	5
ISG150I	2,10	2
ISG152W	1,10	1
ISG153I	*	5
ISG154I	2,10	4
ISG155I	2,10	4
ISG157D	2,10	2
ISG158D	2,10	2
ISG159W	1,10	1
ISG160I	-	12
ISG161I	2,10	12
ISG163D	2,10	2
ISG164W	1,10	1
ISG165I	2,10	12
ISG166W	1,10	1
ISG167W	1,10	1
ISG168W	1,10	1
ISG169D	2,10	2
ISG170D	2,10	2
ISG171I	10	12
ISG172I	10	12
ISG173I	10	4
ISG174I	10	4
ISG175I	10	4
ISG177E	10	7,11
ISG178E	10	7,11

Message Identifier	Routing Code	Descriptor Code
ISG179I	10	4
ISG180E	10	4
ISG181I	10	4
ISG182W	1,10	1
ISG183W	1,10	1
ISG184I	2	12
ISG186D	2,10	2
ISG187D	2,10	2
ISG188I	10	4
ISG210E	2	3
ISG211I	*,2	5
ISG219E	*,2	3
ISG220D	*,2	2
ISG221I	*	5
ISG222I	2	12
ISG223I	2	12
ISG224I	2	12
ISG233I	*	5
ISG234I	*	5
ISG235I	*	5
ISG236I	*	5
ISG238I	*	5
ISG239I	*	5
ISG241I	*	5
ISG242I	2,10	4
ISG243I	*	5
ISG244I	*	5
ISG245I	*	5
ISG248I	*	5
ISG250I	*,2,10	4
ISG251I	*	5
ISG252I	2,10	4
ISG253E	2,10	4
ISG300I	2	4,12
ISG301W	2,10	1
ISG303D	1,10	2
ISG304I	2, 10	12
ISG305W	2,10	1
ISG306W	2,10	1
ISG307W	2,10	1
ISG308W	2,10	1
ISG309W	2,10	1
ISG310W	2,10	1
ISG312W	2,10	1
ISG313I	10	*
ISG315W	2,10	1
ISG316W	2,10	1
ISG317W	2,10	1
ISG318I	2	12
ISG319I	2	12
ISG322A	1	11
ISG323I	1,10	2
ISG325I	2,10	12
ISG326I	2,10	12

Message Identifier	Routing Code	Descriptor Code
ISG329W	2,10	1
ISG330I	2	4
ISG331I	2,10	12
ISG332I	2,10	12
ISG333I	2,10	12
ISG337I	2	4
ISG336W	2,10	1
ISG338W	2,10	1
ISG340I	2,10	1
ISG341I	2,10	1
ISG343I	#	5,8,9
ISG342W	1,10	1
ISG344I	1,10	3
ISG345I	2,10	*
ISG348E	1,10	3
ISG351I	2,10	4
ISG352E	2,10	3

ISN Messages

Message Identifier	Routing Code	Descriptor Code
ISN000E	1,10	11
ISN001E	1,10	11
ISN002W	1,10	11
ISN004W	1,10	11
ISN005I	2,10	4
ISN006E	1,10	11
ISN007I	2	5
ISN008I	2,10	1
ISN009I	2,10	1

ITT Messages

Message Identifier	Routing Code	Descriptor Code
ITT001I	-	5
ITT002I	-	5
ITT003I	-	5
ITT004I	-	5
ITT005I	-	5
ITT006A	-	2
ITT007I	-	5
ITT008I	-	5
ITT009I	-	5
ITT010I	-	5
ITT011I	-	5
ITT012I	-	5
ITT013I	-	5
ITT014I	-	5
ITT015I	-	5
ITT016I	-	5
ITT017I	-	5
ITT018I	-	5

Message Identifier	Routing Code	Descriptor Code
ITT019I	-	5
ITT020I	-	5
ITT021I	-	5
ITT022I	-	5
ITT023I	-	5
ITT024I	-	5
ITT025I	-	5
ITT026I	-	5
ITT027I	-	5
ITT028I	-	5
ITT029I	-	5
ITT030I	-	5
ITT031I	-	5
ITT032I	-	5
ITT033I	-	5
ITT034I	-	5
ITT035I	-	5
ITT036I	-	5
ITT037I	-	5
ITT038I	-	5
ITT101I	-	5
ITT102I	-	5
ITT103I	-	5
ITT104I	-	5
ITT105I	-	5
ITT106I	-	5
ITT107I	-	5
ITT108I	-	5
ITT109I	-	5
ITT110I	-	5
ITT111I	-	5
ITT120I	5	-
ITT121I	5	-
ITT122I	5	-
ITT123I	5	-
ITT200I	2	4
ITT201I	2	4
ITT202I	2	4

ITV Messages

Message Identifier	Routing Code	Descriptor Code
ITV001I	2	4
ITV002I	2	4

ITZ Messages

Message Identifier	Routing Code	Descriptor Code
ITZ001I	-	5
ITZ002I	-	5
ITZ003I	-	5
ITZ004I	-	5

Message Identifier	Routing Code	Descriptor Code
ITZ005I	-	5
ITZ006I	-	5
ITZ007I	-	5
ITZ008I	-	5
ITZ009I	-	5
ITZ010I	-	5
ITZ011I	-	5
ITZ012I	-	5
ITZ013I	-	5
ITZ014I	-	5
ITZ015I	-	5
ITZ016I	-	5
ITZ017I	-	5
ITZ018I	-	5
ITZ019I	-	5
ITZ020I	-	12
ITZ021I	-	5

IWM Messages

Message Identifier	Routing Code	Descriptor Code
IWM001I	2,10	5
IWM002I	2	5
IWM003I	2,10	5
IWM004E	2,10	5
IWM005W	1,2,10	1
IWM007I	2,10	5
IWM008I	2	5
IWM009I	2	5
IWM010I	2	5
IWM011I	2,11	3
IWM012E	2,10	5
IWM014I	-	5
IWM025I	2	5
IWM026I	-	-
IWM028I	2,10	4
IWM029I	-	5,8,9
IWM030I	2,10	5
IWM031I	2	2,7
IWM032I	2	5
IWM033I	2,10	12
IWM034I	Note13	-
IWM035I	Note13	-
IWM036I	-	5,8,9
IWM037I	-	5,8,9
IWM038I	-	5,8,9
IWM039I	2,10	5
IWM040I	2,10	5
IWM041I	2	4
IWM042I	2	5
IWM043I	-	5
IWM044E	2,10	11
IWM045E	2,10	11

Message Identifier	Routing Code	Descriptor Code
IWM046E	2,10	11
IWM047E	2,10	11
IWM048E	2,10	11
IWM049E	2,10	5
IWM050E	2,10	5
IWM051E	2,10	5
IWM052E	2,10	5
IWM053I	2,7	2
IWM054I	2,7	2
IWM055I	2,10	5
IWM056I	2,10	5

IXC Messages

Message Identifier	Routing Code	Descriptor Code
IXC101I	1,2,10	12
IXC102A	1,2	4
IXC105I	1,2,10	12
IXC201A	1,2	4
IXC202I	1,2	12
IXC203I	1,2	12
IXC204I	1,2,10	12
IXC205I	1,2	12
IXC206I	1,2	12
IXC207A	1,2	4
IXC208I	1,2	12
IXC209I	1,2	12
IXC210I	1,2	12
IXC211A	1,2	4
IXC212I	1,2	4
IXC213I	1,2,10	4
IXC214I	1,2	12
IXC215I	1,2	12
IXC216I	1,2,12	
IXC217I	1,2	12
IXC218I	1,2	12
IXC220W	1,2,10	1
IXC230I	1,2	12
IXC231I	1,2	12
IXC239A	1,2,10	2
IXC242I	2,10	4,12
IXC246E	1,10	11,12
IXC250I	1,2	4
IXC251I	1,2	4
IXC252I	1,2	4
IXC252D	1,2	2
IXC253I	1,2,10	4
IXC254I	1,2	11
IXC255I	1,2,10	12
IXC256A	1,2,10	11
IXC257I	1,2	4
IXC258I	1,2	4
IXC259I	1,2,10	3

Message Identifier	Routing Code	Descriptor Code
IXC260I	1,2	4
IXC261I	1,2	4
IXC262I	1,2	4
IXC263I	1,2	4
IXC264I	1,2,10	4
IXC265I	1,2,10	4
IXC266I	1,2	4
IXC267I	1,2	2
IXC268I	1,2,10	12
IXC269D	1,2	2
IXC270I	1,2,10	12
IXC271E	1,2,10	11
IXC272I	1,2,10	12
IXC273I	1,2,10	12
IXC274I	1,2	4
IXC275I	1,2,10	12
IXC276I	1,2,10	12
IXC277I	1,2	5
IXC278I	1,2	5
IXC280I	1,2	4
IXC281I	1,2	12
IXC282I	1,2	4
IXC283I	1,2	4
IXC284I	1,2	4
IXC285I	1,2	4
IXC286I	1,2	4
IXC287I	1,2,10	12
IXC288I	1,2,10	12
IXC289D	1,2	2
IXC290I	1,2	5
IXC291I	1,2	5
IXC292I	1,2	5
IXC293I	1,2	5
IXC294I	1,2	5
IXC295I	1,2	5
IXC296I	1,2	5
IXC297I	1,2	5
IXC298I	1,2	5
IXC299I	1,2	5
IXC300I	1,2	5
IXC301I	1,2	5
IXC302I	1,2	5
IXC303I	1,2	5
IXC304I	1,2	5
IXC305I	1,2	5,12
IXC306I	1,2	5
IXC307I	1,2	5
IXC308I	1,2	5,12
IXC309I	1,2	5
IXC310I	1,2	5
IXC311I	1,2	5
IXC312I	1,2	5
IXC313I	1,2	5
IXC314I	1,2	5

Message Identifier	Routing Code	Descriptor Code
IXC315I	1,2	5
IXC316I	1,2	5
IXC317I	#	5
IXC318I	#	5
IXC320I	#	5
IXC321I	#	5
IXC322I	#	5
IXC323I	#	5
IXC324I	#	5
IXC326I	#	5,8,9
IXC327I	#	5,8,9
IXC328I	#	5,8,9
IXC330I	#	5,8,9
IXC331I	#	5,8,9
IXC332I	#	5,8,9
IXC333I	#	5,8,9
IXC334I	#	5,8,9
IXC335I	#	5,8,9
IXC339I	#	5,8,9
IXC340I	#	5,8,9
IXC341I	#	5,8,9
IXC343I	#	5,8,9
IXC344I	#	5,8,9
IXC345I	#	5,8,9
IXC346I	#	5,8,9
IXC348I	#	5,8,9
IXC349I	#	5,8,9
IXC351I	#	5
IXC352I	#	5
IXC353I	#	5
IXC355I	#	5,8,9
IXC356I	#	5,8,9
IXC357I	#	5,8,9
IXC358I	#	5,8,9
IXC359I	#	5,8,9
IXC360I	#	5,8,9
IXC361I	#	5,8,9
IXC362I	#	5,8,9
IXC363I	#	5,8,9
IXC364I	#	5,8,9
IXC365I	#	5
IXC366I	#	5
IXC367I	#	5
IXC368I	#	5
IXC370I	1,2	5
IXC371D	1,2	5
IXC372I	1,2	5
IXC375I	1,2	5
IXC376I	1,2	5
IXC377I	1,2	5
IXC378I	1,2	12
IXC379I	1,2	12
IXC380I	1,2	12
IXC381I	1,2	12

Message Identifier	Routing Code	Descriptor Code
IXC382I	1,2	12
IXC383I	#	5
IXC384I	#	5
IXC385I	#	5
IXC386I	#	5
IXC387I	#	5
IXC388I	#	5
IXC389I	#	5
IXC390I	#	5
IXC391I	#	5,8,9
IXC392I	#	5,8,9
IXC401I	1,2	12
IXC402D	1,2	2
IXC403D	1,2	2
IXC404I	1,2	12
IXC405D	1,2	2
IXC406I	1,2,10	12
IXC407W	1,2,10	1
IXC408I	1,2,10	12
IXC409D	1,2	2
IXC411I	1,2	4
IXC412I	1,2,10	12
IXC413I	1,2,10	2,4,12
IXC414I	1,2,10	2,4
IXC415I	1,2,10	2,4
IXC416I	1,2,10	12
IXC417D	1,2	2
IXC418I	1,2	4,12
IXC420D	1,2	2
IXC421E	1,2,10	3
IXC422I	1,2,10	4
IXC423I	1,2,10	4
IXC424I	1,2,10	4
IXC425I	1,2,10	4
IXC429W	1,2,10	1
IXC430E	2,10	11
IXC431I	2,10	12
IXC432I	2,10	12
IXC452I	1,2	5,12
IXC453I	1,2	12
IXC454I	1,2	12
IXC455D	1,2	2
IXC456I	1,2	5,12
IXC457I	1,2	5,12
IXC458I	1,2,10	12
IXC459I	1,2,10	12
IXC460I	1,2	12
IXC462W	1,10	1
IXC463I	1,2	5,12
IXC464I	1,2	5,12
IXC465I	1,2	5
IXC466I	1,2	5
IXC467I	1,2	5,12
IXC500I	1,10	2

Message Identifier	Routing Code	Descriptor Code
IXC501A	1,10	2
IXC502I	2,10	12
IXC503I	2,10	12
IXC504I	2,10	12
IXC505I	10	-
IXC506I	10	-
IXC507I	10	-
IXC508A	1,10	2
IXC509I	10	-
IXC510I	#	5
IXC511I	#	5
IXC512I	#	5
IXC513I	#	5
IXC514I	2,10	12
IXC515I	10	-
IXC516I	10	-
IXC517I	2,10	4
IXC518I	2,10	12
IXC519E	2,10	11
IXC520I	2,10	12
IXC521I	2	5,4
IXC522I	2	5,4
IXC523I	1,10	2
IXC526I	10	12
IXC527I	10	12
IXC528I	10	12
IXC529I	2	5,4
IXC530I	5	-
IXC531I	5	-
IXC532I	5	-
IXC533I	5	-
IXC534I	#	10
IXC536I	2	5,4
IXC537I	#	10
IXC538I	#	10
IXC550I	10	-
IXC551I	10	-
IXC552I	2,10	11
IXC553I	2,10	10
IXC561I	10	12
IXC585E	2,10	11
IXC586I	2,10	12
IXC587I	2,10	12
IXC588I	2	
IXC589I	2	
IXC590I	2	
IXC591I	2	
IXC601I	1,2,10	4
IXC602I	#	4
IXC603I	1,2,10	12
IXC604I	#	4
IXC605I	1,2,10	4
IXC607I	#	4
IXC608I	1,2,10	4

Message Identifier	Routing Code	Descriptor Code
IXC609I	#	4
IXC610I	1,2	4
IXC611I	1,2	5
IXC612I	1,2	5
IXC700E	2,10	11
IXC701I	10	-
IXC725I	1,2	5
IXC726I	1,2	5
IXC727I	1,2	5
IXC728I	1,2	5
IXC729I	1,2	5
IXC730I	1,2	5
IXC734I	1,2	5
IXC735I	1,2	5
IXC736I	1,2	5
IXC737I	1,2	5
IXC738I	1,2	5
IXC739I	1,2	5
IXC740I	1,2	5
IXC741I	1,2	5
IXC742I	1,2	5
IXC743I	1,2	5
IXC744I	1,2	5
IXC745I	1,2	5
IXC760I	1,2	5
IXC761I	1,2	5
IXC762I	1,2	5
IXC763I	1,2	5
IXC764I	1,2	5
IXC765I	1,2	5
IXC766I	1,2	5
IXC800I	2	4
IXC801I	2	4
IXC802I	2	4
IXC803I	2	4
IXC804I	2	4
IXC805I	#	5
IXC806I	#	5
IXC807I	1,2	4
IXC808I	2	4
IXC809I	2	4
IXC810I	2,10	12
IXC811I	2	4

IXG Messages

Message Identifier	Routing Code	Descriptor Code
IXG001E	-	-
IXG002E	-	-
IXG003I	-	-
IXG004I	-	-
IXG005I	-	-
IXG006I	-	-

Message Identifier	Routing Code	Descriptor Code
IXG007E	-	-
IXG008E	-	-
IXG009E	-	-
IXG010E	-	-
IXG011E	-	-
IXG012E	-	-
IXG013E	-	-
IXG014E	-	-
IXG015E	-	-
IXG016E	-	-
IXG017E	-	-
IXG018E	-	-
IXG019E	-	-
IXG020E	-	-
IXG021E	-	-
IXG022E	-	-
IXG023I	-	-
IXG024I	-	-
IXG025I	-	-
IXG026I	-	-
IXG027I	-	-
IXG028I	-	-
IXG029I	-	-
IXG030E	-	-
IXG031E	-	-
IXG032E	-	-
IXG033E	-	-
IXG034E	-	-
IXG035E	-	-
IXG035A	-	-
IXG036E	-	-
IXG036A	-	-
IXG037E	-	-
IXG038I	-	-
IXG039I	-	-
IXG040E	-	-
IXG041E	-	-
IXG044I	-	-
IXG045I	-	-
IXG046I	-	-
IXG047I	2,10	4
IXG049I	-	-
IXG051I	2, 10	4
IXG052I	2	5
IXG053I	11	6
IXG054A	1,2	2
IXG055I	10	4
IXG056I	2,10	4
IXG057I	2,10	4
IXG058E	1,10	11
IXG059I	-	4
IXG060I	-	4
IXG061I	-	4
IXG062A	1,2	2

Message Identifier	Routing Code	Descriptor Code
IXG063I	2,10	4
IXG064I	2, 10	4
IXG065I	1,2,10	12
IXG066I	10	4
IXG101I	2	4
IXG104I	2	4
IXG105I	1	11
IXG106I	2	4
IXG107I	2	4
IXG109E	10	12
IXG110I	2	4
IXG111I	2	4
IXG112I	11	6
IXG113E	10	12
IXG114A	1	2
IXG115A	1,2	2
IXG116I	1,2	12
IXG117I	2	4
IXG201I	10	12
IXG202I	11	6
IXG203I	11	6
IXG204I	11	6
IXG205I	11	6
IXG206I	11	6
IXG207I	11	6
IXG208I	11	6
IXG209I	2	4
IXG210E	10	4
IXG211E	10	4
IXG212E	10	4
IXG213E	10	4
IXG214I	10	12
IXG215I	11	6
IXG216I	11	6
IXG217E	10	4
IXG218A	1	11
IXG219I	2	4
IXG220I	2	4
IXG221I	1	11
IXG222I	1	11
IXG223I	-	-
IXG231I	10	12
IXG232I	10	12
IXG251I	-	-
IXG252I	2	4
IXG253I	2	4
IXG254I	1,2	2
IXG255I	2	4
IXG256I	11	6
IXG257I	1	2
IXG258I	-	-
IXG259I	-	-
IXG260I	-	-
IXG261E	1	11

Message Identifier	Routing Code	Descriptor Code
IXG262A	1	2
IXG263E	10	4
IXG264E	1,2	2
IXG301I	2	4
IXG302E	10	4
IXG303I	-	4
IXG304I	-	4
IXG310I	10	4
IXG311I	2,10	7,11
IXG312E	2,10	3
IXG313I	-	-
IXG351E	2	4
IXG352I	2	4
IXG353I	2	4
IXG354I	2	4
IXG405I	-	-
IXG432E	-	-
IXG433E	-	-
IXG434E	-	-
IXG440E	-	-
IXG441E	-	-
IXG442E	-	-
IXG501I	2	4
IXG502I	2,10	4
IXG503I	11	6
IXG504I	11	6
IXG510I	11	6
IXG511I	11	6
IXG513I	11	6
IXG601I	2,10	5,8,9
IXG602I	2	4
IXG603I	2	4
IXG604I	2	4
IXG605I	2	4
IXG606I	2	4
IXG701I	1,2	12
IXG702I	1,2	12
IXG703I	1,2	12
IXG704I	1,2	12
IXG705I	1,2	12
IXG706I	1,2	12
IXG707I	1,2	12
IXG708I	1,2	12
IXG709I	1,2	12
IXG710I	1,2	12
IXG711I	1,2	12

IXL Messages

Message Identifier	Routing Code	Descriptor Code
IXL001I	1,2,10	11
IXL002I	#	5
IXL003I	#	5

Message Identifier	Routing Code	Descriptor Code
IXL004I	#	5
IXL005I	1,2	12
IXL006I	1,2	12
IXL007I	1,2	12
IXL008I	1,2,10	11
IXL009W	1,2,10	11
IXL010E	1,2,10	11
IXL011I	1,2,10	12
IXL012I	10	12
IXL013I	10	-
IXL014I	10	12
IXL015I	10	12
IXL020I	10	
IXL021I	10	
IXL022I	10	
IXL023I	10	
IXL030I	10	
IXL031I	10	
IXL040E	2,10	7,11
IXL041E	2,10	7,11
IXL042I	2,10	12
IXL043I	2,10	12
IXL101I	#	5
IXL103I	#	5
IXL104I	#	5
IXL105I	#	5
IXL106I	#	5
IXL124I	#	5
IXL125I	#	5
IXL126I	1	2
IXL127A	#	5
IXL128I	1	2
IXL129I	#	5
IXL140I	#	5
IXL141I	#	5,8,9
IXL150I	#	5,8,9
IXL151I	-	5
IXL152I	-	5
IXL154I	-	5
IXL157I	2,10	12
IXL158I	2,10	11
IXL159E	1,2,10	11
IXL159E	2,10	12
IXL160E	1,2,10	11
IXL161I	2,10	12

IXP Messages

Message Identifier	Routing Code	Descriptor Code
IXP050D	1,11	7
IXP056I	2,11	6
IXP057I	2,11	6

IXZ Messages

Message Identifier	Routing Code	Descriptor Code
IXZ0001	2	7
IXZ0002	2	7
IXZ0003	2	7
IXZ0004	10	7
IXZ0005	10	4
IXZ0006	10	7
IXZ0100	10	7
IXZ0101	10	7
IXZ0102	10	7
IXZ0103	2	7
IXZ0104	2	7
IXZ0105	10	7
IXZ0106	10	7
IXZ0107	10	7
IXZ0108	10	2,7
IXZ0109	10	7
IXZ0763	10	2,12
IXZ0765	10	2,12
IXZ0766	10	2,12
IXZ0767	10	2,12
IXZ0769	10	2,12

IYP Messages

Message Identifier	Routing Code	Descriptor Code
IYP050D	1,11	7
IYP056I	2,11,Note 32	6
IYP057I	2,11,Note 32	6

IZP Messages

Message Identifier	Routing Code	Descriptor Code
IZP050D	1,11	7
IZP056I	2,11,Note 33	6
IZP057I	2,11,Note 33	6

Appendix. Accessibility

Accessibility features help a user who has a physical disability, such as restricted mobility or limited vision, to use software products successfully. The major accessibility features in z/OS enable users to:

- Use assistive technologies such as screen-readers and screen magnifier software
- Operate specific or equivalent features using only the keyboard
- Customize display attributes such as color, contrast, and font size

Using assistive technologies

Assistive technology products, such as screen-readers, function with the user interfaces found in z/OS. Consult the assistive technology documentation for specific information when using it to access z/OS interfaces.

Keyboard navigation of the user interface

Users can access z/OS user interfaces using TSO/E or ISPF. Refer to *z/OS TSO/E Primer*, *z/OS TSO/E User's Guide*, and *z/OS ISPF User's Guide Volume I* for information about accessing TSO/E and ISPF interfaces. These guides describe how to use TSO/E and ISPF, including the use of keyboard shortcuts or function keys (PF keys). Each guide includes the default settings for the PF keys and explains how to modify their functions.

Notices

This information was developed for products and services offered in the USA.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not give you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
USA

For license inquiries regarding double-byte (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation
Mail Station P300
2455 South Road
Poughkeepsie, NY 12601-5400
USA

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this information and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement, or any equivalent agreement between us.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

Programming Interface Information

This book primary documents information that is NOT intended to be used as Programming Interfaces of z/OS.

This book also documents intended Programming Interfaces that allow the customer to write programs to obtain the services of z/OS. This information is identified where it occurs, either by an introductory statement to a chapter or section or by the following marking:

_____ **Programming Interface information** _____

_____ **End of Programming Interface information** _____

Trademarks

The following terms are trademarks of the IBM Corporation in the United States or other countries or both:

- IBM
- IBMLink
- MVS
- MVS/ESA
- OS/390
- Resource Link
- z/OS
- z/OS.e
- zSeries

UNIX[®] is a registered trademark of The Open Group in the United States and other countries.

Other company, product, and service names may be trademarks or service marks of others.

Readers' Comments — We'd Like to Hear from You

**z/OS
MVS Routing and Descriptor Codes**

Publication No. SA22-7624-04

Overall, how satisfied are you with the information in this book?

	Very Satisfied	Satisfied	Neutral	Dissatisfied	Very Dissatisfied
Overall satisfaction	<input type="checkbox"/>				

How satisfied are you that the information in this book is:

	Very Satisfied	Satisfied	Neutral	Dissatisfied	Very Dissatisfied
Accurate	<input type="checkbox"/>				
Complete	<input type="checkbox"/>				
Easy to find	<input type="checkbox"/>				
Easy to understand	<input type="checkbox"/>				
Well organized	<input type="checkbox"/>				
Applicable to your tasks	<input type="checkbox"/>				

Please tell us how we can improve this book:

Thank you for your responses. May we contact you? Yes No

When you send comments to IBM, you grant IBM a nonexclusive right to use or distribute your comments in any way it believes appropriate without incurring any obligation to you.

Name

Address

Company or Organization

Phone No.



Fold and Tape

Please do not staple

Fold and Tape




NO POSTAGE
NECESSARY
IF MAILED IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST-CLASS MAIL PERMIT NO. 40 ARMONK, NEW YORK

POSTAGE WILL BE PAID BY ADDRESSEE

IBM Corporation
Department 55JA, Mail Station P384
2455 South Road
Poughkeepsie, NY
12601-5400



Fold and Tape

Please do not staple

Fold and Tape



Program Number: 5694-A01, 5655-G52

Printed in U.S.A.

SA22-7624-04

